Criminal Intelligence Unit
T. (228) 435-6159
F. (228) 702-3179
ciu@biloxi.ms.us

Police Chief
John B. Miller

170 Porter Avenue
Biloxi, Mississippi 39530
Office: 228.435.6100
Fax: 228.374.1922
www.biloxi.ms.us

DATE: *December 7, 2020*

RE: *Biloxi Police activity for November 30 – December 06, 2020*

TOTAL CALLS FOR SERVICE	***1,857***
TOTAL INCIDENT REPORTS ***(Case Numbers)***	***178***
TOTAL OFFENSES ***(Violations/Reports)***	***230***
TOTAL ARRESTS	***117***

Calls excluded from call type charts were: Checking Building – 146; Extra Patrol – 658; Suspicious Circumstances – 84; Traffic Stops – 70; and Walk & Talk – 135. Additional details may be viewed at http://www.crimemapping.com/map/ms/biloxi.





BILOXI FIRE DEPARTMENT
INCIDENT SUMMARY REPORT FOR
THE WEEK OF NOV. 30 - DEC. 06, 2020

Turned around in route (no fire) / Citizen Complaint/Explosion/ other	0
Fires (Structure, Trash, & Vehicle)	2
Rescue & Emergency Medical Services	88
COVID 19	2
Medical Involving Homeless Persons	9
Hazardous Conditions	10
Service Call;	17
Good Intent Call:	6
Special Incident Type	0
Fire Alarm Calls; Active, Malfunction	12
Total	***146***



DATE: *December 7, 2020*
COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Nov. 30 – Dec. 6, 2020

Building permits issued	*93*
Construction Valuation of permits issued	*$240,100*
Building inspections performed	*152*
Business licenses **Renewals** **Charter Boats** **Peddler's licenses**	
Certificates of Occupancy issued	*8 (2 were Short-Term Rentals)*
Code enforcement cases opened	*36*
Code enforcement cases resolved	*31*

Engineering Department
Christy LeBatard, P.E.
Director of Engineering

214-A Delauney Street
P. O. Box 429
Biloxi, Mississippi 39533
Office: 228.435.6265
Fax: 228.435.6179
www.biloxi.ms.us

Engineering Department Weekly Update
December 07, 2020
(updates in bold)

East Biloxi Walkway concrete work – *contractor expected to begin work end of this week or next week*

Projects Out to Bid

- Popps Ferry Bridge P3 (12/30)

Projects in the Process of Being Awarded

- Pre-event Debris Monitoring (10/7)

Projects Under Construction

- Asphalt Annual Contract
- Bayview Ave. Boardwalk
- Belle La Vie Parkway
- Canaan Fishing Dock Repairs
- Division St. Houses Ph 3
- Eagle Point Park
- East Biloxi Connector Rd
- Fishing Bridge Lights
- Keesler Gate Inside
- Keesler Gate Outside
- Lorraine Rd. Waterline
- Oakmont St. House Demo
- Port Commission Roof
- Saenger Theater
- Sidewalk Annual Contract
- Tanglewood Infrastructure
- West Biloxi Boardwalk
- Woolmarket Rd. East Drainage

Hurricane Zeta – Preliminary Estimates

- As of 12-6-2020 hauled over 157,000 cy of debris.
- Preliminary damage assessments are complete for MEMA.
- Insurance adjusters have come to all buildings, will be coming back to those heavily damaged to do more detailed damage reports
- FEMA inspections are complete
- Engineering has a list of potential consultants for the Mayor to use to assign contracts to start developing the repair projects.
- Upgrade intersections to mast arms costs approximately $175,000. We have 12 intersections that are not mast arms, which would cost $2.05M

Cspire Fiber Install

None active

- Phase II Subdivision Installs (still in design)
  - Eagle Point
  - Scenic River Dr.
  - Natures Trail
  - Rock Creek
  - Glen Eagle
  - Cedar Crescent
  - Eastland Subdivision
  - Shorecrest Rr.

Centerpoint Repairs

- 6324 Kimbrough Blvd.
- 1356 Kensington Dr.
- Debuys Rd

Sparklight Projects

- 486 Channel Mark
- 2016 Bayou LaPorte

AT&T Projects

none

Projects

- Atkinson Road Traffic Study – Traffic study underway

- Bayview Avenue Walkway – JE Talley $2.22M; NTP Jan. 4th; Comp Oct. 1,2021

- **Belle La Vie Parkway** – *finishing up punchlist, will issue substantial completion in December*

- Canaan Fishing Dock Improvements (reconstruction) – received DMR & Corps permits, have DE contract, going to hold for now

- **Canaan Fishing Dock Maintenance Repairs** – waiting on contract documents to have pre-construction meeting and set NTP date; *held pre-construction meeting, waiting on estimated material delivery date to set NTP*

- Cedar Lake Bridge Repairs (Const. Funding 2021) – Have executed MOA; drafting a letter to DE requesting completion of contract

- Citywide Street Paving
  - Snug Harbor – being done by County
  - McDonnell Avenue – $40K for just road, additional $40K to add utilities
  - Sidewalks for Councilman Lawrence

- Woolmarket Lake Road
- Bay Vista Streets – Bay Vista Dr., Randall Dr. and Hilton Dr. - requested by Councilwoman Newman
- St. Martha & St. Mary – requested by Councilwoman Newman
- Laurelwood
- Ravenwood
- **Tennis Courts at Circle Park** – *Landshapers is going to perform the paving*

- Concrete Annual Contract
  - Base for Fred Haise Statue & Bollards
  - Bollards at East Biloxi Boardwalk Project and around splashpad
  - Sidewalk at Sunkist and Popps Ferry Road – will be December before contractor can start
  - East Biloxi Boardwalk Nate washout areas need concrete – will be December before contractor can start

- **CSX Crossing Closure Delauney & Nixon** – *Nixon Street closure work will begin this week*

- **Eagle Point Park** – *working on punchlist for current work; will be adding additional work now that we have the new tidelands grant*

- East Biloxi Connector Road (CDBG Funded) – Dorries is now closed, work continuing no outstanding issues;

- Hiller Park Boat Ramp – project set up on the 9/22 council meeting; need to schedule a meeting with Seymour to get under contract

- Old Hwy 90 Fishing Bridge Lighting repairs – complete, doing a change order to add surge protection to the cabinet for lightning

- **Keesler Gate Outside** – *NTP Dec. 14th; completion Nov. 29,* 2021; *Gulf Breeze Construction for $5.6 million*

- Keegan Bayou Restoration – layout has been approved by Mayor and Seymour is moving forward with the permitting process

- Keesler Gate Inside – Completion Date 6/2020; roundabout complete except for final asphalt and Larcher Blvd. i

- Kuhn St. Boat Launch Expansion –permits are being prepared for submission to DMR and Corps.

- Lorraine Road water line extension – CB Developers $587,000; NTP date Oct. 5th; work ongoing no issues

- Main Street Railroad Crossing Upgrades (MDOT Funding 2020) –looking for additional $500K in funding MDOT stated don't worry about funding to just get project to final design stage, MDOT "office review" meeting August 25th

- Malpass Landing/Watersview – regrading of rear yards is complete as a temporary fix; need to hire a DE to come up with a more permanent solution; using the Repair/Replace contract

- Natatorium Roof Leaks –met with Machado Patano to look at roof March 4th; they are going to get up there with water hoses this week to see if they can track down the leak

- Passenger Rail Platform – Design approx. 60% complete, continuing to meet with FRA, SRC and Amtrak on the design

- Patricia Place Dredging – needs funding to start permitting process

- **Point Cadet Shoreline** – *received permits from DMR and Corps.*

- **Point Cadet Marina West** – *Geotech complete, starting pile design will be coming back for one final review prior to completing design*

- Point Cadet Traffic Analysis – MDOT gave us comments back on the contract on 10/8/2020, NS has addressed comments, sending original contracts to MDOT for approval to execute

- **Popps Ferry Rd. at North Country Club** – *Traffic Delineators are here and are ready to be installed*

- **Popps Ferry Extension #913** – Coliseum has the draft MOU for Board approval; 33 parcels to acquire; all surveys; appraisals, and review appraisals complete; *House demolition is underway*

  Negotiation
  - 2400 Beach Blvd. (Coliseum)
  - 128 Oakmont (Coliseum)
  - 161 Oakmont (Coliseum)
  - 173 Oakmont (Shows)
  - 0 Hwy 90 (Coliseum)
  - 0 Briarfield (Bhakta)
  - 0 Briarfield (Coliseum)
  - 0 Pass Rd. (Salloum)
  - 0 Pass Rd. (Hardy Court)
  - 2395 Pass Rd. (NM Markup)
  - 2395 Pass Rd. (Burger King)
  - 2393 Pass Rd. (Exxon)
  - 0 Pass Rd. (Biloxi Management)
  - 2401 Pass Rd. (Stewart Family)
  - 2404 Pass Rd. (Shoppes @ PF West)
  - 2423 Pass Rd. (Take 5)
  - 0 Covenant Square (Hardy Court)
  - 2415 Pass Rd. (Hardy Court)
  - 2368 Pass Rd. (PF MS Dev Co)

  Courts
  - 141 Oakmont (Maddox)
  - 145 Oakmont (Maddox)
  - 2416 Beach Blvd. (Spencer)

Ready for Demolition
- 135 Oakmont (Olin)
- 164 Oakmont (Patton)
- 165 Oakmont (Newton)

Already demolished
- 130 Oakmont (Serignet)

Purchased
- 129 Oakmont (Trinh)
- 131 Oakmont (Trinh)
- 134 Oakmont (Stacy)
- 137 Oakmont (Stacy)
- 149 Oakmont (Sumners)
- 168 Oakmont (Best)
- 169 Oakmont (Coliseum)

- **Popps Ferry Bridge & Approaches** – *There are a few comments from the field review meeting that need to be addressed, BMA is working on the ROW contracts*

- Popps Ferry Bridge P3 RFP - Issuing Addendum #3 answering questions regarding the project.

- Port Commission Roof Repairs – going to fix the windows first then replace the carpet.

- **Repair/Replace Contract**
  - *Malpass/Watersview Drainage – letter going out to residents this week for survey*
  - *Kovacevich Parking Lot – have drawing, permit is going to MDOT this week*
  - Seal @ Howard Sewer Repair
  - Scenic River Drainage
  - Wash Fayard Rd. Culverts
  - IP Parking Lot
  - McDonnell Ave. extension road base only
  - Magnolia Street driveways and curb cuts for Infrastructure
  - Cambridge Drive Drainage
  - Lorraine Road waterline
  - 229 Dewey Circle inlet
  - Tara Lane Drainage ($200,000)

- Saenger Theater Phase I & II Fly Tower & Exterior – Additional leaks will be added to Blackline work; new proposal for brick repointing will be required; Dale Partners is working up a contract amendment for façade upgrade; moving forward with revised CO#4 without the brick repointing because there is work on that CO that Blackline needs to get paid for. Did sustain some damage to the roof over the lobby but that roof is scheduled to be replaced anyway. There was some minor water damage to the lobby.

- Saenger Theater Interior Condition Assessment – Completed Nov. 10th at 9 am

- Shriners Blvd. Waterline Extension – Have contract from Dennis Steiffel ready for council approval; need to transfer $600,000 into new capital project to award

- **Small Craft to Oak St Boardwalk** – *opens bids 12-16-2020*

- **Tanglewood Infrastructure** – *DNA Underground, Comp. 4/2021; anticipated completion December, close out in January 20201*

- Visitors Center Repairs – working on scope of work to develop plans/specs in house; these are complete,

- Ward 4 Paving
    - Sunkist Country Club Sidewalks – scheduling with annual concrete contractor, will be end of November beginning of December

- **West Biloxi Boardwalk Phase 1B** – *Final walkthrough complete, only punchlist items remaining; will close out in late December/early January*

- Woolmarket Rd. East Drainage – work on-going no issues at this time

- **Woolmarket Road Sidewalks** – *Machado Patano, 30% plans are expected to be ready for Mayor's review before the end of the month*

Public Works Department
Billy Ray Allen
Director

214 Delauney St..
P.O. Box 429
Biloxi, Mississippi 39530
Office: 228.435.6271
Fax: 228.435.6179
www.biloxi.ms.us

Date: *Monday, December 7, 2020*
Public Works Activity Report for **Nov 30 – Dec 6, 2020**

The Public Works Sign Shop led by Supervisor G. Juanico led the charge last week by completing 56 Work Orders for Hurricane Zeta related repairs to the traffic signage on city roadways.

The Water/ Sewer Maintenance crews followed by closing 27 Work Orders (24 and 3 Work Orders respectively).

The Lights and Signals crew were able to continue their efforts and completed 13 Work Orders. As materials are available and received, work will continue.

Work orders closed for week - 144

FY 2010 - Work orders closed to date - 1335