




BILOXI FIRE DEPARTMENT **INCIDENT SUMMARY REPORT FOR** **WEEK OF September 11 - September 17, 2023**

1 - Fires (Structure & Vehicle)	3
2 - Rupture/Explosion	2
3 - Emergency Medical Services/Rescue	118
4 - Hazardous Conditions	1
5 - Service Calls	17
6 - Good Intent	8
7 - Fire Alarm Calls; Active, Malfunction	11
8 - Weather/Natural Disaster	0
9 - Special Incident Type	1
	<u>161</u>

WEEKLY COUNT OF INCIDENT TYPE



Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



Police Chief

John B. Miller

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


DATE: September 18, 2023

RE: Biloxi Police activity for Sept 11 - 17, 2023


TOTAL CALLS FOR SERVICE	1937
TOTAL INCIDENT REPORTS	193
TOTAL OFFENSES (Violations/Reports)	253
TOTAL ARRESTS	98

Calls excluded from call type charts were: Extra Patrol – 446; Suspicious Circumstances – 105; Traffic Stops – 364; and Walk & Talk – 39. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE



OFFENSES BY CATEGORY





DATE: *September 11, 2023*

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Sep 4 - 10, 2023

Building permits issued	<i>77</i>
Construction Valuation of permits issued	<i>\$1,544,000</i>
Building inspections performed	<i>87</i>
Business licenses Renewals Charter Boats Peddler's licenses	
Certificates of Occupancy issued	<i>6 (0 were Short-Term Rentals)</i>
Code enforcement cases opened	<i>61</i>
Code enforcement cases resolved	<i>116</i>



DATE: *September 18, 2023*

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Sep 11 - 17, 2023

Building permits issued	<i>214</i>
Construction Valuation of permits issued	<i>\$3,184,000</i>
Building inspections performed	<i>75</i>
Business licenses	<i>6</i>
Renewals	<i>223</i>
Charter Boats	
Peddler's licenses	
Certificates of Occupancy issued	<i>13 (7 were Short-Term Rentals)</i>
Code enforcement cases opened	<i>43</i>
Code enforcement cases resolved	<i>81</i>



Engineering Department Weekly Update
September 18, 2023
(updates in red)

Projects Out to Bid

Projects in the Process of Being Awarded

- BRIC Grant (Cedar Lake Bridge) Application RFP
- **Eagle Point Park Lights (September 13th)**
- Paving Phase I (August 23rd)
- Concrete Annual Bid (September 6th)

Projects Under Construction

- Lorraine Road Waterline
- Main Street RR Crossing
- Pickleball Restroom
- Point Cadet Marina West
- Sports Complex Field Improvements

Private Utility Work in ROW

Misc

- Visitors Center Signs – Have quotes will be on Sept. 19th agenda for approval
- Ditch Maintenance – Will have this out to bid in September 2023
- Researching contracting out utility locates for Public Works
- **GRPC TIP Call for Projects – Shriners?**

Projects

- Bay Vista Water Well - BMA is getting project ready to bid
- Bay Vista Water Line Replacement – next project to work on funding
- Biloxi-OS Bridge Walking Path Ramp – pending a design contract from BMA
- Biloxi/Keesler Welcome Sign – pending a design contract from BMA
- Bridge Repairs
 - Porter Avenue/Keegan Bayou Bridge – Have PO waiting to schedule with contractor

- Cedar Lake Bridge – Have fracture critical repairs that need to be made asap, don't have quote yet on repairs
- Causeway Lights – PO has been issued, Lamey Electric is ordering the lights, work will be scheduled once we know when they will be delivered
- Causeway Pier Repairs (east side) – Design pending Tidelands grant paperwork received and approved
- Cedar Lake Bridge BRIC Grant – Received draft contract, currently being reviewed
- Churchill Drive Ditch Improvements – BMA contract approved on council agenda preliminary investigation complete, working on recommendations
- City Hall Preservation & Improvements – Received preliminary condition assessment, scope of work and estimated costs from historical preservation expert, will begin working on grant applications
- Concrete Annual Contract – need to readvertise, readvertising, receive bids September 6th
 - 695 Watersview Drive
 - Rock Creek Subdivision – Received quotes, PO approved by Council, work will begin before end of September
- Ditch/ROW mowing contract – working on estimated costs for potential budget item and specifications to go out to bid – **Working on a contract – Will advertise for bids next week**
- East Biloxi Connector Road Porter to Hopkins (CDBG Funded) –starting on Phase I from Porter to Benachi, property is acquired, still working on moving the last resident, will be ready to bid in October **met with Arborist, moved the road more to the north outside of the tree critical root zone**
- Eagle Point Park – Working on design for lights, picnic tables, benches at playground, benches around walkway, trash cans, and possible shade structure
- Eagle Point Lights – **Received bids September 13th, apparent low bidder Lamey Electric \$108K**
- Edgewater Park Drainage Study – pending funding
- Fire Station No. 5 – (Mark Williams) have bid plans/specs, need funding to bid
- Hiller Park Drainage Improvements – Cypress getting me a proposal to do conceptual drawings for grant application

- Lighthouse Pier – design efforts continue, Corps permits out for public hearing, applied for Tidelands, also going to apply in GOMESA, RESTORE, etc.
- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal Working with DMR to get dredging permit approval
- Kuhn St. Boat Launch Expansion – **will have 90% review plans this week then project will be ready to bid.**
- Lorraine Road Water Line Extension Ph 2 – ARPA application for funding submitted, Awarded to Bottom 2 Top at \$1.1M - NTP May 22nd 150 days completion Oct. 19th, completed, working on punchlist will sent out connection letters
- Main Street Railroad Crossing Upgrades – (Gulf Breeze Construction) NTP Jan. 16th, **stripping is being done, asphalt repairs are scheduled for Tuesday then road will be opened**
- McDonnell Avenue Extension – Pending design
- MGCCC Traffic Signal – MOA has been fully approved, gave construction plan approval, still have to go through the MDOT approval process
- Oak Street Pier (South) – Cypress presented conceptual plans, pending Tideland's notification (\$400K) to start design; pending a design contract from Cypress, have options for 8' and 20' wide pier for multiple lengths need direction on which option
- Parker's Creek Sediment Removal – **Received the DMR and Corps permits, getting this ready to go out to bid**
- Paving
 - Phase I (Downtown) bids August 23rd

<ul style="list-style-type: none"> ▪ Croesus ▪ G.E. Ohr ▪ Laurelwood ▪ Ravenwood ▪ Summag Dr. ▪ Lawnwood Dr. ▪ Carolwood Dr. ▪ Gladewood Dr. ▪ Lakewood Dr. ▪ Bluewood Dr. 	<ul style="list-style-type: none"> ▪ Esters – Caillavet to Holley ▪ Cambridge Dr. ▪ Edwards Circle ▪ Theresa Court ▪ Melbourne Court ▪ Windsor Court ▪ Harkness Court ▪ Merry Lane ▪ Skeet Hunt Rd.
--	--
 - Phase II Paving

<ul style="list-style-type: none"> ▪ Audubon Place ▪ Lamey Street ▪ Pinecrest 	<ul style="list-style-type: none"> ▪ Dundewood ▪ RSR 1 & 2 Pavement Management Plan
--	---

- Pickleball Restroom – Apparent low bidder Argus Building, \$142K, work on-going
change order for pavilion is on this week's agenda
- Point Cadet Re-Development #1092 – Machado Patano is working concept
- Point Cadet Living Shoreline – BMA – **meeting with BMA on Friday to discuss the sheet pile wall**
- Point Cadet Nearshore #1096 –BMA – **meeting with BMA on Friday to give direction of structures for shoreline re-establishment**
- Point Cadet Marina Sediment Removal Permit – Corps has no issues, DMR has sent the application to MDEQ, NFW, etc. for their comments, deadline for comments is August 30th.
- Point Cadet Marina West – AnderCorp NTP 10/24, 240-day contract, work on-going, still waiting on electrical components and floating docks; floating docks will begin delivery the first week in August and electrical components won't be here until January
- Point Cadet Marina Phase 2 – submitted for Restore Act Funding, getting a layout from BMA to include with application
- Popp's Ferry Extension #913 –ROW acquisition continues, funding secured for construction, close one additional RR crossing and send final crossing design to CSD, final roadway design required, have received comments from CSX and waiting on Corps of Engineers permit, Plan is to bid in 2023
- Popp's Ferry Bridge & Approaches – Ph I design complete, contract for right of way acquisition being developed, EA being updated, top priority to obtain funding to repair existing bridge, submitted to emergency road and bridge repair program
- Popp's Ferry Recreational Complex Lighting – Have condition assessment for lights, meeting with Sparta vendor to review their lights, then will have to decide how to proceed **Are we going to lease or purchase outright?**
- Port Repair Replace Contract
 - Porter Avenue North Pier –started reconstruction
 - Forrest Avenue Pier - work has started – complete
- Repair/Replace Contract – See attached
- Rodenberg at Pass Road Intersection – Activated with MDOT, kickoff meeting held and parcel research underway as initial steps in row & easement acquisition process starts received a ROW contract from NS, will send over for council approval

- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed
 - Hiller Park Pond (have permits)
 - Parkers Creek – pending permit
 - Point Cadet Marina – pending permits
 - Sunrise Court/Brasher – pending permit
- Shriners Blvd. Water & Sewer Extension – (Overstreet) Gulf Coast Solutions Completion date: work is complete, will send out connection letters
- Shriner Blvd. Water & Sewer Phase II to extend the water line north to the city limits to tie into the HCUA water line, ready to go to bid, need additional funding, have options would like to discuss
- Sports Complex #1093 – (Machado Patano) awarded to Talley Construction for \$5.0M, NTP September 5th
- Spratley sewer/storm drain repairs – **County paving this week**
- Sunkist Utility Repair Project – Need to determine scope of work to determine source of funding
- Tanglewood Infrastructure Ph II –MP getting project ready to bid, the MCWI grant agreement is on this council agenda for approval – **opens bids Oct. 25th**
- Ward 2 Recreational Center – Reviewing 30% plans
- Woolmarket Road Sidewalks – (Machado Patano) – MDOT doing their final plan/spec review, ready to bid as soon as receive concurrence from MDOT, CE&I contract is on council for approval
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design contract awarded, held kick off meeting, design is 60% complete had a progress meeting last week, expect that we can have this ready to bid in late fall

Repair/Replace Work Status
as of 09/18/2023

Updates will be in red

Status	Priority	Location	PO	PO Date	Dept.	Amount	Open Amount	Description of Work
Under Construction	0	Paul David Dr. Road Repair (Taylor Oaks)	20235887	08/14/2023	711	\$10,404.24	\$10,404.24	Taylor Oaks speed table removal - paving this week
Need Quote	1	Old Hwy 67 Ditch Maintenance						Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue)
Need Quote	1	Pennzoil Park Waterline/Fountain						Fountain is here, will be installed within the next 2 week
Need Quote	2	Louise St. drainage replacement						Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St.
Pending Const.	3	McDonnell Ave. Lift Station	20235959	08/17/2023	611	\$37,050.28	\$37,050.28	Ordered by PW, no information on scope or status
Pending PO	3	1187 Karli Lane				\$12,883.00	\$12,883.00	County redid road by house causing her driveway to flood - pipe has been ordered
Quote	4	Beverin Rd. and Jack Graves waterline						Waiting on Shriners Blvd. Waterline project to be completed
Need Quote	4	Cedar Lake Rd. Ditch						Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains
Investigate	5	Cherry Ln & Riverview culvert replaced						Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Investigate	6	Popp's Ferry Road Potholes						South of Bridge - need manhole lid risers
Investigate		Airport Rd. Ditches						Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029
Need Quote		Alyeska Condos						Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed
Cancel		Apple Valley Trailer Park/Lorraine Rd. Water						Extend water line to Apple Valley Trailer Park on Lorraine Road- 6" service is already in place
Pending Const.		Azalea/Irish Hill	20232578	01/25/2023	611	\$1,955.60	\$1,955.60	Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this
Need Video		Bay Vista pothole						Need video in order to determine what repairs are needed
Pending Const.		Bay Vista Sewer Main	20235424	7/11/2023	611	\$66,678.20	\$66,678.20	Ordered by PW, no information on scope or status - Paving is all that is remaining
Need Quote		Beau Chene drainage cleaning						Clean out drainage behind houses so water will drain
Need Quote		Buena Vista Lift Station Lining						Requested by PW, get with Chad Nobles to get scope
Pending Const.		Beauvoir and Railroad Liftstation Repair	20235476	07/13/2023	611	\$30,030.21	\$30,030.21	This was ordered by PW, rework valve & check valve box, redo piping
Investigate		Boyette Rd. Drainage						Ditches need to be regraded (Kathy Santiago)
Cancel		Campbell Drive potholes & RPM						Potholes are at all sewer service crossings, also included are to install raised pavement markers (RPMs) in the "S" curve - Going to pave this instead of trying to fix the sewer crossings
Need Video		Caroline Dr. Sinkhole						Sinkhole by curb inlet, getting video to assess problem
Quote		Carolwood add curb inlet						Install curb inlet in area that is holding water
Need Quote		Churchill concrete ditch groundwater issues						Going to see if Helms Polyfoam will work in this area
Hold		Club Moss Drainage						Clean out drainage behind houses so water will drain, looked at this again on 6/7/23, not able to get equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one.
Need Quote		Esposito Drainage between Seal & Hopkins						Water stand in the road and the yard during heavy downfall
Investigate		Division & New St. Sinkhole						Need to investigate large sinkhole forming
Need Quote		Hiller Park LS erosion						Correct erosion problem just west of the lift station
Need Quote		Howard Ave. Flush storm drains						Storm drains on Howard Ave. are full of debris
Need Quote		Jim Byrd Rd. 14080						Culvert needs to be cleaned out or replaced
Need Quote		John Lee Rd. 13403						Culverts and ditches need to be cleaned out
Investigate		Glen Eagle west side ditch						ditch erosion in rear of property
Pending Const.		Lorraine Rd. & John Lee Rd. Water Repair	20235936	08/16/2023	611	\$3,857.74	\$3,857.74	Repair water main at John Lee & Lorraine Rd. - Ordered by PW
Need Quote		Lorraine Road ditches						Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098
Need Quote		Lorraine Rd. 13143						Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572
Need Quote		Mill Creek Sidewalk Repair						Concrete panel is collapsed this can be done under the concrete annual bid
Need Quote		North Oaklawn Rd. 12387						Ditches need to be cleaned
Investigate		Oakridge ditch too deep						Ditches are too deep for residents to cut get with County for assistance
Quote		Old Biloxi Library sewer repairs						PW ordered this work, need to find out what's going on

Status	Priority	Location	PO	PO Date	Dept.	Amount	Open Amount	Description of Work
Need Quote		Orleans & Carter pothole						PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair
Investigate		Pin Oak Lift Station Ditch						Ditch runs north from lift station; resident at 10351 Pin Oak requested this work
Need Quote		Pin Oak & North River View						Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes						sinholes at manholes on Pine Grove
Pending PO		Rich Ave. Waterline						Add fire protection for office building and Rich Ave
Need Quote		Rodenberg potholes						Have video of this area, this is going to be a major repair, will probably need to be a capital project
Pending PO		Seal Ave Storm Drain Repairs			711K	\$12,658.81	\$12,658.81	Ordered by Infrastructure, no information on scope
Pending Const.		Spanner Lane Sewer Repair/FH Relocate	20235756	08/04/2023	711K	\$13,824.10	\$13,824.10	Ordered by Infrastructure, no information on scope
Need Quote		Southeastern Doors & Windows						Sinkhole by curb inlet, getting video to assess problem
Pending Const.		Veterans Ave Storm Drain Repair	20235967	08/17/2023	711	\$8,481.47	\$8,481.47	Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in
Pending Const.		Woodland Park Dr street repair	20233127	02/24/2023	611	\$8,132.40	\$8,132.40	Asphalt repair - B2T is going to see if Gulf Pride can do this
Paid		Atkinson/Tree Top Drainage	20231862	12/13/2022	611	\$112,434.20		Drainage work on Atkinson Rd.
Pending Invoice		Back Bay Blvd. Sewer Main Replacement	20235388	7/6/2023	711K	\$56,097.90		Warranty work to replace new sewer main that was accidently flow filled by Oscar Renda
Paid		Back Bay Elem Storm Drain	20231664	12/01/2022	611	\$7,138.00		Repairs to storm drain box
Paid		Bay Vista Drive Water Main Repair	20231895	12/15/2022	611	\$4,178.25		Emergency repair due to water main break
Paid		Bay Vista Emergency Repair	20231988	12/22/2022	611	\$9,564.00		Emergency repair due to water main break
Pending Invoice		Big Lake Road Transite Water Main	20234505	05/18/2023	611	\$47,074.13		Tie in new water services to the new pvc water main
Paid		Big Lake Road Emergency Repairs	20234442	05/15/2023	611	\$19,023.97		Ordered by PW, no information on scope
Paid		Bilglade Storm Drain Repairs	20233785	04/03/2023	711	\$72,936.70		Complete
Paid		Bilmarsan Dr.	20231377	11/10/2022	611	\$57,009.62		Sewer main repairs
Paid		Boyette Rd. Drainage	20231263	11/07/2022	611	\$49,681.90		Repairs to storm drain pipes
Paid		Brodie Rd./Eagle Eyrie Water Main	20231825	12/12/2022	611	\$13,343.20		Repairs to water main
Pending Invoice		Camp Wilkes/Sharon Hills Sewer Repair	20235095		711	\$50,203.45		Relaying gravity sewer line that was installed backward. - pending invoice for final payment
Paid		Campbell Drive Drainage	20230759	10/13/2022	611	\$24,509.75		Drainage work in Lauren Falls Subdivision
Paid		Campbell Drive Drainage	20232796	02/03/2023	711P	\$7,707.00		Drainage work in Lauren Falls Subdivision
Paid		Campbell Drive/Lauren Falls	20235468	07/13/2023	711	\$2,865.50		Installing sod where we previously did ditch work because the grass seed didn't take
Paid		Cedar Lake/Spring Dr. Emergency Sewer	20231039	10/25/2022	611	\$4,870.04		Emergency sewer main repairs
Paid		Cedar Lake Topsoil & Grout	20235802	08/08/2023	611	\$1,438.60		Ordered by PW, no information on scope or status
Paid		City Hall Water Main	20234219	05/01/2023	611	\$5,236.33		Water leak in Lameuse Street in front of City Hall
Paid		Club Moss Emergency Repair	20234607	05/25/2023	611	\$5,053.82		Ordered by PW, no information on scope
Paid		Country Lane	20230760	10/13/2022	611	\$52,066.50		Installation of water mains and services
Paid		Father Ryan Sewer	20234395	05/10/2023	711K	\$7,620.48		Repairs to sewer service
Paid		Forrest Dr.	20231432	11/15/2022	711K	\$4,115.00		Sidewalk repairs
Complete		Forrest Ave. & Lasalle St. Sinkhole	20235528	07/18/2023	611	\$9,049.73		Repairs to storm drain on Forrest Avenue that caused a sinkhole under the roadway
Paid		Franks Dr. Drainage	20230888	10/19/2022	611	\$24,444.00		Repairs to storm drain pipes
Paid		Greenwood/Atkinson Emergency Repair	20233845	04/10/2023	611	\$7,347.78		Emergency repairs
Paid		Hickman Rd. Clean Ditches	20232915	02/09/2023	711	\$47,003.00		Cleaning of ditches in preparation for County to pave
Paid		Howard Ave Sewer Repairs	20233730	03/30/2023	611	\$9,530.06		Emergency repair due to sewer main break
Paid		Hwy 90 Emergency Repair	20230977	10/24/2022	611	\$2,500.00		Emergency repair due to water main break
Paid		214 Kuhn St. Curb Cut	20234452	07/12/2023	711K	\$1,778.98		Katrina Infrastructure Warranty Work
Paid		Lorraine Rd. at Oaklawn Emergency Repair	20235711	08/01/2023	611	\$10,978.68		Ordered by PW no information on scope
Paid		Main Street Emergency Repair	20231547	11/21/2022	611	\$2,223.76		Emergency repair due to sewer main break

Status	Priority	Location	PO	PO Date	Dept.	Amount	Open Amount	Description of Work
Paid		Mason Rd. ditch cleaning and regrading						PW took care of this
Paid		Mason Road Garbage Truck Turn Around	20235388	07/07/2023	711	\$29,711.23		Provide turn around at the end of Mason Rd. - pending invoice for final payment
Paid		McLane Lane Drainage Repair	20231891	12/15/2022	611	\$44,087.50		Repairs to drainage pipe
Paid		Nixon St. Topsoil	20235354	07/06/2023	711K	\$781.50		Ordered by infrastructure, no information on scope
Pending Invoice		Oakcrest Drainage	20235352	07/06/2023	711	\$14,429.80		Water isn't getting to ditches/pipe it's going through yards; we're going to recut some ditches to get the water where it's supposed to go pending invoice for final payment
Paid		Pass Rd. Emergency Repair	20231515	11/17/2022	611	\$32,556.40		Emergency repairs to storm drain box
Paid		Petit Bois Manhole	20230715	10/11/2022	611	\$20,698.83		Repairs to sewer manhole
Paid		Petit Bois Sewer	20230803	10/14/2022	611	\$26,220.00		Sewer force main repairs
Paid		Poplar Trail Emergency Repair	20231467	11/16/2022	611	\$11,923.68		Emergency repairs due to sewer main break
Paid		Popps Ferry Road Drainage	20231268	11/07/2022	611	\$11,459.50		Repairs to storm drain inlet
Complete		Rodenberg & RR Lift Station Repair	20235340		611	\$42,781.34		This was ordered by PW, no information on scope or status
Paid		Rich Street	20231882	12/14/2022	611	\$101,555.60		Repairs to drainage pipe and inlet
Paid		Riverview Drive Drainage	20233321	03/07/2023	611	\$7,696.10		Replace culvert and regrade ditch
Paid		Rue Sanchez Water & Sewer	20234307	05/04/2023	711	\$69,683.22		Work is completed need GPS
Paid		Rustwood Ln Sock Pipe	20232143	12/30/2022	711P	\$32,537.70		Installation of drainage pipe to address flooding issue
Paid		Saenger Alley Drainage	20233350	03/08/2023	611	\$27,062.00		Replace drainage in Saenger Alley
Pending Invoice		Saenger CIPP	2023440	04/20/2023	611	\$14,595.00		Line the existing were line going under the buildings, ordered by PW
Paid		Saenger Theater	20231826	12/12/2022	611	\$2,250.00		Replace/Repair sewer lines in Saenger Alley
Paid		Saenger Theater Exploratory Digging	20230758	10/13/2022	611	\$4,039.60		Investigative digging in Saenger Alley
Paid		Saenger Water	2023380	03/09/2023	611	\$51,742.75		Replace/Repair water lines in Saenger Alley
Paid		Seal Ave Drainage repairs	20234845		711K	\$1,626.29		Katrina Infrastructure Warranty Work
Paid		Spanner Lane	20235169	06/23/2023	611	\$6,035.05		Ordered by Infrastructure, no information on scope, this is a sewer line
Pending Invoice		Sprately Dr.	20233410	03/13/2023	711	\$132,296.66		Work is completed just waiting on invoice
Pending Invoice		Tee Street	20235500	07/17/2023	611	\$3,339.42		Ordered by PW, no information on scope or status
Paid		West Oaklawn Rd. Drainage	20231890	12/15/2022	611	\$78,256.20		Repaired drainage
Paid		Wildwood Lane Drainage	20231514	11/17/2022	611	\$17,013.60		Repairs to drainage pipe and inlet
Paid		Woodfield & Rustwood	20231522	11/18/2022	711P	\$30,620.15		Installation of drainage pipe to address flooding issue
Complete	0	Woodrow Place/Franklin Ct. Manhole Repair	20234967		611	\$24,945.77		Sinkholes by the manhole
		Total FY22-23				\$1,749,979.50		\$1,749,979.50