





BIŁOXI FIRE DEPARTMENT **INCIDENT SUMMARY REPORT FOR** **E WEEK OF November 13 - November 19, 2023**

| | |
|--------------------------------------------------|-------------------|
| 1 - Fires (Structure & Vehicle) | 3 |
| 2 - Rupture/Explosion | 0 |
| 3 - Emergency Medical Services/Rescue | 126 |
| 4 - Hazardous Conditions | 4 |
| 5 - Service Calls | 16 |
| 6 - Good Intent | 7 |
| 7 - Fire Alarm Calls; Active, Malfunction | 18 |
| 8 - Weather/Natural Disaster | 0 |
| 9 - Special Incident Type | 1 |
| | <u>175</u> |

WEEKLY COUNT OF INCIDENT TYPE



Incident / Run Series



Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



Police Chief

John B. Miller

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


DATE: November 20, 2023

RE: Biloxi Police activity for Nov 13 – Nov 19, 2023


| | |
|--------------------------------------------|-------------|
| TOTAL CALLS FOR SERVICE | 1905 |
| TOTAL INCIDENT REPORTS | 144 |
| TOTAL OFFENSES (Violations/Reports) | 216 |
| TOTAL ARRESTS | 147 |

Calls excluded from call type charts were: Extra Patrol – 486; Suspicious Circumstances – 62; Traffic Stops – 428; and Walk & Talk 63 –. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE



OFFENSES BY CATEGORY





DATE: *November 20, 2023*

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Nov 13 - 19, 2023

| | |
|-------------------------------------------------|---------------------------------------|
| Building permits issued | <i>74</i> |
| Construction Valuation of permits issued | <i>\$2,249,000</i> |
| Building inspections performed | <i>74</i> |
| Business licenses | <i>2</i> |
| Renewals | <i>4</i> |
| Charter Boats | |
| Peddler's licenses | |
| Certificates of Occupancy issued | <i>10 (4 were Short-Term Rentals)</i> |
| Code enforcement cases opened | <i>76</i> |
| Code enforcement cases resolved | <i>49</i> |

WEEKLY REPORT

NOVEMBER 17, 2023

WEEK ENDING NOVEMBER 17, 2023

TOTAL PERMITS ISSUED – 74

TOTAL VALUATION – \$2,249,000

FEES COLLECTED – \$11,895

BUSINESS LICENSES – 2

RENEWALS – 4

OF COO'S ISSUED – 10 (4 were STR)

INSPECTIONS PERFORMED: 103 – BUILDING 13 - FLOOD

NEW SINGLE FAMILY:

DSLD HOMES – 832 LEEWARD DR - \$148,000

DSLD HOMES – 836 LEEWARD DR - \$158,000

DSLD HOMES – 840 LEEWARD DR - \$152,000

MAJOR PROJECTS:

REEF EXPRESS – NEW SERVICE STATION – 2790 BEACH BLVD - \$2,000,000

MAJOR CERTIFICATES OF OCCUPANCY:

PLANS IN REVIEW: 5 – RESIDENTIAL 2 - COMMERCIAL



Engineering Department Weekly Update
November 20, 2023
(updates in red)

Projects Out to Bid

Projects in the Process of Being Awarded

- BRIC Grant (Cedar Lake Bridge) Application RFP
- Tanglewood Phase II (Nov. 1st)
- Ditch/ROW Mowing (Nov. 8th)
- Shriners Water Line Ph II (Nov. 15th)
- East Biloxi Connector Road (Porter to Querens) (Nov. 15th)

Projects Under Construction

- Concrete Annual Bid
- Eagle Point Park Lights
- Paving Phase I
- Pickleball Restroom
- Point Cadet Marina West
- Sports Complex Field Improvements

Private Utility Work in ROW

Misc

- Visitors Center Signs – Order has been placed
- Researching contracting out utility locates for Public Works
- GRPC TIP Call for Projects – Shriners?
- Emailed estimated costs for Clower, Miramar, Acacia, Jefferson Davis paving
- Gave HK Dredging sites on Friday and talked to him this morning should have quote by tomorrow
- Hard Rock – going to install a meter on the line in Lameuse
- Point Cadet Pier inspections

Projects

- Bay Vista Water Well – Had 100% review meeting with BMA, made a few small tweaks to the design since we have funding available
- Bay Vista Water Line Replacement Project No. 1013 – **New project will be created on the Nov. 20th council agenda but still need funding**

- Biloxi-OS Bridge Walking Path Ramp – pending a design contract from BMA
- Biloxi/Keesler Welcome Sign – pending a design contract from BMA
- Bridge Repairs
 - Porter Avenue/Keegan Bayou Bridge – Have PO waiting to schedule with contractor
 - Cedar Lake Bridge – Have fracture critical repairs that need to be made asap, don't have quote yet on repairs
- Causeway Pier Repairs (east side) – Received Tidelands grant agreement, need to select a consultant to get the permits and plans/specs ready.
- Cedar Lake Bridge BRIC Grant – Draft contract sent to MEMA/FEMA for review, will be on the Nov. 15th agenda for approval pending MEMA/FEMA approval
- Churchill Drive Ditch Improvements – BMA contract approved on council agenda preliminary investigation complete, working on recommendations
- Concrete Annual Contract – Under contract, just need funding to complete any work
 - 695 Watersview Drive
 - River Place Streets
 - LaBonne Terre Streets
- Ditch/ROW mowing contract – Received bids Nov. 8th, Gulf Breeze was the only bidder
- East Biloxi Connector Road (Porter to Querens) – Received bids November 15th, apparent low was Moran Hauling for \$
- Eagle Point Park – Working on design for lights, picnic tables, benches at playground, benches around walkway, trash cans, and possible shade structure
- Eagle Point Lights – Light poles have started to be delivered
- Edgewater Park Drainage Study – pending funding
- Fire Station No. 5 – (Mark Williams) have bid plans/specs, need funding to bid
- Hiller Park Drainage Improvements – Cypress getting a proposal to do conceptual drawings for grant application
- Howard Avenue Brick Maintenance – Project will be out to bid first week in December, specs are 90% complete
- Lighthouse Pier – design efforts continue, Corps permits out for public hearing, applied for Tidelands, also going to apply in GOMESA, RESTORE, etc.

- Lighthouse Pier Parking Area Electrical – Need to show some options to the Mayor, and select a consultant
- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal Working with DMR to get dredging permit approval
- Kuhn St. Boat Launch Expansion – will have 90% review plans soon then project will be ready to bid
- ~~Main Street Railroad Crossing Upgrades – (Gulf Breeze Construction) Finishing punch list items~~
- McDonnell Avenue Extension – Pending design
- MGCCC Traffic Signal – MOA has been fully approved, gave construction plan approval, still have to go through the MDOT approval process
- Oak Street Pier (South) – Cypress presented conceptual plans, **received the Tideland grant agreement**; pending a design contract from Cypress, have options for 8’ and 20’ wide pier for multiple lengths need direction on which option
- Parker’s Creek Sediment Removal – Received the DMR and Corps permits, not ready to bid, still waiting on clearance from NFWS
- Paving – Paving underway
 - Phase I (Downtown) bids August 23rd

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> ▪ Croesus ▪ G.E. Ohr ▪ Esters – Caillavet to Holley ▪ Laurelwood ▪ Ravenwood ▪ Summag Dr. ▪ Lawnwood Dr. ▪ Carolwood Dr. ▪ Gladewood Dr. ▪ Lakewood Dr. | <ul style="list-style-type: none"> ▪ Bluewood Dr. ▪ Cambridge Dr. ▪ Edwards Circle ▪ Theresa Court ▪ Melbourne Court ▪ Windsor Court ▪ Harkness Court ▪ Merry Lane ▪ Skeet Hunt Rd. ▪ Audubon Place |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
 - Phase II Paving

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> ▪ Lamey Street ▪ Pinecrest ▪ Dundewood ▪ RSR 1 & 2 Pavement Management Plan ▪ Point Cadet Marina area | <ul style="list-style-type: none"> ▪ Saint Streets ▪ Clower ▪ Acacia ▪ Jefferson Davis ▪ Miramar |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|

- Pickleball Restroom – pavilion complete
- Point Cadet Re-Development #1092 – Machado Patano is working concept
- Point Cadet Living Shoreline (BMA) – BMA working on solutions for sheet pile wall
- Point Cadet Nearshore #1096 (BMA) – meeting with BMA on Friday to give direction of structures for shoreline re-establishment
- Point Cadet Marina Sediment Removal Permit – Corps has no issues, DMR has sent the application to MDEQ, NFW, etc. for their comments, deadline for comments is August 30th.
- Point Cadet Marina West – AnderCorp NTP 10/24, 240-day contract, work on-going, still waiting on electrical components and floating docks; floating docks will begin delivery in November and electrical components won't be here until January **test piles are complete and they have started building the template for piling for fixed pier in NW corner**
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, need to get layout approved, asked BMA for a new contract
- Point Cadet Marina Phase III – have preliminary layout that needs approval so a cost estimate can be developed so we can be ready for round 3 of funding
- Popp's Ferry Extension #913 –ROW acquisition continues, funding secured for construction, close one additional RR crossing and send final crossing design to CSD, final roadway design required, have received comments from CSX and waiting on Corps of Engineers permit, Plan is to bid in 2023
- Popp's Ferry Bridge & Approaches – Ph I design complete, contract for right of way acquisition being developed, EA being updated, top priority to obtain funding to repair existing bridge, submitted to emergency road and bridge repair program
- Popp's Ferry Bridge Draw Replacement – MOA approved by council, submitted back to MDOT for Transportation Commission Approval
- Popp's Ferry Recreational Complex Lighting – **working RFP will have it ready to advertise by the end of the week.**
- Port Repair Replace Contract
 - Point Cadet Marina Pier D emergency repair – contractor has started – we will do a visual inspection of the remaining piers and then look for a consultant to do a more thorough inspection using ground penetrating radar
- Repair/Replace Contract – See attached

- Rodenberg at Pass Road Intersection – ROW contract from NS pending council approval, have started the MDOT paperwork to get this project started
- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed
 - Hiller Park Pond (have permits)
 - Point Cadet Marina – pending permits
 - Parkers Creek – pending permit
 - Sunrise Court/Brasher – pending permit

Need to put together a GOMESA grant application for sediment removal

- Shriners Blvd. Water Phase II to extend the water line north to the city limits to tie into the HCUA water line – **Received bids Nov. 15th, LJ Construction was apparent low for \$750K**
- Shriners Blvd. Widening – putting together a TIP package for council approval in order to apply for MDOT funding
- Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M/09/05/2023)
- **Sport Complex Tennis Court Lights – Receive Proposals on December 20th, RFP was reviewed by Tammy Bowman**
- Sunkist Utility Repair Project – Need to determine scope of work to determine source of funding
- Tanglewood Infrastructure Ph II (MP) – **Opened bids Nov. 1st, apparent low bidder in DNA Underground for \$2.3m working on getting award of contract on Nov. 28th agenda**
- Ward 2 Recreational Center – Will have 60% review plans in December for review
- Woolmarket Road Sidewalks – (Machado Patano) – MDOT doing their final plan/spec review, MDOT has questions regarding the buffer zone in a couple of areas MP is working on widening the sidewalk in those areas to resolve the buffer zone issue
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design contract awarded, held kick off meeting, design is 60% complete had a progress meeting last week, expect that we can have this ready to bid in late fall

Repair/Replace Work Status
as of 11/16/2023

Updates will be in red

| Status | Priority | Location | Open Amount | Description of Work |
|----------------|----------|------------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Under Const. | 1 | Old Hwy 67 Ditch Maintenance | \$103,597.88 | Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction |
| Under Const. | 1 | G.E. Ohr Sinkhole | | Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week |
| Complete | 1 | 1187 Karli Lane | \$12,883.00 | County redid road by house causing her driveway to flood - pipe has been ordered ongoing |
| Under Const. | 1 | Cedar Lake Rd. Ditch | | Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next |
| Need Quote | 1 | Seal Avenue/Division St. | | Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway |
| Pending Const. | 1 | River Estates Circle Drainage | \$29,689.15 | Ordered by PW, no information on scope. |
| Pending PO | 2 | Louise St. drainage replacement | \$96,159.62 | Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St. |
| Need Quote | 3 | Oakridge ditch too deep | | Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda |
| Need Quote | 4 | Beverin Rd. and Jack Graves waterline | | Waiting on Shriners Blvd. Waterline project to be completed |
| Investigate | 5 | Cherry Ln & Riverview culvert replaced | | Replace failed culvert - need PW to clean ditch so water will drain in order to investigate |
| Pending PO | 5 | Majestic Oaks RV Park | \$23,672.35 | Rear drainage is not working causing their detention pond to back up |
| Investigate | 6 | Popps Ferry Road Potholes | | South of Bridge - need manhole lid risers |
| Pending PO | 6 | Veterans Ave Storm Drain Repair | \$8,481.47 | Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in |
| Pending Const. | 10 | Destiny Plantation ditch cleaning | | Clean out ditch behind houses in Destiny Plantation - ordered by PW |
| Investigate | | Airport Rd. Ditches | | Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029 |
| Need Quote | | Alyeska Condos | | Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed |
| Pending PO | | Azalea/Irish Hill | \$1,955.60 | Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this |
| Need Quote | | Beau Chene drainage cleaning | | Clean out drainage behind houses so water will drain |
| Need Quote | | Bike Sharrows | | Around east biloxi for Biloxi Bicycle Works |
| Pending Const. | | Buena Vista Lift Station Lining | \$284,965.00 | Requested by PW, get with Chad Nobles to get scope |
| Pending Const. | | Beauvoir and Railroad Liftstation Repair | \$30,030.21 | This was ordered by PW, rework valve & check valve box, redo piping |
| Investigate | | Boyette Rd. Drainage | | Ditches need to be regraded (Kathy Santiago) |

| Status | Priority | Location | Open Amount | Description of Work |
|-------------|----------|---------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Quote | | Carolwood add curb inlet | | Install curb inlet in area that is holding water |
| Need Quote | | Churchill concrete ditch groundwater issues | | Going to see if Helms Polyfoam will work in this area |
| Hold | | Club Moss Drainage | | Clean out drainage behind houses so water will drain, looked at this again on 6/7/23, not able to get equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one. |
| Investigate | | Division & New St. Sinkhole | | Need to investigate large sinkhole forming |
| Need Quote | | Enclave Concrete Street Repair | | Repair failing concrete panels |
| Need Quote | | Hiller Park LS erosion | | Correct erosion problem just west of the lift station |
| Need Quote | | Howard Ave. Flush storm drains | | Storm drains on Howard Ave. are full of debris |
| Need Quote | | Jim Byrd Rd. 14080 | | Culvert needs to be cleaned out or replaced |
| Need Quote | | John Lee Rd. 13403 | | Culverts and ditches need to be cleaned out |
| Investigate | | Glen Eagle west side ditch | | ditch erosion in rear of property |
| Need Quote | | Lorraine Road ditches | | Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098 |
| Need Quote | | Lorraine Rd. 13143 | | Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572 |
| Investigate | | McDonnell Ave. Pothole | | By Racetrack south of Irish Hill |
| Investigate | | Melissa Drive Detention Pond | | Detention Pond needs to be cleaned out. |
| Need Quote | | Mill Creek Sidewalk Repair | | Concrete panel is collapsed this can be done under the concrete annual bid |
| Need Quote | | North Oaklawn Rd. 12387 | | Ditches need to be cleaned |
| Quote | | Old Biloxi Library sewer repairs | | PW ordered this work, need to find out what's going on |
| Need Quote | | Orleans & Carter pothole | | PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair |
| Investigate | | Pin Oak Lift Station Ditch | | Ditch runs north from lift station; resident at 10351 Pin Oak requested this work |
| Need Quote | | Pin Oak & North River View | | Culverts need to be cleaned Janet Hughes |
| Investigate | | Pine Grove Sinkholes | | sinholes at manholes on Pine Grove |
| Pending PO | | Rich Ave. Waterline | | Add fire protection for office building and Rich Ave |
| Need Quote | | River Place Concrete Street Repairs | | Repair failing concrete panels |
| Need Quote | | Rodenberg potholes | | Have video of this area, this is going to be a major repair, will probably need to be a capital project |
| Pending PO | | Seal Ave Storm Drain Repairs | \$12,658.81 | Ordered by Infrastructure, no information on scope |

| Status | Priority | Location | Open Amount | Description of Work |
|----------------|----------|----------------------------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Investigate | | Spring Ridge & Brighton Circle Sinkhole | | Sinkhole is forming at curb inlet |
| Need Quote | | Southeastern Doors & Windows | | Sinkhole by curb inlet, getting video to assess problem |
| Pending Const. | | Woodland Park Dr street repair | \$8,132.40 | Asphalt repair - B2T is going to see if Gulf Pride can do this |
| | | | | |
| Complete | | Atkinson/Tree Top Drainage | | Drainage work on Atkinson Rd. |
| Cancel | | Apple Valley Trailer Park/Lorraine Rd. Water | | Extend water line to Apple Valley Trailer Park on Lorraine Road- 6" service is already in place |
| Complete | | Back Bay Blvd. Sewer Main Replacement | | Warranty work to replace new sewer main that was accidently flow filled by Oscar Renda |
| Complete | | Back Bay Elem Storm Drain | | Repairs to storm drain box |
| Complete | | Bay Vista Drive Water Main Repair | | Emergency repair due to water main break |
| Complete | | Bay Vista Emergency Repair | | Emergency repair due to water main break |
| Complete | | Bay Vista pothole | | Need video in order to determine what repairs are needed |
| Complete | | Bay Vista Sewer Main | | Ordered by PW, no information on scope or status - Paving is all that is remaining |
| Complete | | Big Lake Road Transite Water Main | | Tie in new water services to the new pvc water main |
| Complete | | Big Lake Road Emergency Repairs | | Ordered by PW, no information on scope |
| Complete | | Bilglade Storm Drain Repairs | | Complete |
| Complete | | Bilmarsan Dr. | | Sewer main repairs |
| Complete | | Boyette Rd. Drainage | | Repairs to storm drain pipes |
| Complete | | Brodie Rd./Eagle Eyrie Water Main | | Repairs to water main |
| Complete | | Camp Wilkes/Sharon Hills Sewer Repair | | Relaying gravity sewer line that was installed backward. - pending invoice for final payment |
| Complete | | Campbell Drive Drainage | | Drainage work in Lauren Falls Subdivision |
| Complete | | Campbell Drive Drainage | | Drainage work in Lauren Falls Subdivision |
| Complete | | Campbell Drive/Lauren Falls | | Installing sod where we previously did ditch work because the grass seed didn't take |
| Cancel | | Campbell Drive potholes & RPM | | Potholes are at all sewer service crossings, also included are to install raised pavement markers (RPMs) in the "S" curve - Going to pave this instead of trying to fix the sewer crossings |
| Complete | | Caroline Dr. Sinkhole | | Sinkhole by curb inlet, getting video to assess problem |
| Complete | | Cedar Lake/Spring Dr. Emergency Sewer | | Emergency sewer main repairs |
| Complete | | Cedar Lake Topsoil & Grout | | Ordered by PW, no information on scope or status |
| Complete | | City Hall Water Main | | Water leak in Lameuse Street in front of City Hall |

| Status | Priority | Location | Open Amount | Description of Work |
|----------|----------|------------------------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Complete | | Club Moss Emergency Repair | | Ordered by PW, no information on scope |
| Complete | | Country Lane | | Installation of water mains and services |
| Cancel | | Esposito Drainage between Seal & Hopkins | | Water stand in the road and the yard during heavy downfall Being handled by Infrastructure contractor |
| Complete | | Father Ryan Sewer | | Repairs to sewer service |
| Complete | | Forrest Dr. | | Sidewalk repairs |
| Complete | | Forrest Ave. & Lasalle St. Sinkhole | | Repairs to storm drain on Forrest Avenue that caused a sinkhole under the roadway |
| Complete | | Franks Dr. Drainage | | Repairs to storm drain pipes |
| Complete | | Greenwood/Atkinson Emergency Repair | | Emergency repairs |
| Complete | | Hickman Rd. Clean Ditches | | Cleaning of ditches in preparation for County to pave |
| Complete | | Howard Ave Sewer Repairs | | Emergency repair due to sewer main break |
| Complete | | Hwy 90 Emergency Repair | | Emergency repair due to water main break |
| Complete | | 214 Kuhn St. Curb Cut | | Katrina Infrastructure Warranty Work |
| Complete | | Lorraine Rd. at Oaklawn Emergency Repair | | Ordered by PW no information on scope |
| Complete | | Lorraine Rd. & John Lee Rd. Water Repair | | Repair water main at John Lee & Lorraine Rd. - Ordered by PW no information |
| Complete | | Main Street Emergency Repair | | Emergency repair due to sewer main break |
| Complete | | Main St. Sink Hole | | By post office - filled by Public Works |
| Complete | | Mason Rd. ditch cleaning and regrading | | PW took care of this |
| Complete | | Mason Road Garbage Truck Turn Around | | Provide turn around at the end of Mason Rd. - pending invoice for final payment |
| Complete | | McDonnell Ave. Lift Station | \$37,050.28 | Ordered by PW, no information on scope or status |
| Complete | | McLane Lane Drainage Repair | | Repairs to drainage pipe |
| Complete | | Nixon St. Topsoil | | Ordered by infrastructure, no information on scope |
| Complete | | Oakcrest Drainage | | Water isn't getting to ditches/pipe it's going through yards; we're going to recut some ditches to get the water where it's supposed to go pending invoice for final payment |
| Complete | | Pass Rd. Emergency Repair | | Emergency repairs to storm drain box |
| Complete | | Paul David Dr. Road Repair (Taylor Oaks) | | Taylor Oaks speed table removal - paving this week |
| Complete | | Pennzoil Park Waterline/Fountain | | installation of a water fountain |
| Complete | | Petit Bois Manhole | | Repairs to sewer manhole |
| Complete | | Petit Bois Sewer | | Sewer force main repairs |

| Status | Priority | Location | Open Amount | Description of Work |
|----------|----------|-------------------------------------------|-------------|--------------------------------------------------------------------------|
| Complete | | Poplar Trail Emergency Repair | | Emergency repairs due to sewer main break |
| Complete | | Popps Ferry Road Drainage | | Repairs to storm drain inlet |
| Complete | | Rodenberg & RR Lift Station Repair | | This was ordered by PW, no information on scope or status |
| Complete | | Rich Street | | Repairs to drainage pipe and inlet |
| Complete | | Riverview Drive Drainage | | Replace culvert and regrade ditch |
| Complete | | Rue Sanchez Water & Sewer | | Work is completed need GPS |
| Complete | | Rustwood Ln Sock Pipe | | Installation of drainage pipe to address flooding issue |
| Complete | | Saenger Alley Drainage | | Replace drainage in Saenger Alley |
| Complete | | Saenger CIPP | | Line the existing were line going under the buildings, ordered by PW |
| Complete | | Saenger Theater | | Replace/Repair sewer lines in Saenger Alley |
| Complete | | Saenger Theater Exploratory Digging | | Investigative digging in Saenger Alley |
| Complete | | Saenger Water | | Replace/Repair water lines in Saenger Alley |
| Complete | | Seal Ave Drainage repairs | | Katrina Infrastructure Warranty Work |
| Complete | | Spanner Lane | | Ordered by Infrastructure, no information on scope, this is a sewer line |
| Complete | | Spanner Lane Sewer Repair/FH Relocate | \$13,824.10 | Ordered by Infrastructure, no information on scope (old PO no. 20235756) |
| Complete | | Sprately Dr. | | Work is completed just waiting on invoice |
| Complete | | Tee Street | | Ordered by PW, no information on scope or status |
| Complete | | West Oaklawn Rd. Drainage | | Repaired drainage |
| Complete | | Wildwood Lane Drainage | | Repairs to drainage pipe and inlet |
| Complete | | Woodfield & Rustwood | | Installation of drainage pipe to address flooding issue |
| Complete | | Woodrow Place/Franklin Ct. Manhole Repair | | Sinkholes by the manhole |
| | | | | |
| | | Total FY22-23 | | \$1,874,981.37 |