




**BILOXI FIRE DEPARTMENT  
INCIDENT SUMMARY REPORT FOR  
THE WEEK OF 25 December - 01 January 2024**


|   |            |
|---|------------|
| 1 - Fires (Structure & Vehicle)           | 3          |
| 2 - Rupture/Explosion                     | 0          |
| 3 - Emergency Medical Services/Rescue     | 122        |
| 4 - Hazardous Conditions                  | 5          |
| 5 - Service Calls                         | 27         |
| 6 - Good Intent                           | 9          |
| 7 - Fire Alarm Calls; Active, Malfunction | 10         |
| 8 - Weather/Natural Disaster              | 0          |
| 9 - Special Incident Type                 | 0          |
|   | <b>176</b> |

**WEEKLY COUNT OF INCIDENT TYPE**





## Incident / Run Series



## Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



## Police Chief

John B. Miller

170 Porter Avenue  
Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


**DATE:** January 2, 2024

**RE:** Biloxi Police activity for Dec 25 – Dec 31, 2023


|  |             |
|--|-------------|
| <b>TOTAL CALLS FOR SERVICE</b>             | <b>1874</b> |
| <b>TOTAL INCIDENT REPORTS</b>              | <b>195</b>  |
| <b>TOTAL OFFENSES</b> (Violations/Reports) | <b>275</b>  |
| <b>TOTAL ARRESTS</b>                       | <b>156</b>  |

Calls excluded from call type charts were: Extra Patrol – 417; Suspicious Circumstances – 85; Traffic Stops – 448; and Walk & Talk – 61. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

### TOP 20 CALL TYPES BY NATURE



### OFFENSES BY CATEGORY







**DATE:** *January 2, 2024*

**COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Dec 25 – 31, 2023**

|   |                                      |
|---|--------------------------------------|
| <b>Building permits issued</b>                  | <b>16</b>                            |
| <b>Construction Valuation of permits issued</b> | <b>\$739,000</b>                     |
| <b>Building inspections performed</b>           | <b>32</b>                            |
| <b>Business licenses</b>                        | <b>3</b>                             |
| <b>Renewals</b>                                 | <b>5</b>                             |
| <b>Charter Boats</b>                            |                                      |
| <b>Peddler's licenses</b>                       |                                      |
| <b>Certificates of Occupancy issued</b>         | <b>2 (0 were Short-Term Rentals)</b> |
| <b>Code enforcement cases opened</b>            | <b>1</b>                             |
| <b>Code enforcement cases resolved</b>          | <b>2</b>                             |



## **Engineering Department Weekly Update**

January 02, 2024

(updates in red)

### **Projects Out to Bid**

- Sports Complex Tennis Court Lights (Dec. 20<sup>th</sup>)
- Howard Avenue Brick Repairs (Jan. 24<sup>th</sup>)
- Popp's Ferry Rec Complex Lights (Jan. 31<sup>st</sup>)
- Causeway Pier Repairs (east side) (Jan. 31<sup>st</sup>)
- **Kuhn St. Boat Ramp (Feb. 7<sup>th</sup>)**

### **Projects in the Process of Being Awarded**

- BRIC Grant (Cedar Lake Bridge) Application RFP
- Ditch/ROW Mowing (Nov. 8<sup>th</sup>)
- Shriners Water Line Ph II (Nov. 15<sup>th</sup>)
- East Biloxi Connector Road (Porter to Querens) (Nov. 15<sup>th</sup>)
- Sports Complex Tennis Court Lights (Dec. 20<sup>th</sup>)

### **Projects Under Construction**

- Eagle Point Park Lights
- Paving Phase I
- Point Cadet Marina West
- Sports Complex Field Improvements
- Tanglewood Phase II

### **Private Utility Work in ROW**

### **Misc**

- **Tanglewood Sewer County Funding**
- Visitors Center Signs – Sign has been replaced
- Researching contracting out utility locates for Public Works
- **Proposal from HK Dredging for PF Causeway Hydrographic Study will be on Jan. 16<sup>th</sup> council agenda**
- Hard Rock – going to install a valve on the water line in Lameuse
- Point Cadet Pier inspections – visual inspections are complete, working with Borries for estimates to shore up the worst panels
- Electrical poles on Hwy 90/Oak Street – met with MS Power, they are working up a cost

## Projects

- Bay Vista Water Well – Have a contract amendment from BMA on the Dec. 12<sup>th</sup> to add a new chlorine building with hoist, and chlorine injection system with remote monitoring and SCADA to the project.
- Bay Vista Water Line Replacement Project No. 1013 – **Met with Michael Baker & Associates, they are working on getting us a contract**
- Biloxi-OS Bridge Walking Path Ramp – pending a design contract from BMA
- Biloxi/Keesler Welcome Sign – pending a design contract from BMA
- Bridge Repairs
  - Porter Avenue/Keegan Bayou Bridge – **Done**
  - Cedar Lake Bridge – Have fracture critical repairs that need to be made asap, don't have quote yet on repairs
  - Woolmarket Road (over Parkers Creek) Bridge – has additional piling that are deteriorated **getting quotes**
- Causeway Pier Repairs (east side) – Bids open Jan. 31<sup>st</sup>
- Cedar Lake Bridge BRIC Grant – Draft contract sent to MEMA/FEMA for review on Nov. 10th, it's been approved by council pending MEMA/FEMA approval, sent email 12/1 and 12/8 asking for status of the MEMA/FEMA review
- Churchill Drive Ditch Improvements – BMA contract approved on council agenda preliminary investigation complete, working on recommendations
- Concrete Annual Contract – Under contract, just need funding to complete any work
  - 695 Watersview Drive
  - River Place Streets
  - LaBonne Terre Streets
- Ditch/ROW mowing contract – Received bids Nov. 8<sup>th</sup>, Gulf Breeze was the only bidder
- East Biloxi Connector Road (Porter to Querens) – Received bids November 15<sup>th</sup>, apparent low was Moran Hauling, **will be awarded on Jan. 2<sup>nd</sup> council meeting**
- Eagle Point Lights – All light poles are set, platform for panel is built, all conduit is in place, just waiting on lights and control panels
- Edgewater Park Drainage Study – pending funding
- Fire Station No. 5 – (Mark Williams) have bid plans/specs, need funding to bid
- Hiller Park Drainage Improvements – pending award of NRDA/NFWF grant

- Howard Avenue Brick Maintenance – Project is out to bid, receive bids Jan. 24<sup>th</sup>
- Hwy 90 parking improvements – submitted the draft plan to MDOT, they do not foresee any issues with our plan, it will be able to be done under a permit, we're working on CAD drawings for the permit
- Lighthouse Pier – design complete, **received Corps Permit**
- Lighthouse Pier Parking Area Electrical – Getting Seymour Engineering to develop a bid set of plans/specs
- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal Working with DMR to get dredging permit approval
- Kuhn St. Boat Launch Expansion – **Receive bids on Feb. 7<sup>th</sup>**
- MGCCC Traffic Signal – MOA has been fully approved, gave construction plan approval, still have to go through the MDOT approval process
- Oak Street Pier (South) – **Cypress design contract will be on the 2<sup>nd</sup> meeting in January for a 20' wide pier**
- Parker's Creek Sediment Removal – Received the DMR and Corps permits, not ready to bid, still waiting on clearance from NFWS
- Paving – Should start seeing the mill the saint streets this week
  - Phase I (Downtown) bids August 23<sup>rd</sup> Adding in the new streets via change order
 

|   |   |
|---|---|
| <ul style="list-style-type: none"> <li>▪ <del>Croesus</del></li> <li>▪ G.E. Ohr</li> <li>▪ <del>Esters</del> Caillavet to Holley</li> <li>▪ <del>Laurelwood</del></li> <li>▪ <del>Ravenwood</del></li> <li>▪ <del>Summag Dr.</del></li> <li>▪ <del>Lawnwood Dr.</del></li> <li>▪ <del>Carolwood Dr.</del></li> <li>▪ <del>Gladewood Dr.</del></li> <li>▪ <del>Lakewood Dr.</del></li> <li>▪ <del>Bluewood Dr.</del></li> <li>▪ <del>Cambridge Dr.</del></li> <li>▪ <del>Edwards Circle</del></li> <li>▪ <del>Theresa Court</del></li> </ul> | <ul style="list-style-type: none"> <li>▪ <del>Melbourne Court</del></li> <li>▪ <del>Windsor Court</del></li> <li>▪ <del>Harkness Court</del></li> <li>▪ <del>Merry Lane</del></li> <li>▪ <del>Skeet Hunt Rd.</del></li> <li>▪ <del>Audubon Place</del></li> <li>– Saint Streets</li> <li>– Clower</li> <li>– Acacia</li> <li>– Jefferson Davis</li> <li>– Miramar</li> <li>– Bilmarisan</li> <li>– Iberville</li> </ul> |
|---|---|
  - Phase II Paving
 

|   |   |
|---|---|
| <ul style="list-style-type: none"> <li>▪ Lamey Street</li> <li>▪ Pinecrest</li> </ul> | <ul style="list-style-type: none"> <li>▪ Dundewood</li> </ul> |
|---|---|

- RSR 1 & 2 Pavement Management Plan

- Point Cadet Marina area

- Point Cadet Re-Development #1092 – Machado Patano is working concept
- Point Cadet Living Shoreline (BMA) – BMA working on solutions for sheet pile wall
- Point Cadet Nearshore #1096 (BMA) – meeting with BMA on Friday to give direction of structures for shoreline re-establishment
- Point Cadet Marina Sediment Removal Permit – Corps has no issues, DMR has sent the application to MDEQ, NFW, etc. for their comments, deadline for comments is August 30<sup>th</sup>
- Point Cadet Marina Emergency Repair Inspections – Visual inspection is complete, setting a meeting with Borries to discuss temporary bracing of those panels
- Point Cadet Marina West – AnderCorp NTP 10/24, 240-day contract, work on-going, still waiting on electrical components and floating docks; 14” concrete piles for NW corner have been delivered to site, and timber materials have been delivered to site
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, need to get layout approved, asked BMA for a new contract
- Point Cadet Marina Phase III – have preliminary layout that needs approval so a cost estimate can be developed so we can be ready for round 3 of funding
- Popp’s Ferry Extension #913 – Waiting on permits: Corps, MSDH, MDEQ; Waiting on CSX Construction Agreement and Easement Document; All documents have been submitted to MDOT for permission to advertise
- Popp’s Ferry Bridge & Approaches – Ph I design complete, contract for right of way acquisition being developed, EA being updated, top priority to obtain funding to repair existing bridge, submitted to emergency road and bridge repair program
- Popp’s Ferry Bridge Draw Replacement – Getting a contract from NS
- Popp’s Ferry Recreational Complex Lighting – RFP is out to bid, receive proposals Jan. 24<sup>th</sup>
- Port Repair Replace Contract – currently no work
- Repair/Replace Contract – See attached
- Rodenberg at Pass Road Intersection – ROW acquisition underway, Environmental Document has been submitted to MDOT



- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed
  - Hiller Park Pond (have permits)
  - Parkers Creek – pending permit
  - Point Cadet Marina – pending permits
  - Sunrise Court/Brasher – pending permit

Need to put together a GOMESA grant application for sediment removal

- Shriners Blvd. Water Phase II to extend the water line north to the city limits to tie into the HCUA water line – Received bids Nov. 15<sup>th</sup>, LJ Construction was apparent low for \$750K this will be awarded before the end of the year
- Shriners Blvd. Widening – putting together a TIP package for council approval in order to apply for MDOT funding
- Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M/09/05/2023)
- Sport Complex Tennis Court Lights – **Received one proposal from Weaver Electric on Dec. 20<sup>th</sup>, meeting with them this week to discuss their approach to the project**
- Tanglewood Infrastructure Ph II (MP) – Opened bids Nov. 1<sup>st</sup>, apparent low bidder in DNA Underground for \$2.3m awarded on Dec. 5<sup>th</sup>, waiting on executed contract documents to schedule pre-construction meeting and NTP
- Ward 2 Recreational Center – Will have 60% review plans in December for review
- Woolmarket Road Sidewalks – (Machado Patano) – Revised plans have been submitted to MDOT for authority to advertise
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design contract awarded, held kick off meeting, design is 60% complete had a progress meeting last week, expect that we can have this ready to bid in late fall

Repair/Replace Work Status  
as of 01/02/2024

Updates will be in red

| Status         | Priority | Location                               | Description of Work  |
|----------------|----------|--|--|
| Complete       | 1        | G.E. Ohr Sewer Repair - Emergency      | emergency repair of sewer main in GE Ohr.  |
| Complete       | 1        | 1187 Karli Lane                        | County redid road by house causing her driveway to flood - pipe has been ordered ongoing   |
| Complete       |          | Davis St., 396 Sewer                   | Ordered by infrastructure team, no information provided to Engineering   |
| Under Const.   | 1        | Cedar Lake Rd. Ditch                   | Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next |
| Under Const.   | 1        | Seal Avenue/Division St.               | Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway   |
| Pending Const. | 1        | River Estates Circle Drainage          | Ordered by PW, no information on scope.  |
| Need Quote     | 1        | Division & Porter Hydrant Repairs      | Hydrant leg is leaking   |
| Need Quote     | 1        | Porter & Division Hydrant Repairs      |  |
| Pending PO     | 2        | Louise St. drainage replacement        | Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St.   |
| Need Quote     | 3        | Oakridge ditch too deep                | Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda   |
| Need Quote     | 4        | Beverin Rd. and Jack Graves waterline  | Waiting on Shriners Blvd. Waterline project to be completed  |
| Need Quote     | 4        | Clean out drainage ponds at Sunkist    | Sunkist Golf Course drainage ponds in city easements need to be cleaned  |
| Investigate    | 5        | Cherry Ln & Riverview culvert replaced | Replace failed culvert - need PW to clean ditch so water will drain in order to investigate  |
| Pending PO     | 5        | Majestic Oaks RV Park                  | Rear drainage is not working causing their detention pond to back up   |
| Investigate    | 6        | Popps Ferry Road Potholes              | South of Bridge - need manhole lid risers  |
| Pending PO     | 6        | Veterans Ave Storm Drain Repair        | Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in  |
| Complete       | 10       | Destiny Plantation ditch cleaning      | Clean out ditch behind houses in Destiny Plantation - ordered by PW  |
| Investigate    |          | Airport Rd. Ditches                    | Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029  |

| Status         | Priority | Location                                    | Description of Work   |
|----------------|----------|---|---|
| Need Quote     |          | Alyeska Condos                              | Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed  |
| Need Quote     |          | Atkinson Road Bridge Undermining            | Per the bridge inspection report there is severe undermining  |
| Pending PO     |          | Azalea/Irish Hill                           | Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this   |
| Need Quote     |          | Beau Chene drainage cleaning                | Clean out drainage behind houses so water will drain  |
| Need Quote     |          | Bike Sharrows                               | Around east biloxi for Biloxi Bicycle Works   |
| Pending Const. |          | Buena Vista Lift Station Lining             | Requested by PW, get with Chad Nobles to get scope  |
| Need Quote     |          | Beauvoir Home Drainage                      |   |
| Investigate    |          | Boyette Rd. Drainage                        | Ditches need to be regraded (Kathy Santiago)  |
| Quote          |          | Carolwood add curb inlet                    | Install curb inlet in area that is holding water  |
| Need Quote     |          | Churchill concrete ditch groundwater issues | Going to see if Helms Polyfoam will work in this area   |
| Hold           |          | Club Moss Drainage                          | Clean out drainage behind houses so water will drain, looked at this again on 6/7/23, not able to get equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one. |
| Need Quote     |          | Crane Ridge 2089                            | Ditch is holding water  |
| Investigate    |          | Division & New St. Sinkhole                 | Need to investigate large sinkhole forming  |
| Need Quote     |          | Enclave Concrete Street Repair              | Repair failing concrete panels  |
| Need Quote     |          | Fairview Drive/Pass Road                    | Road flooded during heavy rain, need storm drains cleaned out   |
| Need Quote     |          | Hiller Park LS erosion                      | Correct erosion problem just west of the lift station   |
| Need Quote     |          | Howard Ave. Flush storm drains              | Storm drains on Howard Ave. are full of debris  |
| Need Quote     |          | Jim Byrd Rd. 14080                          | Culvert needs to be cleaned out or replaced   |
| Need Quote     |          | John Lee Rd. 13403                          | Culverts and ditches need to be cleaned out   |
| Investigate    |          | Glen Eagle west side ditch                  | ditch erosion in rear of property   |
| Need Quote     |          | Lorraine Road ditches                       | Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098   |

| Status         | Priority | Location                                 | Description of Work  |
|----------------|----------|--|--|
| Need Quote     |          | Lorraine Rd. 13143                       | Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572 |
| Investigate    |          | McDonnell Ave. Pothole                   | By Racetrack south of Irish Hill   |
| Investigate    |          | Melissa Drive Detention Pond             | Detention Pond needs to be cleaned out.  |
| Need Quote     |          | Mill Creek Sidewalk Repair               | Concrete panel is collapsed this can be done under the concrete annual bid   |
| Need Quote     |          | North Oaklawn Rd. 12387                  | Ditches need to be cleaned   |
| Quote          |          | Old Biloxi Library sewer repairs         | PW ordered this work, need to find out what's going on   |
| Need Quote     |          | Orleans & Carter pothole                 | PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair          |
| Investigate    |          | Pin Oak Lift Station Ditch               | Ditch runs north from lift station; resident at 10351 Pin Oak requested this work  |
| Need Quote     |          | Pin Oak & North River View               | Culverts need to be cleaned Janet Hughes   |
| Investigate    |          | Pine Grove Sinkholes                     | sinholes at manholes on Pine Grove   |
| Pending PO     |          | Rich Ave. Waterline                      | Add fire protection for office building and Rich Ave   |
| Need Quote     |          | River Place Concrete Street Repairs      | Repair failing concrete panels   |
| Need Quote     |          | Rodenberg potholes                       | Have video of this area, this is going to be a major repair, will probably need to be a capital project                                |
| Pending Const. |          | Spanner Lane Sewer Repair/FH Relocate    | Ordered by Infrastructure, no information on scope (old PO no. 20235756)   |
| Investigate    |          | Spring Ridge & Brighton Circle Sinkhole  | Sinkhole is forming at curb inlet  |
| Need Quote     |          | Southeastern Doors & Windows             | Sinkhole by curb inlet, getting video to assess problem  |
| Pending Const. |          | Woodland Park Dr street repair           | Asphalt repair - B2T is going to see if Gulf Pride can do this   |
|                |          |  |  |
|                |          | Total FY23-24                            |  |
|                |          |  |  |
| Complete       |          | Beauvoir and Railroad Liftstation Repair | This was ordered by PW, rework walve & check valve box, redo piping  |
| Complete       |          | G.E. Ohr Sinkhole                        | Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week  |
| Complete       |          | McDonnell Ave. Lift Station              | Ordered by PW, no information on scope or status   |



| Status   | Priority | Location                           | Description of Work   |
|----------|----------|------------------------------------|---|
| Complete |          | Old Hwy 67 Ditch Maintenance       | Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction |
| Complete |          | Rodenberg & RR Lift Station Repair | This was ordered by PW, no information on scope or status   |
| Complete |          | Seal Ave Storm Drain Repairs       | Ordered by Infrastructure, no information on scope  |

Total FY23-24

\$503,156.83