





**BILOXI FIRE DEPARTMENT
INCIDENT SUMMARY REPORT FOR
THE WEEK OF 22 January - 28 January 2024**

1 - Fires (Structure & Vehicle)	2
2 - Rupture/Explosion	0
3 - Emergency Medical Services/Rescue	110
4 - Hazardous Conditions	2
5 - Service Calls	12
6 - Good Intent	12
7 - Fire Alarm Calls; Active, Malfunction	20
8 - Weather/Natural Disaster	0
9 - Special Incident Type	0
	<u>158</u>

WEEKLY COUNT OF INCIDENT TYPE



Incident / Run Series



Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



Police Chief

John B. Miller

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


DATE: January 29, 2024

RE: Biloxi Police activity for Jan 22 – Jan 28, 2024


TOTAL CALLS FOR SERVICE	2079
TOTAL INCIDENT REPORTS	173
TOTAL OFFENSES (Violations/Reports)	242
TOTAL ARRESTS	152

Calls excluded from call type charts were: Extra Patrol – 564; Suspicious Circumstances – 73; Traffic Stops – 441; and Walk & Talk – 75. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE



OFFENSES BY CATEGORY





DATE: *January 29, 2024*

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Jan 22-28, 2024

Building permits issued	66
Construction Valuation of permits issued	\$1,708,700
Building inspections performed	77
Business licenses	8
Renewals	2
Charter Boats	
Peddler's licenses	
Certificates of Occupancy issued	14 (0 were Short-Term Rentals)
Code enforcement cases opened	64
Code enforcement cases resolved	56



Engineering Department Weekly Update

January 29, 2024

(updates in red)

Projects Out to Bid

- Causeway Pier Repairs (east side) (getting quotes)
- Kuhn St. Boat Ramp (Feb. 7th)

Projects in the Process of Being Awarded

- BRIC Grant (Cedar Lake Bridge) Application RFP
- Ditch/ROW Mowing (Nov. 8th)
- Howard Avenue Brick Repairs (Jan. 24th)
- Sports Complex Tennis Court Lights (Dec. 20th)

Projects Under Construction

- Eagle Point Park Lights
- East Biloxi Connector Road (Porter to Querens)
- Paving Phase I
- Point Cadet Marina West
- Shriners Water Line Ph II
- Sports Complex Field Improvements
- Tanglewood Phase II

Private Utility Work in ROW

Misc

- Electrical poles on Hwy 90/Oak Street – met with MS Power, they are working up a cost, **meeting with MS Power tomorrow to get an update**
- Hard Rock – going to install a valve on the water line in Lameuse
- Point Cadet Pier inspections – visual inspections are complete, working with Borries for estimates to shore up the worst panels
- **Proposal from HK Dredging for PF Causeway Hydrographic Study was approved, authorized them to start work**
- Public Safety Roof – Sever leaks in the Public Safety roof, need to recaulk cracks in the exterior, roof flashing all the way around, fix a couple bubbles, and reseal the roof drains
- **Saenger Roof Warranty – Filed a claim with Duralast waiting for them to schedule a site inspection**
- Visitors Center Signs – missed one, it's being made right now

Projects

- Bay Vista Water Well – Have a contract amendment from BMA on the Dec. 12th to add a new chlorine building with hoist, and chlorine injection system with remote monitoring and SCADA to the project.
- Bay Vista Water Line Replacement Project No. 1013 – Met with Michael Baker & Associates, draft contract under review
- Biloxi-OS Bridge Walking Path Ramp – pending a design contract from BMA
- Bridge Repairs
 - Cedar Lake Bridge – Have fracture critical repairs that need to be made asap, don't have quote yet on repairs
 - Woolmarket Road (over Parkers Creek) Bridge – has additional piling that are deteriorated doing as emergency repair
- Causeway Pier Repairs (east side) – getting quotes, need to send in request to DMR to mat the wetlands to reach the pier
- Cedar Lake Bridge BRIC Grant – **MEMA/FEMA doesn't want to review contract; authorized Cypress to start work**
- Churchill Drive Ditch Improvements – BMA contract approved on council agenda preliminary investigation complete, working on recommendations
- Concrete Annual Contract – Under contract, just need funding to complete any work
 - 695 Watersview Drive
 - River Place Streets
 - LaBonne Terre Streets
 - The Bluff Streets
- Ditch/ROW mowing contract – Received bids Nov. 8th, Gulf Breeze was the only bidder
- East Biloxi Connector Road (Porter to Querens) – Received bids November 15th, apparent low was Moran Hauling, has been awarded, pre-construction meeting is Jan. 23rd
- Eagle Point Lights – All light poles are set, platform for panel is built, all conduit is in place, just waiting on lights and control panels
- Edgewater Park Drainage Study – pending funding
- Fire Station No. 5 – (Mark Williams) have bid plans/specs, need funding to bid
- Hiller Park Drainage Improvements – pending award of NRDA/NFWF grant

- Howard Avenue Brick Maintenance – Received bids Jan. 24th , Gulf Breeze \$206K, need additional funding
- Hwy 90 parking improvements – submitted the draft plan to MDOT, they do not foresee any issues with our plan, it will be able to be done under a permit, we're working on CAD drawings for the permit
- Lighthouse Pier – design complete, received Corps Permit
- Lighthouse Pier Parking Area Electrical – Working with PW to move the panel
- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal Working with DMR to get dredging permit approval
- Kuhn St. Boat Launch Expansion – Receive bids on Feb. 7th
- MGCCC Traffic Signal – MOA has been fully approved, gave construction plan approval, had a field review with MDOT and NS, now waiting MDOT authority to advertise
- Oak Street Pier (South) – Cypress design contract was approved on Jan. 16th for a 20' wide pier
- Parker's Creek Sediment Removal – Received the DMR permit, waiting on Corps permit,
- Paving – Should start seeing the mill the saint streets this week
 - Phase I (Downtown) bids August 23rd Adding in the new streets via change order

<ul style="list-style-type: none"> ▪ Croesus ▪ G.E. Ohr ▪ Esters Caillavet to Holley ▪ Laurelwood ▪ Ravenwood ▪ Summag Dr. ▪ Lawnwood Dr. ▪ Carolwood Dr. ▪ Gladewood Dr. ▪ Lakewood Dr. ▪ Bluewood Dr. ▪ Cambridge Dr. ▪ Edwards Circle ▪ Theresa Court 	<ul style="list-style-type: none"> ▪ Melbourne Court ▪ Windsor Court ▪ Harkness Court ▪ Merry Lane ▪ Skeet Hunt Rd. ▪ Audubon Place – Saint Streets – Clower – Acacia – Jefferson Davis – Miramar – Bilmarisan – Iberville
---	---
 - Phase II Paving

<ul style="list-style-type: none"> ▪ Lamey Street ▪ Pinecrest ▪ Dundewood 	<ul style="list-style-type: none"> ▪ RSR 1 & 2 Pavement Management Plan ▪ Point Cadet Marina area ▪ Cuevas Street
--	--

- Mercury Lane
 - Pine Grove Ave
 - Briarfield Ave.
 - Beacon Pl.
 - Deming Pl.
- Point Cadet Living Shoreline (BMA) – BMA working on solutions for sheet pile wall have to submit a grant modification to DMR to allow for sheet pile wall
 - Point Cadet Nearshore #1096 (BMA) – meeting with BMA on Friday to give direction of structures for shoreline re-establishment
 - Point Cadet Marina Sediment Removal Permit – **Have Corps and DMR permits, need to decide if we want to dredge now or wait for phase 2 of the marina project**
 - Point Cadet Marina Emergency Repair Inspections – Visual inspection is complete, met with Borries to discuss temporary bracing of those panels waiting on quote from Borries
 - Point Cadet Marina West – AnderCorp NTP 10/24, 240-day contract, work on-going, still waiting on electrical components; 14” concrete piles for NW corner have been installed and timber pier construction has started, **24” piles and floating docks scheduled to be delivered to site by end of February**
 - Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, **have BMA contract will review and then to get on council agenda for approval**
 - Point Cadet Marina Phase III – have preliminary layout that needs approval so a cost estimate can be developed so we can be ready for round 3 of funding
 - Popp’s Ferry Extension #913 – Waiting on permits: Corps, MSDH, MDEQ; Waiting on CSX Construction Agreement and Easement Document; All documents have been submitted to MDOT for permission to advertise
 - Popp’s Ferry Bridge & Approaches – Ph I design complete, contract for right of way acquisition being developed, EA being updated, top priority to obtain funding to repair existing bridge, submitted to emergency road and bridge repair program
 - Popp’s Ferry Bridge Draw Replacement – Getting a contract from NS, met with NS last week to discuss a few scope of work questions, should receive NS contract soon, but will have to go to MDOT for approval
 - Popp’s Ferry Recreational Complex Lighting – working through legal issues with bond counsel and city attorney before putting out to bid, **leasing on the International Field only**
 - Port Repair Replace Contract – currently no work
 - Repair/Replace Contract – See attached

- Rodenberg at Pass Road Intersection – ROW acquisition underway, Environmental Document has been approved by MDOT, next step is just compensation authorization through council
- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed meeting with Seymour this week for an **update**
 - Hiller Park Pond - have permits
 - Point Cadet Marina – have permits
 - Parkers Creek – pending Corps permit
 - Brasher Bayou – **Have permits, getting ready to bid**

Need to put together a GOMESA grant application for sediment removal – **Seymour going to help with this**

- Shriners Blvd. Water Phase II to extend the water line north to the city limits to tie into the HCUA water line; LJ Construction \$750K, **NTP 2/5/2024; 120 days; Comp 06/04/2024**
- Shriners Blvd. Widening –TIP package for council approval in order to apply for MDOT funding is on the council agenda for Jan. 23rd
- Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M); synthetic turf in being installed on baseball fields, drainage is being worked on at softball fields, work on soccer fields will begin in February
- Sports Complex Softball/Baseball Lights – **Met with Parks & Rec to discuss the options using the old lights from the tennis courts to replace softball and baseball lights**
- Sport Complex Tennis Court Lights – Received one proposal from Weaver Electric on Dec. 20th, **met with Weaver again last week, the Bowmans were happy with the photometrics submitted by MUSCO, will get this on the council agenda for approval**
- Tanglewood Infrastructure Ph II (MP) – DNA Underground for \$2.3m **NTP 02/01/2024 270 days completion 10/28/2024**
- Ward 2 Recreational Center – Have 60% review plans for review
- Woolmarket Road Sidewalks – (Machado Patano) – Revised plans have been submitted to MDOT for authority to advertise, MP replied back to MDOT on Jan. 18th with more comments
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 60% complete, **met with consultant to bring the scope of work back into budget**

Repair/Replace Work Status
as of 01/29/2024

Updates will be in red

Status	Priority	Location	Description of Work
Pending Const.	1	River Estates Circle Drainage	Ordered by PW, no information on scope.
Under Const.	1	St. Charles & Hwy 90	Emergency repair of water line ahead of paving
Pending Const.	2	Louise St. drainage replacement	Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St.
Pending Const.	2	Buena Vista Lift Station Lining	Requested by PW, get with Chad Nobles to get scope
Investigate	3	Anatole Bay Drainage	Drainage issue coming from La Bonne Terre onto Anatole Bay property
Need Quote	3	Oakridge ditch too deep	Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda
Need Quote	4	Beverin Rd. and Jack Graves waterline	Waiting on Shriners Blvd. Waterline project to be completed
Need Quote	4	Clean out drainage ponds at Sunkist	Sunkist Golf Course drainage ponds in city easements need to be cleaned
Investigate	5	Cherry Ln & Riverview culvert replaced	Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Pending PO	5	Majestic Oaks RV Park	Rear drainage is not working causing their detention pond to back up
Pending Const.		McDonnell Ave. Lift Station	Ordered by PW, no information on scope or status
Investigate	6	Popps Ferry Road Potholes	South of Bridge - need manhole lid risers
Construction	6	Veterans Ave Storm Drain Repair	Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in
Investigate		Airport Rd. Ditches	Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029
Need Quote		Alyeska Condos	Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed
Need Quote		Atkinson Road Bridge Undermining	Per the bridge inspection report there is severe undermining
Pending PO		Azalea/Irish Hill	Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this
Need Quote		Beau Chene drainage cleaning	Clean out drainage behind houses so water will drain
Need Quote		Bike Sharrows	Around east biloxi for Biloxi Bicycle Works
Need Quote		Beauvior Home Drainage	
Investigate		Boyette Rd. Drainage	Ditches need to be regraded (Kathy Santiago)

Status	Priority	Location	Description of Work
Quote		Carolwood add curb inlet	Install curb inlet in area that is holding water
Need Quote		Churchill concrete ditch groundwater issues	Going to see if Helms Polyfoam will work in this area
Hold		Club Moss Drainage	Clean out drainage behind houses so water will drain, looked at this again on 6/7/23, not able to get equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one.
Need Quote		Crane Ridge 2089	Ditch is holding water
Investigate		Division & New St. Sinkhole	Need to investigate large sinkhole forming
Need Quote		Enclave Concrete Street Repair	Repair failing concrete panels
Need Quote		Fairview Drive/Pass Road	Road flooded during heavy rain, need storm drains cleaned out
Need Quote		Hiller Park LS erosion	Correct erosion problem just west of the lift station
Need Quote		Howard Ave. Flush storm drains	Storm drains on Howard Ave. are full of debris
Need Quote		Jim Byrd Rd. 14080	Culvert needs to be cleaned out or replaced
Need Quote		John Lee Rd. 13403	Culverts and ditches need to be cleaned out
Investigate		Glen Eagle west side ditch	ditch erosion in rear of property
Need Quote		Lorraine Road ditches	Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098
Need Quote		Lorraine Rd. 13143	Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572
Investigate		McDonnell Ave. Pothole	By Racetrack south of Irish Hill
Investigate		Melissa Drive Detention Pond	Detention Pond needs to be cleaned out.
Need Quote		Mill Creek Sidewalk Repair	Concrete panel is collapsed this can be done under the concrete annual bid
Need Quote		North Oaklawn Rd. 12387	Ditches need to be cleaned
Quote		Old Biloxi Library sewer repairs	PW ordered this work, need to find out what's going on
Need Quote		Orleans & Carter pothole	PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair
Investigate		Pin Oak Lift Station Ditch	Ditch runs north from lift station; resident at 10351 Pin Oak requested this work
Need Quote		Pin Oak & North River View	Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes	sinholes at manholes on Pine Grove

Status	Priority	Location	Description of Work
Pending PO		Rich Ave. Waterline	Add fire protection for office building and Rich Ave
Need Quote		River Place Concrete Street Repairs	Repair failing concrete panels
Need Quote		Rodenberg potholes	Have video of this area, this is going to be a major repair, will probably need to be a capital project
Pending Const.		Spanner Lane Sewer Repair/FH Relocate	Ordered by Infrastructure, no information on scope (old PO no. 20235756)
Investigate		Spring Ridge & Brighton Circle Sinkhole	Sinkhole is forming at curb inlet
Need Quote		Southeastern Doors & Windows	Sinkhole by curb inlet, getting video to assess problem
Pending Const.		Woodland Park Dr street repair	Asphalt repair - B2T is going to see if Gulf Pride can do this
Complete		Beauvoir and Railroad Liftstation Repair	This was ordered by PW, rework valve & check valve box, redo piping
Complete		Cedar Lake Rd. Ditch	Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next
Complete		Davis St., 396 Sewer	Ordered by infrastructure team, no information provided to Engineering
Complete		Destiny Plantation ditch cleaning	Clean out ditch behind houses in Destiny Plantation - ordered by PW
Complete		G.E. Ohr Sinkhole	Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week
Complete		G.E. Ohr Sewer Repair - Emergency	emergency repair of sewer main in GE Ohr.
Complete		Hickman Road Sewer - Emergency	emergency repair of forcemain on Hickman Road
Complete		1187 Karli Lane	County redid road by house causing her driveway to flood - pipe has been ordered ongoing
Complete		Old Hwy 67 Ditch Maintenance	Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction
Complete		Division & Porter Hydrant Repairs	Hydrant leg is leaking
Complete		Rodenberg & RR Lift Station Repair	This was ordered by PW, no information on scope or status
Complete		Seal Avenue/Division St.	Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway
Complete		Seal Ave Storm Drain Repairs	Ordered by Infrastructure, no information on scope

Total FY23-24

\$398,825.33