





# **BILOXI FIRE DEPARTMENT INCIDENT SUMMARY REPORT FOR THE WEEK OF 12 Feb - 18 Feb 2024**

1 - Fires (Structure & Vehicle)	9
2 - Rupture/Explosion	0
3 - Emergency Medical Services/Rescue	166
4 - Hazardous Conditions	2
5 - Service Calls	24
6 - Good Intent	24
7 - Fire Alarm Calls; Active, Malfunction	12
8 - Weather/Natural Disaster	0
9 - Special Incident Type	0
	<b>237</b>

**WEEKLY COUNT OF INCIDENT TYPE**



# Incident / Run Series





## Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



## Police Chief

John B. Miller

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


**DATE:** February 19, 2024

**RE:** Biloxi Police activity for Feb 12 – Feb 18, 2024


<b>TOTAL CALLS FOR SERVICE</b>	<b>2179</b>
<b>TOTAL INCIDENT REPORTS</b>	<b>203</b>
<b>TOTAL OFFENSES</b> (Violations/Reports)	<b>269</b>
<b>TOTAL ARRESTS</b>	<b>181</b>

Calls excluded from call type charts were: Extra Patrol – 604; Suspicious Circumstances – 89; Traffic Stops – 449; and Walk & Talk – 54. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

### TOP 20 CALL TYPES BY NATURE



### OFFENSES BY CATEGORY





## **Engineering Department Weekly Update**

February 19, 2024

(updates in red)

### **Projects Out to Bid**

- Causeway Pier Repairs (east side) (getting quotes)

### **Projects in the Process of Being Awarded**

- Ditch/ROW Mowing (Nov. 8<sup>th</sup>)
- Kuhn St. Boat Ramp (Feb. 14<sup>th</sup>)
- Sports Complex Tennis Court Lights (Dec. 20<sup>th</sup>)

### **Projects Under Construction**

- BRIC Grant (Cedar Lake Bridge) Application RFP
- Eagle Point Park Lights
- East Biloxi Connector Road (Porter to Querens)
- Howard Avenue Brick Repairs (Jan. 24<sup>th</sup>)
- Paving Phase I
- Point Cadet Marina West
- Shriners Water Line Ph II
- Sports Complex Field Improvements
- Tanglewood Phase II

### **Private Utility Work in ROW**

- Pelican Bayou – boring is complete, will start pulling wires
- Destiny Plantation – going to start boring soon, Jody held a pre-construction meeting with HOA and boring company

### **Misc**

- Electrical poles on Hwy 90/Oak Street – met with MS Power, they are working up a cost,
- Electrical poles at Kuhn St. – get with MS Power to put those underground
- Point Cadet Pier inspections – visual inspections are complete, working with Borries for estimates to shore up the worst panels
- Proposal from HK Dredging for PF Causeway Hydrographic Study was approved, authorized them to start work
- Public Safety Roof – Sever leaks in the Public Safety roof, need to recaulk cracks in the exterior, roof flashing all the way around, fix a couple bubbles, and reseal the roof drains Vollmuth is going to call me today to schedule a site visit this week.

- Saenger Roof Warranty – Filed a claim with Duralast waiting for them to schedule a site inspection
- Visitors Center Signs – missed one, it's being made right now

## **Projects**

- Bay Vista Water Well – Have a contract amendment from BMA on the Dec. 12<sup>th</sup> to add a new chlorine building with hoist, and chlorine injection system with remote monitoring and SCADA to the project, project should be ready to bid mid-March 2024
- Bay Vista Water Line Replacement Project No. 1013 – Met with Michael Baker & Associates, draft contract under review
- Biloxi-OS Bridge Walking Path Ramp – gave BMA a PO to start conceptual then design
- Brashier Bayou Sediment Removal – have all the permits, getting plans/specs ready to advertise
- Bridge Repairs
  - Cedar Lake Bridge – Have fracture critical repairs that need to be made asap, don't have quote yet on repairs
  - Woolmarket Road (over Parkers Creek) Bridge – has additional piling that are deteriorated doing as emergency repair
- Causeway Pier Repairs (east side) – getting quotes, need to send in request to DMR to mat the wetlands to reach the pier
- Cedar Lake Bridge BRIC Grant – Study has begun, Cypress is collecting data
- Churchill Drive Ditch Improvements – BMA contract approved on council agenda preliminary investigation complete, working on recommendations
- Concrete Annual Contract – Under contract, just need funding to complete any work
  - 695 Watersview Drive
  - River Place Streets this work is being scheduled
  - LaBonne Terre Streets
  - The Bluff Streets – working on a map of locations
- Ditch/ROW mowing contract – Received bids Nov. 8<sup>th</sup>, Gulf Breeze was the only bidder
- East Biloxi Connector Road (Porter to Querens) – Moran Hauling - \$264K – NTP: 02/19/2024 – Comp: 05/19/2024; **will start asbestos removal this week, houses come down next week, Arborist is going to be on-site while houses are demo'd due to the close proximity of the magnolia tree**
- Eagle Point Lights – Fixtures are here, just waiting for the ground to dry out to install them

- Edgewater Park Drainage Study – pending funding
- Fire Station No. 5 – (Mark Williams) have bid plans/specs, need funding to bid
- Hiller Park Drainage Improvements – pending award of NRDA/NFWF grant
- Howard Avenue Brick Maintenance – Received bids Jan. 24<sup>th</sup>, Gulf Breeze \$206K, **contract has been awarded, will schedule pre-construction meeting this week**
- Hwy 90 parking improvements – submitted the draft plan to MDOT, they do not foresee any issues with our plan, it will be able to be done under a permit, we’re working on CAD drawings for the permit
- Lighthouse Pier – design complete, received Corps Permit, waiting on FEMA/MEMA funding issues to be resolved
- Lighthouse Pier Parking Area Electrical – **Lamey has been given a PO**
- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal Working with DMR to get dredging permit approval
- Kuhn St. Boat Launch Expansion – Received bids on Feb. 14<sup>th</sup>, **lowest bid \$1.3M, need additional funding to award**
- MGCCC Traffic Signal – MOA has been fully approved, gave construction plan approval, had a field review, waiting MDOT authority to advertise
- Oak Street Pier (South) – Cypress approved on Jan. 16th for a 20’ wide pier
- Parker’s Creek Sediment Removal – Received the DMR permit, waiting on Corps permit,
- Paving – Phase I (Downtown)
 

<ul style="list-style-type: none"> <li>▪—Croesus</li> <li>▪ G.E. Ohr</li> <li>▪—Esters</li> <li>▪—Laurelwood</li> <li>▪—Ravenwood</li> <li>▪—Summag Dr.</li> <li>▪—Lawnwood Dr.</li> <li>▪—Carolwood Dr.</li> <li>▪—Gladewood Dr.</li> <li>▪—Lakewood Dr.</li> </ul>	<ul style="list-style-type: none"> <li>▪—Bluewood Dr.</li> <li>▪—Cambridge Dr.</li> <li>▪—Edwards Circle</li> <li>▪—Theresa Court</li> <li>▪—Melbourne Court</li> <li>▪—Windsor Court</li> <li>▪—Harkness Court</li> <li>▪—Merry Lane</li> <li>▪—Skeet Hunt Rd.</li> <li>▪—Audubon Place</li> </ul>	<ul style="list-style-type: none"> <li>– St. George</li> <li>– Wilkes</li> <li>—Clower</li> <li>—Acacia</li> <li>—Jefferson Davis</li> <li>– Miramar</li> <li>– Bilmarsan</li> <li>—Iberville</li> </ul>
--	---	--

- Phase II Paving
  - Lamey Street
  - Pinecrest
  - Dundewood
  - RSR 1 & 2
  - Point Cadet Marina area
  - Cuevas Street
  - Mercury Lane
  - Pine Grove Ave
  - Briarfield Ave.
  - Beacon Pl.
  - Deming Pl.
  - Fayard Street
  - Victory Lane
  - Jackson St. bricks
- Point Cadet Living Shoreline (BMA) – BMA working on solutions for sheet pile wall have to submit a grant modification to DMR to allow for sheet pile wall
- Point Cadet Nearshore #1096 (BMA) – meeting with BMA on Friday to give direction of structures for shoreline re-establishment
- Point Cadet Marina Sediment Removal Permit – Have Corps and DMR permits, need to decide if we want to dredge now or wait for phase 2 of the marina project
- Point Cadet Marina Emergency Repair Inspections – Visual inspection is complete, met with Borries to discuss temporary bracing of those panels waiting on quote from Borries
- Point Cadet Marina West – AnderCorp NTP 10/24, 240-day contract, still waiting on electrical components; **floating dock installation has begun**
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, have BMA contract will review and then to get on council agenda for approval
- Point Cadet Marina Phase III – have preliminary layout that needs approval so a cost estimate can be developed so we can be ready for round 3 of funding
- Popp’s Ferry Extension #913 – Waiting on permits: Corps, MSDH, MDEQ; Waiting on CSX Construction Agreement and Easement Document; All documents have been submitted to MDOT for permission to advertise; CSX will be here on 2/15/24 for a site inspection of the proposed crossing
- Popp’s Ferry Bridge & Approaches – Ph I design complete, contract for right of way acquisition being developed, EA being updated, top priority to obtain funding to repair existing bridge, submitted to emergency road and bridge repair program
- Popp’s Ferry Bridge Draw Replacement – Getting a contract from NS, met with NS last week to discuss a few scope of work questions, should receive NS contract soon, but will have to go to MDOT for approval
- Popp’s Ferry Recreational Complex Lighting – working through legal issues with bond counsel and city attorney before putting out to bid, leasing on the International Field only
- Port Repair Replace Contract – currently no work

- Repair/Replace Contract – See attached
  - Rodenberg at Pass Road Intersection – ROW acquisition underway, Environmental Document has been approved by MDOT, next step is just compensation authorization through council
  - Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed meeting with Seymour this week for an update
    - Hiller Park Pond - have permits
    - Point Cadet Marina – have permits
    - Parkers Creek – pending Corps permit
    - Brasher Bayou – Have permits, getting ready to bid
- Need to put together a GOMESA grant application for sediment removal – Seymour going to help with this
- Shriners Blvd. Water Phase II - LJ Construction - \$750K – NTP: 2/5/2024 - 120 days - Comp 06/04/2024; to extend the water line north to the city limits to tie into the HCUA water line;
  - Shriners Blvd. Widening – TIP Package has been submitted to GRPC
  - Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M); synthetic turf in being installed on baseball fields, drainage is being worked on at softball fields, work on soccer fields will begin in February
  - Sports Complex Softball/Baseball Lights – Met with Parks & Rec to discuss the options using the old lights from the tennis courts to replace softball and baseball lights
  - Sport Complex Tennis Court Lights – Received one proposal from Weaver Electric on Dec. 20<sup>th</sup>, met with Weaver again last week, the Bowmans were happy with the photometrics submitted by MUSCO, **this will be on Feb. 27<sup>th</sup> agenda**
  - Tanglewood Infrastructure Ph II (MP) – DNA Underground - \$2.3m – NTP: 02/05/2024 - 270 days – Comp: 11/01/2024, **will be mobilizing this week**
  - Tanglewood Sewer Replacement – need to give MP a contract amendment to finalize the sewer plans
  - Ward 2 Recreational Center – Have 60% review plans for review
  - Woolmarket Road Sidewalks – (Machado Patano) – Revised plans have been submitted to MDOT for authority to advertise, MP replied back to MDOT on Jan. 18<sup>th</sup> with more comments, **emailed MP again this morning for an update**



- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 60% complete, met with consultant to bring the scope of work back into budget

Repair/Replace Work Status  
as of 02/19/2024

Updates will be in red

Status	Priority	Location	Description of Work
Under Const.	0	Wilkes Water & Sewer	Water leak repair and broken sewer pipe repair in advance of paving
Under Const.	1	Claudette Court Concrete Street Repair	
Pending Const.	1	Louise St. drainage replacement	Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St.
Need Quote	2	Beauvior Home Drainage	
Need Quote	3	Spring Ridge & Brighton Circle Sinkhole	Sinkhole is forming at curb inlet
Need Quote	4	Goosepoint Drainage	Add a drainage inlet in the rear yard drainage line.
Need Quote	5	Anatole Bay Drainage	Drainage issue coming from La Bonne Terre onto Anatole Bay property
Pending PO	5	Majestic Oaks RV Park	Rear drainage is not working causing their detention pond to back up
Need Quote	7	Brister Place	Drainage pipe failure
Need Quote	8	GE Ohr & St. John Lining	Line the sewer pipes to repair cracks
Pending Const.	9	McDonnell Ave. Lift Station	Ordered by PW, needs new concrete lid with hatch
Need Quote	10	Oakridge ditch too deep	Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda
Pending Const.	11	Buena Vista Lift Station Lining	Requested by PW, get with Chad Nobles to get scope
Investigating		The Bluffs Concrete Street	
Need Quote		Beverin Rd. and Jack Graves waterline	Waiting on Shriners Blvd. Waterline project to be completed
Need Quote		Clean out drainage ponds at Sunkist	Sunkist Golf Course drainage ponds in city easements need to be cleaned
Investigate		Popps Ferry Road Potholes	South of Bridge - need manhole lid risers
Investigate		Airport Rd. Ditches	Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029
Need Quote		Atkinson Road Bridge Undermining	Per the bridge inspection report there is severe undermining
Pending PO		Azalea/Irish Hill	Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this
Need Quote		Beau Chene drainage cleaning	Clean out drainage behind houses so water will drain

Status	Priority	Location	Description of Work
Need Quote		Bike Sharrows	Around east biloxi for Biloxi Bicycle Works
Investigate		Boyette Rd. Drainage	Ditches need to be regraded (Kathy Santiago)
Quote		Carolwood add curb inlet	Install curb inlet in area that is holding water
Investigate		Cherry Ln & Riverview culvert replaced	Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Need Quote		Churchill concrete ditch groundwater issues	Going to see if Helms Polyfoam will work in this area
Hold		Club Moss Drainage	Clean out drainage behind houses so water will drain, looked at this again on 6/7/23, not able to get equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one.
Need Quote		Crane Ridge 2089	Ditch is holding water
Investigate		Division & New St. Sinkhole	Need to investigate large sinkhole forming
Need Quote		Enclave Concrete Street Repair	Repair failing concrete panels
Need Quote		Fairview Drive/Pass Road	Road flooded during heavy rain, need storm drains cleaned out
Need Quote		Hiller Park Bridge erosion	
Need Quote		Hiller Park LS erosion	Correct erosion problem just west of the lift station
Need Quote		Howard Ave. Flush storm drains	Storm drains on Howard Ave. are full of debris
Need Quote		Jim Byrd Rd. ditch cleaning	Ditches need to be recut
Need Quote		Jim Byrd Rd. 14080	Culvert needs to be cleaned out or replaced
Need Quote		John Lee Rd. 13403	Culverts and ditches need to be cleaned out
Investigate		Glen Eagle west side ditch	ditch erosion in rear of property
Need Quote		Grady St. Sidewalk	Install sidewalk on Grady Street for elderly resident
Investigate		La Bonne Terre Concrete Repair	Repair concrete panels
Need Quote		Lorraine Road ditches	Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098
Need Quote		Lorraine Rd. 13143	Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572
Investigate		Main St. & Water St. Sinkhole	Need to video storm drain to see what's happening
Investigate		McDonnell Ave. Pothole	By Racetrack south of Irish Hill

Status	Priority	Location	Description of Work
Investigate		Melissa Drive Detention Pond	Detention Pond needs to be cleaned out.
Need Quote		Mercedes Drive	Huge cave-in in the road that goes to the boat ramp
Need Quote		Mill Creek Sidewalk Repair	Concrete panel is collapsed this can be done under the concrete annual bid
Need Quote		North Oaklawn Rd. 12387	Ditches need to be cleaned
Quote		Old Biloxi Library sewer repairs	PW ordered this work, need to find out what's going on
Need Quote		Orleans & Carter pothole	PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair
Investigate		Pin Oak Lift Station Ditch	Ditch runs north from lift station; resident at 10351 Pin Oak requested this work
Need Quote		Pin Oak & North River View	Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes	sinholes at manholes on Pine Grove
Pending PO		Rich Ave. Waterline	Add fire protection for office building and Rich Ave
Need Quote		River Place Concrete Street Repairs	Repair failing concrete panels
Need Quote		Rodenberg potholes	Have video of this area, this is going to be a major repair, will probably need to be a capital project
Need Quote		Southeastern Doors & Windows	Sinkhole by curb inlet, getting video to assess problem
Need Quote		Watersview, 695	Concrete repair
Pending Const.		Woodland Park Dr street repair	Asphalt repair - B2T is going to see if Gulf Pride can do this
cancelled		Alyeska Condos	Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed - flushing is complete
Complete		Beauvoir and Railroad Liftstation Repair	This was ordered by PW, rework valve & check valve box, redo piping
Complete		Cedar Lake Rd. Ditch	Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next
Complete		Davis St., 396 Sewer	Ordered by infrastructure team, no information provided to Engineering
Complete		Destiny Plantation ditch cleaning	Clean out ditch behind houses in Destiny Plantation - ordered by PW
Complete		G.E. Ohr Sinkhole	Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week
Complete		G.E. Ohr Sewer Repair - Emergency	emergency repair of sewer main in GE Ohr.
Complete		Hickman Road Sewer - Emergency	emergency repair of forcemain on Hickman Road

Status	Priority	Location	Description of Work
Complete		1187 Karli Lane	County redid road by house causing her driveway to flood - pipe has been ordered ongoing
Complete		Old Hwy 67 Ditch Maintenance	Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction
Complete		Division & Porter Hydrant Repairs	Hydrant leg is leaking
Complete		River Estates Circle Drainage	Ordered by PW, no information on scope.
Complete		Rodenberg & RR Lift Station Repair	This was ordered by PW, no information on scope or status
Complete		St. Charles & Hwy 90	Emergency repair of water line ahead of paving
Complete		Seal Avenue/Division St.	Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway
Complete		Seal Ave Storm Drain Repairs	Ordered by Infrastructure, no information on scope
Complete		Spanner Lane Sewer Repair/FH Relocate	Ordered by Infrastructure, no information on scope (old PO no. 20235756)
Complete		Veterans Ave Storm Drain Repair	Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in

Total FY23-24

\$380,164.36



# City of Biloxi Public Works Department

## Completed Work Orders for 2/12/24-2/18/24

WorkOrderId	Description	Actual Finish	Address	Total Cost
136816	A/C LEAKING/FILTER	2/16/2024	LIGHTHOUSE VISITORS CENTER	\$0.00
134986	CLEAN A/C FILTER	2/16/2024	PUBLIC WORKS WAREHOUSE	\$104.38
138268	AC REPAIR	2/12/2024	WEST BILOXI LIBRARY	\$205.58
138283	RESTROOM-REPAIR SINK	2/14/2024	MARGARET SHERRY LIBRARY RECREATIONAL COMPLEX	\$37.80
136460	STRUCTURE-REPAIR CEILING	2/15/2024	WEST BILOXI LIBRARY	\$221.03
138246	ELECTRICAL ROUTINE MAINTENANCE - LS	2/12/2024	MCDONNELL AVENUE NORTH L.S.	\$21.88
138262	ELECTRICAL ROUTINE MAINTENANCE - LS	2/14/2024	GATES OF BILOXI L.S.	\$21.88
138266	ELECTRICAL ROUTINE MAINTENANCE - LS	2/14/2024	DEBUYS ROAD L.S.	\$21.88
138310	REPAIR LIFT STATION	2/15/2024	MCDONNELL AVENUE NORTH L.S.	\$202.32
138314	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	EDGEWATER @ 90 L.S.	\$25.29
138318	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	GATES OF BILOXI L.S.	\$25.29
138322	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	DEBUYS ROAD L.S.	\$25.29
138326	ELECTRICAL ROUTINE MAINTENANCE - LS	2/16/2024	MCDONNELL AVENUE NORTH L.S.	\$21.88
138245	ELECTRICAL ROUTINE MAINTENANCE - LS	2/12/2024	RODENBERG @ HWY 90 L.S.	\$21.88
138249	ELECTRICAL ROUTINE MAINTENANCE - LS	2/12/2024	DEBUYS ROAD L.S.	\$21.88
138265	ELECTRICAL ROUTINE MAINTENANCE - LS	2/14/2024	RAINTREE APARTMENTS L.S.	\$21.88
138279	CLEAN LIFT STATION	2/15/2024	CAMPBELL DRIVE @ MITCHELL L.S.	\$18.34

138300	CLEAN LIFT STATION	2/15/2024	THORNHILL SOUTH #1 L.S.	\$18.34
138313	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	RAINTREE APARTMENTS L.S.	\$25.29
138317	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	MCDONNELL AVENUE NORTH L.S.	\$25.29
138321	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	RODENBERG @ HWY 90 L.S.	\$25.29
138325	ELECTRICAL ROUTINE MAINTENANCE - LS	2/16/2024	RODENBERG @ HWY 90 L.S.	\$21.88
138329	ELECTRICAL ROUTINE MAINTENANCE - LS	2/16/2024	DEBUYS ROAD L.S.	\$21.88
138247	ELECTRICAL ROUTINE MAINTENANCE - LS	2/12/2024	EDGEWATER @ 90 L.S.	\$21.88
138263	ELECTRICAL ROUTINE MAINTENANCE - LS	2/14/2024	RODENBERG @ HWY 90 L.S.	\$21.88
138267	ELECTRICAL ROUTINE MAINTENANCE - LS	2/14/2024	MCDONNELL AVENUE NORTH L.S.	\$21.88
138277	REPAIR/SERVICE GRINDER PUMP	2/14/2024	AHERN DR	\$101.16
138311	ELECTRICAL REPAIR - LS	2/16/2024	HILLER PARK L.S.	\$101.16
138315	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	RODENBERG @ HWY 90 L.S.	\$25.29
138319	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	RAINTREE APARTMENTS L.S.	\$25.29
138323	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	MCDONNELL AVENUE NORTH L.S.	\$25.29
138327	ELECTRICAL ROUTINE MAINTENANCE - LS	2/16/2024	EDGEWATER @ 90 L.S.	\$21.88
138244	ELECTRICAL ROUTINE MAINTENANCE - LS	2/12/2024	GATES OF BILOXI L.S.	\$21.88
138248	ELECTRICAL ROUTINE MAINTENANCE - LS	2/12/2024	RAINTREE APARTMENTS L.S.	\$21.88
138264	ELECTRICAL ROUTINE MAINTENANCE - LS	2/14/2024	EDGEWATER @ 90 L.S.	\$21.88
138312	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	GATES OF BILOXI L.S.	\$25.29
138316	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	DEBUYS ROAD L.S.	\$50.58
138320	ELECTRICAL ROUTINE MAINTENANCE - LS	2/18/2024	EDGEWATER @ 90 L.S.	\$25.29

138324	ELECTRICAL ROUTINE MAINTENANCE - LS	2/16/2024	GATES OF BILOXI L.S.	\$21.88
138328	ELECTRICAL ROUTINE MAINTENANCE - LS	2/16/2024	RAINTREE APARTMENTS L.S.	\$21.88
138366	CLEAN CATCH BASIN	2/16/2024	POPPS FERRY RD	\$343.54
138355	CLEAN CATCH BASIN	2/16/2024	DIVISION ST	\$78.22
138368	CLEAN CATCH BASIN	2/16/2024	Irish hill	\$336.23
138375	CLEAN CATCH BASIN	2/16/2024	POPPS FERRY RD	\$602.94
138374	STREET SWEEPING	2/17/2024	EAST OAKLAWN RD	\$469.81
138271	REPAIR/REPLACE BULBS	2/14/2024	COMMUNITY DEVELOPMENT (MLK BUILDING)	\$787.00
138331	DAILY TRASH PICK UP	2/15/2024	OAK ST	\$294.56
138376	DAILY TRASH PICK UP	2/16/2024	Oak St.	\$392.75
138343	REPAIR SIGN	2/16/2024	CAILLAVET ST	\$11.94
138356	TEMPORARY SIGN INSTALL/ REMOVE	2/14/2024	HOWARD AVE	\$638.03
138341	SIGN/POLE WORK	2/16/2024	PINE GROVE AVE	\$141.58
138347	BANNER SETUP/ TAKE DOWN	2/16/2024	CAILLAVET ST	\$195.24
138357	SIGN FABRICATION	2/12/2024	PUBLIC WORKS SIGN SHOP	\$98.34
138332	SIGN/POLE WORK	2/15/2024	204 BOHN ST	\$79.85
138348	BANNER SETUP/ TAKE DOWN	2/15/2024	HOWARD AVE	\$859.53
138281	REPAIR/REPLACE BRAKE	2/14/2024	PUBLIC WORKS VEH CILE MAINTENANCE	\$107.51
138370	REPAIR/REPLACE COOLING	2/16/2024	PUBLIC WORKS VEH CILE MAINTENANCE	\$64.26
138363	LIGHT EQUIPMENT REPAIR	2/15/2024	PUBLIC WORKS VEH CILE MAINTENANCE	\$231.40
138373	OIL CHANGE	2/16/2024	PUBLIC WORKS VEH CILE MAINTENANCE	\$310.50
138282	OIL CHANGE	2/14/2024	PUBLIC WORKS VEH CILE MAINTENANCE	\$31.73
138371	REPAIR/REPLACE WIPER BLADES	2/16/2024	PUBLIC WORKS VEH CILE MAINTENANCE	\$27.71
138362	MULTIPLE REPAIRS	2/15/2024	PUBLIC WORKS VEH CILE MAINTENANCE	\$367.26
138372	OIL CHANGE	2/16/2024	PUBLIC WORKS VEH CILE MAINTENANCE	\$34.48
138330	REPAIR WATER LINE	2/17/2024	652 WATER ST	\$1,100.96
138258	ELECTRICAL REPAIR - WELL	2/12/2024	DEBUYS WELL	\$101.16
138276	ELECTRICAL REPAIR - WELL	2/14/2024	NORTH BILOXI #1 WELL	\$151.74
138261	ELECTRICAL REPAIR - WELL	2/13/2024	PARK DR WELL	\$252.90
138259	ELECTRICAL REPAIR - WELL	2/12/2024	OAKLAWN WELL	\$126.45
138260	ELECTRICAL REPAIR - WELL	2/12/2024	FATHER RYAN WELL	\$101.16
138278	PLUMBING REPAIR/REPLACE	2/14/2024	TULLIS MANOR WELL	\$135.97