





BILOXI FIRE DEPARTMENT INCIDENT SUMMARY REPORT FOR THE WEEK OF 01 Apr - 07 Apr 2024

1 - Fires (Structure & Vehicle)	12
2 - Rupture/Explosion	0
3 - Emergency Medical Services/Rescue	107
4 - Hazardous Conditions	5
5 - Service Calls	12
6 - Good Intent	15
7 - Fire Alarm Calls; Active, Malfunction	12
8 - Weather/Natural Disaster	0
9 - Special Incident Type	0
	<u>163</u>



Incident / Run Series



Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us

**Police Chief****John B. Miller**

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100



Fax: 228.374.1922

www.biloxi.ms.us

DATE: April 8, 2024**RE:** Biloxi Police activity for Apr 1 – Apr 7, 2024

TOTAL CALLS FOR SERVICE	2325
TOTAL INCIDENT REPORTS	196
TOTAL OFFENSES (Violations/Reports)	282
TOTAL ARRESTS	182

Calls excluded from call type charts were: Extra Patrol – 594; Suspicious Circumstances – 92; Traffic Stops – 639; and Walk & Talk – 58. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE**OFFENSES BY CATEGORY**



DATE: *April 8, 2024*

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Apr 1-7, 2024

Building permits issued	<i>80</i>
Construction Valuation of permits issued	<i>\$925,000</i>
Building inspections performed	<i>115</i>
Business licenses Renewals Charter Boats Peddler's licenses	<i>25 (18 were for peddlers) 8</i>
Certificates of Occupancy issued	<i>17 (3 were Short- Term Rentals)</i>
Code enforcement cases opened	<i>82</i>
Code enforcement cases resolved	<i>37</i>



Engineering Department Weekly Update

April 08, 2024
(updates in red)

Projects Out to Bid

Projects in the Process of Being Awarded

- Causeway Pier Repairs (east side)
- Ditch/ROW Mowing (Nov. 8th)
- Kuhn St. Boat Ramp (Feb. 14th)
- Sports Complex Tennis Court Lights (March 27th)

Projects Under Construction

- BRIC Grant (Cedar Lake Bridge)
- Eagle Point Park Lights
- East Biloxi Connector Road (Porter to Querens)
- Howard Avenue Brick Repairs
- Paving Phase I
- Point Cadet Marina West
- Shriners Water Line Ph II
- Sports Complex Field Improvements
- Tanglewood Phase II

Private Utility Work in ROW

- Destiny Plantation (Coast Connect) – boring on-going
- Wildwood Trace (Coast Connect) – boring on-going, lots of issues with residents but they are being addressed
- Hope 6 (AT&T) – boring on-going, so far, no issues
- Howard Ave. (Cspire) – Oak to Myrtle – Estimated to start boring April 29th
- Point Breeze (Cspire) – Estimated to start boring the week of April 8th
- Rodenberg (Cspire) – Hollywood Blvd area – Permit under review
- Pass Rd. & Debuys Rd. (AT&T) – Permit approved don't have start date yet
- Pass Rd. & Popp's Ferry Rd. (UnitiFiber) – Permit approved don't have start date yet

Misc.

- Electrical poles on Hwy 90/Oak Street – met with MS Power, they are working up a cost,
- Electrical poles at Kuhn St. – get with MS Power to put those underground

- Point Cadet Pier inspections – inspections are complete, waiting on quote from Borries
- Saenger Roof Warranty – Duralast is supposed to send someone here this week

Projects

- Bay Vista Water Well – bid plans are waiting for final electrical work and should be ready by end of April
- Bay Vista Water Line Replacement Project No. 1013 – Surveying has begun
- Biloxi-OS Bridge Walking Path Ramp – **Have a plan to submit to MDOT, verbal discussions with MDOT indicate there won't be any issues with receiving a permit**
- Brashier Bayou Sediment Removal – have all the permits, getting plans/specs ready to advertise need funding
- Bridge Repairs
 - Cedar Lake Bridge – Have fracture critical repairs that need to be made asap, don't have quote yet on repairs
- Causeway Pier Repairs (east side) – Have quotes, waiting on permit waiver letter from DMR in order for the contractor to cross the marsh grass with his equipment
- Cedar Lake Bridge BRIC Grant – Study has begun, Cypress is collecting data
- Churchill Drive Ditch Improvements – BMA contract approved on council agenda preliminary investigation complete, working on recommendations
- Concrete Annual Contract – See Repair-Replace list attached
- CTA Pass Road preemption/priority agreement – CTA wants to installed preemption/priority equipment in the traffic signals along Pass Road, the City will be equipment to be installed in Fire Trucks as well, no cost to the City
- East Biloxi Connector Road (Porter to Querens) – Moran Hauling - \$264K – NTP: 02/19/2024 – Comp: 05/19/2024; houses have been removed, road grading has begun
- Eagle Point Lights – complete, finishing punchlist and close out
- Edgewater Park Drainage Study – pending funding
- Fire Station No. 5 – (Mark Williams) have bid plans/specs, need funding to bid
- Hiller Park Drainage Improvements – pending award of NRDA/NFWF grant
- Howard Avenue Brick Maintenance – Gulf Breeze \$206K, work should be completed by April 12th

- Hwy 90 parking improvements – submitted the draft plan to MDOT, they do not foresee any issues with our plan, it will be able to be done under a permit, we're working on CAD drawings for the permit, overall plan showing parking, Kuhn St. and electrical panel is done
- Lighthouse Pier – design complete, received Corps Permit, waiting on FEMA/MEMA funding issues to be resolved
- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal Working with DMR to get dredging permit approval
- Kuhn St. Boat Launch Expansion – Received bids on Feb. 14th, lowest bid \$1.3M, need additional funding to award need to discuss options
- MGCCC Traffic Signal – MOA has been fully approved, gave construction plan approval, had a field review, waiting MDOT authority to advertise
- Oak Street Pier (South) – Design on-going
- Parker's Creek Sediment Removal – Received the DMR permit, waiting on Corps permit,
- Paving – Phase I (Downtown)

▪ Croesus	▪ Bluewood Dr.	– St. George
▪ G.E. Ohr	▪ Cambridge Dr.	– Wilkes
▪ Esters	▪ Edwards Circle	– Clower
▪ Laurelwood	▪ Theresa Court	– Acacia
▪ Ravenwood	▪ Melbourne Court	– Jefferson Davis
▪ Summag Dr.	▪ Windsor Court	– Miramar
▪ Lawnwood Dr.	▪ Harkness Court	– Bilmarsan
▪ Carolwood Dr.	▪ Merry Lane	– Iberville
▪ Gladewood Dr.	▪ Skeet Hunt Rd.	
▪ Lakewood Dr.	▪ Audubon Place	
- Phase II Paving

▪ Lamey Street	▪ Cuevas Street	▪ Fayard Street
▪ Pinecrest	▪ Mercury Lane	▪ Victory Lane
▪ Dundewood	▪ Pine Grove Ave	▪ Jackson St. bricks
▪ RSR 1 & 2	▪ Briarfield Ave.	
▪ Point Cadet	▪ Beacon Pl.	
Marina area	▪ Deming Pl.	
- Point Cadet Living Shoreline (BMA) – BMA working on solutions for sheet pile wall have to submit a grant modification to DMR to allow for sheet pile wall
- Point Cadet Nearshore #1096 (BMA) – design on-going

- Point Cadet Marina Sediment Removal Permit – Have Corps and DMR permits, need to decide if we want to dredge now or wait for phase 2 of the marina project
- Point Cadet Marina Emergency Repair Inspections – Issued Emergency PO, Borries is waiting on marine timber to be dried, should start in about 2 weeks
- Point Cadet Marina West – AnderCorp NTP 10/24, 240-day contract, still waiting on electrical components; floating dock installation has begun, parking lot paving is complete
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, have BMA contract will review and then to get on council agenda for approval working on the Restore grant paperwork with Contracts to get the MDEQ agreement in place
- Point Cadet Marina Phase III – have preliminary layout that needs approval so a cost estimate can be developed so we can be ready for round 3 of funding
- Popp’s Ferry Extension #913 –
 - CSX requested an additional \$5K to finish construction plan review which is holding up the CSX Construction Agreement – this has been paid and submitted to CSX;
 - CSX easement document is being drafted so we can expect to receive that document soon but no definitive time frame was given;
 - Waiting on MDOT is issue authority to advertise;
- Popp’s Ferry Bridge Draw Replacement – NS contract is under preliminary review by MDOT
- Popp’s Ferry Recreational Complex Lighting – working through legal issues with bond counsel and city attorney before putting out to bid, leasing on the International Field only sent updated specs to bond counsel for review
- Port Repair Replace Contract – currently no work
- Repair/Replace Contract – See attached
- Rodenberg at Pass Road Intersection – ROW acquisition underway,
- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed meeting with Seymour this week for an update
 - Hiller Park Pond - have permits
 - Point Cadet Marina – have permits
 - Parkers Creek – pending Corps permit

- Brasher Bayou – Have permits, ready to bid, need funding

Need to put together a GOMESA grant application for sediment removal – Seymour going to help with this

- Shriners Blvd. Water Phase II - LJ Construction - \$750K – NTP: 2/5/2024 - 120 days - Comp 06/04/2024; to extend the water line north to the city limits to tie into the HCUA water line; work is moving along quickly
- Shriners Blvd. Widening – TIP Package has been submitted to GRPC
- Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M); synthetic turf in being installed on baseball fields, drainage is being worked on at softball fields, work on soccer fields will begin in February
- Sport Complex Tennis Court Lights – Received proposal from Weaver Electric, was within budget, will be on the April 16th council agenda for approval
- Tanglewood Infrastructure Ph II (MP) – DNA Underground - \$2.3m – NTP: 02/05/2024 - 270 days – Comp: 11/01/2024, work has started so far, no major concerns
- Tanglewood Sewer Replacement – need to give MP a contract amendment to finalize the sewer plans
- Ward 2 Recreational Center – Have 60% review plans for review
- Woolmarket Road Sidewalks – (Machado Patano) – Receive bids May 8, 2024
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 60% complete, met with consultant to bring the scope of work back into budget

Repair/Replace Work Status
as of 04/08/2024

Updates in red

Status	Priority	Location	Description of Work
Under Const.	0	Wilkes Water & Sewer	Water leak repair and broken sewer pipe repair in advance of paving About 2 more weeks left
Complete	0	La Bonne Terre Blvd. Concrete Repair	HOA replaced the panel without fixing the storm drain box
Complete	0	Mercedes Drive	Huge cave-in in the road that goes to the boat ramp
Under Const.	0	Spring Ridge & Brighton Circle Sinkhole	Sinkhole is forming at curb inlet this work should begin the week of 3/11/2024
Pending Const.	1	Fire Station No. 10 Driveway Cave in	driveway is caving in over a collapsed storm drain
Need Quote	2	Beauvior Home Drainage	First quote was too expensive, changing scope to get new quote
Need Quote	3	Goosepoint Drainage	Add a drainage inlet in the rear yard drainage line.
Need Quote	4	Anatole Bay Drainage	Drainage issue coming from La Bonne Terre onto Anatole Bay property
Pending PO	4	Majestic Oaks RV Park	Rear drainage is not working causing their detention pond to back up
Need Quote	5	Brister Place 1373	Drainage pipe failure about 40' of bad pipe in front of 1373 Brister SR46471
Need Quote	6	GE Ohr & St. John Lining	Line the sewer pipes to repair cracks
Pending Const.	7	McDonnell Ave. Lift Station	Ordered by PW, needs new concrete lid with hatch
Pending Const.	8	Buena Vista Lift Station Lining	Requested by PW, get with Chad Nobles to get scope
Need Quote	9	Mill Creek Sidewalk Repair	Concrete panel is collapsed this can be done under the concrete annual bid
Investigating		The Bluffs Concrete Street	Numerous concrete street panels need to be replaced
Need Quote		Beverin Rd. and Jack Graves waterline	Waiting on Shriners Blvd. Waterline project to be completed
Need Quote		Clean out drainage ponds at Sunkist	Sunkist Golf Course drainage ponds in city easements need to be cleaned
Investigate		Airport Rd. Ditches	Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029
Need Quote		Atkinson Road Bridge Undermining	Per the bridge inspection report there is severe undermining
Pending PO		Azalea/Irish Hill	Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this
Need Quote		Beau Chene drainage cleaning	Clean out drainage behind houses so water will drain
Need Quote		Bike Sharrows	Around east biloxi for Biloxi Bicycle Works

Status	Priority	Location	Description of Work
Investigate		Boyette Rd. Drainage	Ditches need to be regraded (Kathy Santiago)
Quote		Carolwood add curb inlet	Install curb inlet in area that is holding water
Investigate		Cherry Ln & Riverview culvert replaced	Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Need Quote		Churchill concrete ditch groundwater issues	Going to see if Helms Polyfoam will work in this area
Hold		Club Moss Drainage	Clean out drainage behind houses so water will drain, looked at this again on 6/7/23, not able to get equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one.
Need Quote		Crane Ridge 2089	Ditch is holding water
Investigate		Division & New St. Sinkhole	Need to investigate large sinkhole forming
Need Quote		Enclave Concrete Street Repair	Repair failing concrete panels
Need Quote		Fairview Drive/Pass Road	Road flooded during heavy rain, need storm drains cleaned out
Need Quote		Hiller Park Bridge erosion	
Need Quote		Hiller Park LS erosion	Correct erosion problem just west of the lift station
Need Quote		Howard Ave. Flush storm drains	Storm drains on Howard Ave. are full of debris
Need Quote		John Lee Rd. 13403	Culverts and ditches need to be cleaned out
Investigate		Glen Eagle west side ditch	ditch erosion in rear of property
Need Quote		Grady St. Sidewalk	Install sidewalk on Grady Street for elderly resident
Need Quote		Graham Street 272 drainage	Remove pipe that was supposed to be flow filled by ORC
Need Quote		La Bonne Terre Concrete Repair	Misc. Concrete street repairs needed throughout the neighborhood
Need Quote		Lorraine Road ditches	Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098
Need Quote		Lorraine Rd. 13143	Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572
Investigate		Main St. & Water St. Sinkhole	Need to video storm drain to see what's happening
Investigate		McDonnell Ave. Pothole	By Racetrack south of Irish Hill
Investigate		Melissa Drive Detention Pond	Detention Pond needs to be cleaned out.
Need Quote		North Oaklawn Rd. 12387	Ditches need to be cleaned

Status	Priority	Location	Description of Work
Quote		Old Biloxi Library sewer repairs	PW ordered this work, need to find out what's going on
Need Quote		Orleans & Carter pothole	PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair
Investigate		Pin Oak Lift Station Ditch	Ditch runs north from lift station; resident at 10351 Pin Oak requested this work
Need Quote		Pin Oak & North River View	Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes	sinholes at manholes on Pine Grove
Investigate		Popps Ferry Road Potholes	South of Bridge - need manhole lid risers
Need Quote		Rich Ave. Waterline	Add fire protection for office building and Rich Ave
Need Quote		River Place Concrete Street Repairs	Repair failing concrete panels
Need Quote		Rodenberg potholes	Have video of this area, this is going to be a major repair, will probably need to be a capital project
Need Quote		Southeastern Doors & Windows	Sinkhole by curb inlet, getting video to assess problem
Need Quote		Watersview, 695	Concrete repair
Pending Const.		Woodland Park Dr street repair	Asphalt repair - B2T is going to see if Gulf Pride can do this
cancelled		Alyeska Condos	Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed - flushing is complete
Complete		Beauvoir and Railroad Liftstation Repair	This was ordered by PW, rework walve & check valve box, redo piping
Complete		Cedar Lake Rd. Ditch	Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next
Complete		Claudette Court Concrete Street Repair	
Complete		Davis St., 396 Sewer	Ordered by infrastructure team, no information provided to Engineering
Complete		Destiny Plantation ditch cleaning	Clean out ditch behind houses in Destiny Plantation - ordered by PW
Complete		G.E. Ohr Sinkhole	Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week
Complete		G.E. Ohr Sewer Repair - Emergency	emergency repair of sewer main in GE Ohr.
Complete		Hickman Road Sewer - Emergency	emergency repair of forcemain on Hickman Road
Cancelled		Jim Byrd Rd. ditch cleaning	Ditches need to be recut - HarCo to do this work
Cancelled		Jim Byrd Rd. 14080	Culvert needs to be cleaned out or replaced - HarCo to do this work

Status	Priority	Location	Description of Work
Complete		1187 Karli Lane	County redid road by house causing her driveway to flood - pipe has been ordered ongoing
Complete		Louise St. drainage replacement	Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St. 95% complete
Cancelled		Oakridge ditch too deep	Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda Being handled by the county
Complete		Old Hwy 67 Ditch Maintenance	Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction
Complete		Division & Porter Hydrant Repairs	Hydrant leg is leaking
Complete		River Estates Circle Drainage	Ordered by PW, no information on scope.
Complete		Rodenberg & RR Lift Station Repair	This was ordered by PW, no information on scope or status
Complete		St. Charles & Hwy 90	Emergency repair of water line ahead of paving
Complete		Seal Avenue/Division St.	Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway
Complete		Seal Ave Storm Drain Repairs	Ordered by Infrastructure, no information on scope
Complete		Spanner Lane Sewer Repair/FH Relocate	Ordered by Infrastructure, no information on scope (old PO no. 20235756)
Complete		Veterans Ave Storm Drain Repair	Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in

Total FY23-24	\$1,319,215.82
Pending	\$709,438.39
Complete	\$609,777.43

City of Biloxi Public Works Department

Completed Work Orders for 4/1/24-4/7/24

WorkOrderId	Description	Actual Finish	Address	Total Cost
135058	DOOR COMPONENT	4/4/2024	CITY HALL	\$225.42
139680	REPLACE LIGHT BULBS	4/2/2024	CITY HALL	\$34.70
137171	STRUCTURE-PAINT	4/4/2024	CITY HALL	\$0.00
139588	ELECTRICAL ROUTINE MAINTENANCE - LS	4/1/2024	RODENBERG @ HWY 90 L.S.	\$25.29
139705	ELECTRICAL ROUTINE MAINTENANCE - LS	4/3/2024	RODENBERG @ HWY 90 L.S.	\$25.29
139709	ELECTRICAL REPAIR - LS	4/3/2024	ON THE GREEN L.S.	\$101.16
139794	ELECTRICAL ROUTINE MAINTENANCE - LS	4/5/2024	RAINTREE APARTMENTS L.S.	\$25.29
139798	ELECTRICAL ROUTINE MAINTENANCE - LS	4/5/2024	MCDONNELL AVENUE NORTH L.S.	\$25.29
139802	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	EDGEWATER @ 90 L.S.	\$25.29
139806	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	STELLY DRIVE L.S.	\$25.29
139810	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	RODENBERG @ HWY 90 L.S.	\$25.29
139814	REPAIR/REPLACE LINE	4/4/2024	1687 PRINGLE CIR	\$801.56
139548	INSTALL/REPLACE CLEANOUT	4/4/2024	Jam Ln	\$104.62
139587	ELECTRICAL ROUTINE MAINTENANCE - LS	4/1/2024	EDGEWATER @ 90 L.S.	\$25.29
139671	ELECTRICAL REPAIR - LS	4/1/2024	south river ls	\$126.45
139704	ELECTRICAL ROUTINE MAINTENANCE - LS	4/3/2024	RAINTREE APARTMENTS L.S.	\$25.29
139708	ELECTRICAL ROUTINE MAINTENANCE - LS	4/3/2024	STELLY DRIVE L.S.	\$25.29

139793	ELECTRICAL ROUTINE MAINTENANCE - LS	4/5/2024	GATES OF BILOXI L.S.	\$25.29
139797	ELECTRICAL ROUTINE MAINTENANCE - LS	4/5/2024	DEBUYS ROAD L.S.	\$25.29
139801	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	RAINTREE APARTMENTS L.S.	\$25.29
139805	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	MCDONNELL AVENUE NORTH L.S.	\$25.29
139809	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	EDGEWATER @ 90 L.S.	\$25.29
139813	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	STELLY DRIVE L.S.	\$25.29
139586	ELECTRICAL ROUTINE MAINTENANCE - LS	4/1/2024	RAINTREE APARTMENTS L.S.	\$25.29
139591	ELECTRICAL ROUTINE MAINTENANCE - LS	4/1/2024	STELLY DRIVE L.S.	\$25.29
139703	ELECTRICAL ROUTINE MAINTENANCE - LS	4/3/2024	EDGEWATER @ 90 L.S.	\$25.29
139707	ELECTRICAL ROUTINE MAINTENANCE - LS	4/3/2024	MCDONNELL AVENUE NORTH L.S.	\$25.29
139796	ELECTRICAL ROUTINE MAINTENANCE - LS	4/5/2024	RODENBERG @ HWY 90 L.S.	\$25.29
139800	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	GATES OF BILOXI L.S.	\$25.29
139804	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	DEBUYS ROAD L.S.	\$25.29
139808	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	RAINTREE APARTMENTS L.S.	\$25.29
139812	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	MCDONNELL AVENUE NORTH L.S.	\$25.29
139585	ELECTRICAL ROUTINE MAINTENANCE - LS	4/1/2024	GATES OF BILOXI L.S.	\$25.29
139590	ELECTRICAL ROUTINE MAINTENANCE - LS	4/1/2024	MCDONNELL AVENUE NORTH L.S.	\$25.29
139702	ELECTRICAL ROUTINE MAINTENANCE - LS	4/3/2024	GATES OF BILOXI L.S.	\$25.29
139706	ELECTRICAL ROUTINE MAINTENANCE - LS	4/3/2024	DEBUYS ROAD L.S.	\$25.29
139795	ELECTRICAL ROUTINE MAINTENANCE - LS	4/5/2024	EDGEWATER @ 90 L.S.	\$25.29

139799	ELECTRICAL ROUTINE MAINTENANCE - LS	4/5/2024	STELLY DRIVE L.S.	\$25.29
139803	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	RODENBERG @ HWY 90 L.S.	\$25.29
139807	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	GATES OF BILOXI L.S.	\$25.29
139811	ELECTRICAL ROUTINE MAINTENANCE - LS	4/7/2024	DEBUYS ROAD L.S.	\$25.29
139699	CLEAN CATCH BASIN	4/2/2024	PASS RD	\$257.65
139712	CUT/CLEAN DITCH	4/2/2024	LARKIN DR	\$367.39
139816	CUT/CLEAN DITCH	4/4/2024	RAVENWOOD CT	\$682.89
139844	CUT/CLEAN DITCH	4/5/2024	NORTH COUNTRY CLUB LN	\$256.08
139583	BARRICADE SETUP/REMOVE	4/1/2024	CADET ST	\$9,649.42
139643	ROW MAINTENANCE	4/1/2024	BIG LAKE RD	\$330.27
139678	DAILY TIRE PICKUP	4/1/2024	SHRINERS BLVD	\$118.86
139700	STREET SWEEPING	4/2/2024	SHRINERS BLVD	\$61.94
139713	LITTER CONTROL	4/2/2024	LAMEY ST	\$59.43
139744	ROW MAINTENANCE	4/5/2024	CT SITZER SR DR	\$4,038.08
139754	DAILY TRASH PICK UP	4/4/2024	721 HIGHLAND DR	\$49.13
139639	ROW MAINTENANCE	4/1/2024	ALICIA DR	\$216.20
139677	LITTER CONTROL	4/1/2024	LORRAINE RD	\$151.56
139685	DAILY GRASS CUTTING	4/1/2024	SOUTH MILL CREEK DR	\$2,028.16
139751	LITTER CONTROL	4/3/2024	SHORECREST RD	\$1,151.93
139831	CEMETERY CUT AND CLEAN	4/5/2024	cemetery	\$1,469.92
139630	ROW MAINTENANCE	4/1/2024	BAY PONTE DR	\$412.84
139676	DAILY GRASS CUTTING	4/1/2024	1924 TYLER ST	\$42.67
139697	REPAIR POT HOLE	4/2/2024	SHORECREST RD	\$317.17
139711	DAILY GRASS CUTTING	4/2/2024	TIFFANY LN	\$1,424.07
139746	DAILY TRASH PICK UP	4/3/2024	CROESUS	\$402.64
139792	CEMETERY CUT AND CLEAN	4/4/2024	cemetery	\$1,326.53
139857	DAILY GRASS CUTTING	4/5/2024	WEST OAKLAWN RD	\$501.24
139696	DAILY TRASH PICK UP	4/1/2024	SANDBAR LN	\$196.53
139745	CEMETERY CUT AND CLEAN	4/3/2024	cemetery	\$1,106.84
139755	DAILY TRASH PICK UP	4/4/2024	10268 ROAD 252	\$49.13
139791	REPAIR POT HOLE	4/4/2024	SOUTH MILL CREEK DR	\$75.06
139815	DAILY GRASS CUTTING	4/4/2024	SHORECREST RD	\$1,309.60
139858	EQUIPMENT MAINTENANCE	4/5/2024	339 CRAWFORD ST	\$301.34

139860	REPAIR POT HOLE	4/5/2024	POPPS FERRY RD	\$318.85
139309	ROW MAINTENANCE	4/1/2024	FATHER RYAN	\$1,151.42
139387	CEMETERY CUT AND CLEAN	4/2/2024	CEMETERY	\$2,839.85
139833	STRIPING/PAVEMENT MARKING	4/3/2024	LOPEZ QUAVE PUBLIC SAFETY CENTER	\$458.33
139845	REPAIR SIGN	4/3/2024	BELVEDERE DR & PASS RD	\$42.31
139843	REPAIR SIGN	4/5/2024	WEST OAKLAWN RD & PIN OAK DR	\$11.94
139859	STRIPING/PAVEMENT MARKING	4/3/2024	IRISH HILL DR & SUMMER PL	\$322.99
139863	SIGN/POLE WORK	4/3/2024	ALTHEA ST & BEACH BLVD	\$154.88
139862	SIGN/POLE WORK	4/3/2024	STACY LN & SCHONEWITZ RD	\$183.70
139861	OBSTRUCTION REMOVAL	4/3/2024	SUMMER PL & MILLER ST	\$12.69
139672	REPAIR/REPLACE WATER-PM	4/1/2024	2052 SOUTH DR	\$623.49
139695	REPAIR METER	4/2/2024	225 BAKER ST	\$435.54
139784	FLUSH HYDRANT	4/2/2024	1782 BEACH BLVD	\$77.21
134350	REPLACE SMART POINT	4/4/2024	283 NINTH ST	\$290.14
139683	INSTALL METER NEW TAP	4/2/2024	2558 RUE PALAFOX	\$568.93
139674	REPAIR WATER LINE	4/2/2024	2336 N COUNTRY CLUB LN	\$938.38
139710	REPLACE HYDRANT	4/3/2024	1560 popp's ferry rd	\$953.01
138503	REPLACE/INSTALL METER BOX & LID	4/2/2024	655 BRADFORD ST	\$840.61
136838	REPLACE SMART POINT	4/2/2024	334 LAKEVIEW BLVD	\$247.01
138336	REPLACE MUSHROOM CAP	4/1/2024	151 ST GEORGE AVE	\$89.35
136833	REPLACE SMART POINT	4/1/2024	370 BAYVIEW AVE	\$247.01
138270	REPLACE METER	4/4/2024	384 CROESUS ST ACCT 62315000	\$259.25
136842	REPLACE SMART POINT	4/2/2024	2724 CHANNEL PL ACCT 30279910	\$224.67
136877	REPLACE SMART POINT	4/3/2024	6208 DIAMOND LN	\$605.27
138149	REPLACE MUSHROOM CAP	4/1/2024	218 BAKER ST	\$224.67
139616	WELL DAILY INSPECTION	4/3/2024	PINE STREET WELL	\$515.69
139727	CHLORINE DELIVERY	4/3/2024	FATHER RYAN WELL	\$2,596.69
139733	WELL PRODUCTION TEST	4/2/2024	NORTH BILOXI #1 WELL	\$19.30
139737	GENERAL GROUNDS MAINTENANCE	4/3/2024	VEE ST WELL	\$38.61
139770	GENERAL GROUNDS MAINTENANCE	4/4/2024	FATHER RYAN WELL	\$158.74
139774	GENERAL MAINTENANCE	4/3/2024	CRAZY HORSE TANK	\$77.21
139779	CHLORINATION SYSTEM ADJUST/EXERCISE	4/4/2024	67 & OAKLAWN WELL	\$19.30
139846	CHANGE CL2 CYLINDERS	4/5/2024	67 & OAKLAWN WELL	\$19.30
139615	WELL DAILY INSPECTION	4/1/2024	PINE STREET WELL	\$515.69
139726	CHLORINE DELIVERY	4/3/2024	GREATER AVE WELL	\$2,564.46

139732	CHLORINATION SYSTEM ADJUST/EXERCISE	4/3/2024	NORTH BILOXI #1 WELL	\$19.30
139736	WELL PRODUCTION TEST	4/2/2024	VEE ST WELL	\$19.30
139742	GENERAL MAINTENANCE	4/2/2024	CRAZY HORSE TANK	\$38.61
139768	WELL DAILY INSPECTION	4/5/2024	PINE STREET WELL	\$548.47
139773	GENERAL MAINTENANCE	4/4/2024	CRAZY HORSE TANK	\$38.61
139778	CHLORINATION SYSTEM ADJUST/EXERCISE	4/4/2024	67 & OAKLAWN WELL	\$19.30
139783	CHLORINATION SYSTEM ADJUST/EXERCISE	4/3/2024	VEE ST WELL	\$19.30
139852	CHLORINATION SYSTEM ADJUST/EXERCISE	4/5/2024	OAKLAWN WELL	\$19.30
139665	GENERAL GROUNDS MAINTENANCE	4/1/2024	GREATER AVE WELL	\$119.05
139725	CHLORINE DELIVERY	4/3/2024	67 & OAKLAWN WELL	\$2,564.46
139731	GENERAL GROUNDS MAINTENANCE	4/3/2024	NORTH BILOXI #1 WELL	\$38.61
139735	WELL PRODUCTION TEST	4/2/2024	CEDAR LAKE WELL	\$19.30
139741	GENERAL MAINTENANCE	4/2/2024	CRAZY HORSE TANK	\$57.91
139767	WELL DAILY INSPECTION	4/4/2024	PINE STREET WELL	\$548.47
139772	GENERAL GROUNDS MAINTENANCE	4/4/2024	SPORTS COMPLEX WELL	\$19.30
139777	GENERAL GROUNDS MAINTENANCE	4/4/2024	67 & OAKLAWN WELL	\$19.30
139781	CHLORINATION SYSTEM ADJUST/EXERCISE	4/4/2024	SUPERIOR WELL	\$19.30
139851	CHANGE CL2 CYLINDERS	4/5/2024	OAKLAWN WELL	\$19.30
139617	GENERAL MAINTENANCE	4/1/2024	CRAZY HORSE TANK	\$38.61
139647	CHLORINATION SYSTEM ADJUST/EXERCISE	4/1/2024	SPORTS COMPLEX WELL	\$19.30
139723	CHLORINE DELIVERY	4/3/2024	DEBUYS WELL	\$2,596.69
139728	CHLORINE DELIVERY	4/3/2024	SPORTS COMPLEX WELL	\$2,564.46
139734	GENERAL GROUNDS MAINTENANCE	4/3/2024	CEDAR LAKE WELL	\$38.61
139740	GENERAL MAINTENANCE	4/3/2024	CRAZY HORSE TANK	\$19.30
139771	GENERAL GROUNDS MAINTENANCE	4/4/2024	SPORTS COMPLEX WELL	\$19.30
139775	GENERAL GROUNDS MAINTENANCE	4/4/2024	67 & OAKLAWN WELL	\$19.30
139780	GENERAL GROUNDS MAINTENANCE	4/4/2024	NORTH RIVERVUE WELL	\$38.61
139853	GENERAL GROUNDS MAINTENANCE	4/5/2024	OAKLAWN WELL	\$19.30
139849	CHLORINATION SYSTEM ADJUST/EXERCISE	4/5/2024	SPORTS COMPLEX WELL	\$19.30
139854	GENERAL GROUNDS MAINTENANCE	4/5/2024	GREATER AVE WELL	\$119.05

139847	CHLORINATION SYSTEM ADJUST/EXERCISE	4/5/2024	67 & OAKLAWN WELL	\$19.30
139848	CHANGE CL2 CYLINDERS	4/5/2024	SPORTS COMPLEX WELL	\$19.30
137				\$58,952.48