




BILOXI FIRE DEPARTMENT **INCIDENT SUMMARY REPORT FOR** **THE WEEK OF 20 May - 26 May 2024**

1 - Fires (Structure & Vehicle)	4
2 - Rupture/Explosion	0
3 - Emergency Medical Services/Rescue	122
4 - Hazardous Conditions	0
5 - Service Calls	30
6 - Good Intent	15
7 - Fire Alarm Calls; Active, Malfunction	19
8 - Weather/Natural Disaster	0
9 - Special Incident Type	10
	<u>200</u>



Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



Police Chief

John B. Miller

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


DATE: May 28, 2024

RE: Biloxi Police activity for May 20 – May 27, 2024


TOTAL CALLS FOR SERVICE	2270
TOTAL INCIDENT REPORTS	203
TOTAL OFFENSES (Violations/Reports)	266
TOTAL ARRESTS	187

Calls excluded from call type charts were: Extra Patrol – 621; Suspicious Circumstances – 103; Traffic Stops – 400; and Walk & Talk – 48. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE



OFFENSES BY CATEGORY





DATE: May 28, 2024

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR May 20-26, 2024

Building permits issued	72
Construction Valuation of permits issued	\$1,659,000
Building inspections performed	109
Business licenses	5
Renewals	0
Charter Boats	0
Peddler's licenses	4
Certificates of Occupancy issued	8 (4 were Short-Term Rentals)
Code enforcement cases opened	90
Code enforcement cases resolved	88



Engineering Department Weekly Update

May 28, 2024
(updates in red)

Projects Out to Bid

- Port Maintenance IDIQ Contract
- Popps Ferry Extension

Projects in the Process of Being Awarded

- Woolmarket Road Sidewalks

Projects Under Construction

- BRIC Grant (Cedar Lake Bridge)
- Causeway Pier Repairs (east side)
- East Biloxi Connector Road (Porter to Querens)
- Paving Phase I
- Point Cadet Marina West
- Sports Complex Field Improvements
- Sports Complex Tennis Court Lights
- Tanglewood Phase II

Private Utility Work in ROW

- Rodenberg (Cspire) – Hollywood Blvd area – Boring starting this week
- Pass Rd. & Debuys Rd. (AT&T) – **Boring complete, working to get sod placed**
- Anita Court (Cspire) – **pending approved but won't start until after Rodenberg complete**
- **Anita Court (AT&T) – permit under review**
- Sunset Blvd. (Cspire) – **pending approved but won't start until after Rodenberg complete**
- Azalea Dr. (Porter to Azalea) – **pending approved but won't start until after Anita/Sunset complete**
- **Kensington (Benachi Ave. West) (Cspire) – permit under review**
- **Hiller Drive (Cspire) – permit under review**
- **Keesler Circle (Caldwell west to St. Jude) (Cspire) – permit under review**
- **McDonnell Ave (N of Pass Road) (Cspire) – permit under review**

Misc.

- Electrical poles on Hwy 90/Oak Street – met with MS Power, they are working up a cost,
- Electrical poles at Kuhn St. – get with MS Power to put those underground

- Saenger Roof Warranty – Durlast inspected the roof, they are going to order the materials and will be back to repair the roof

Projects

- Bay Vista Water Well – bid plans are waiting for final electrical work and should be ready by end of May
- Bay Vista Water Line Replacement Project No. 1013 – Currently reviewing 30% plans
- Biloxi-OS Bridge Walking Path Ramp – Have a plan to submit to MDOT, verbal discussions with MDOT indicate there won't be any issues with receiving a permit
- Brashier Bayou Sediment Removal – have all the permits, getting plans/specs ready to advertise need funding, received Tidelands funding but the money won't be available until 2025
- Bridge Repairs
 - Cedar Lake Bridge – Have fracture critical repairs that need to be made asap, don't have quote yet on repairs
- Causeway Pier Repairs (east side) – Received Permit from DMR, PO has been approved by council, contractor is expected to start this week
- Cedar Lake Bridge BRIC Grant – Study has begun, Cypress is collecting data
- Churchill Drive Ditch Improvements – received a preliminary layout and OPC of \$915K
- Concrete Annual Contract – See Repair-Replace list attached
- CTA Pass Road preemption/priority agreement – installation of preemption/priority equipment in the traffic signals along Pass Road, the City will be equipment to be installed in Fire Trucks as well, no cost to the City for 5 years, after 5 years will cost about \$4300 per year;
- East Biloxi Connector Road (Porter to Querens) – Finishing punchlist items then road will be opened
- Edgewater Park Drainage Study – pending funding
- Fire Station No. 5 – (Mark Williams) have bid plans/specs, need funding to bid
- Hiller Park Drainage Improvements – pending award of NRDA/NFWF grant
- Hwy 90 parking improvements –working on CAD drawings for the permit, meeting with MDOT this week for another review of the plan

- Hwy 90 Oak to Small Craft Sidewalk improvement – have estimated costs, need direction on where to get funding
- Lighthouse Pier – design complete, received Corps Permit, waiting on FEMA/MEMA funding issues to be resolved
- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal, Working with DMR to get dredging permit approval
- Kuhn St. Boat Launch Expansion – rejected bids, will rebid project once funding is available
- MGCCC Traffic Signal – received authority to advertise from MDOT, waiting for MGCCC to get the city their portion of funding, it's in the works
- Oak Street Pier (South) – Approved 30% design
- Parker's Creek Sediment Removal – Received the DMR permit, waiting on Corps permit,
- Paving – Phase I (Downtown) - Paving will continue once Repair/Replace work on Wilkes is complete
 - ~~Croesus~~
 - G.E. Ohr
 - ~~Esters~~
 - ~~Laurelwood~~
 - ~~Ravenwood~~
 - ~~Summag Dr.~~
 - ~~Lawnwood Dr.~~
 - ~~Carolwood Dr.~~
 - ~~Gladewood Dr.~~
 - ~~Lakewood Dr.~~
 - ~~Bluewood Dr.~~
 - ~~Cambridge Dr.~~
 - ~~Edwards Circle~~
 - ~~Theresa Court~~
 - ~~Melbourne Court~~
 - ~~Windsor Court~~
 - ~~Harkness Court~~
 - ~~Merry Lane~~
 - ~~Skeet Hunt Rd.~~
 - ~~Audubon Place~~
 - St. George
 - Wilkes
 - ~~Clower~~
 - ~~Acacia~~
 - ~~Jefferson Davis~~
 - ~~Miramar~~
 - Bilmarsan
 - ~~Iberville~~
- Phase II Paving
 - Lamey Street
 - Pinecrest
 - Dundewood
 - RSR 1 & 2
 - Point Cadet Marina area
 - Cuevas Street
 - Mercury Lane
 - Pine Grove Ave
 - Briarfield Ave.
 - Beacon Pl.
 - Deming Pl.
 - Fayard Street
 - Victory Lane
 - Jackson St. bricks
 - Monie Vista
- Point Cadet Living Shoreline (BMA) – BMA working on solutions for sheet pile wall have to submit a grant modification to DMR to allow for sheet pile wall
- Point Cadet Nearshore #1096 (BMA) – design on-going

- Point Cadet Marina Sediment Removal Permit – Have Corps and DMR permits, going to dredge during Phase II of the Marina Reconstruction project.
- Point Cadet Marina Emergency Repair Inspections – Work is underway, adding area in front of fuel pumps to the current work
- Point Cadet Marina West – AnderCorp NTP 10/24, 240-day contract, final walkthrough will be done in the next week or two
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, have BMA contract will review and then to get on council agenda for approval working on the Restore grant paperwork with Contracts to get the MDEQ agreement in place
- Point Cadet Marina Phase III – have preliminary layout that needs approval so a cost estimate can be developed so we can be ready for round 3 of funding
- Popp’s Ferry Extension #913 –
 - CSX easement document has been reviewed and approved by our legal counsel; CSX will be forwarding easement costs this afternoon; formal easement documents should follow shortly after that
 - CSX approved the plans/specs, now waiting on the Construction Agreement
 - Receive bids June 12th
 - **Have a pre-bid meeting on Thurs. May 30th**
- Popp’s Ferry Bridge Draw Replacement – NS contract is under preliminary review by MDOT
- Popp’s Ferry Recreational Complex Lighting – working through legal issues with bond counsel and city attorney before putting out to bid, leasing on the International Field only sent updated specs to bond counsel for review
- Port Repair Replace Contract – Emergency repairs to piers to Point Cadet Marina
- Repair/Replace Contract – See attached
- Rodenberg at Pass Road Intersection – ROW acquisition underway,
- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed meeting with Seymour this week for an update
 - Hiller Park Pond - have permits
 - Point Cadet Marina – have permits
 - Parkers Creek – pending Corps permit
 - Brasher Bayou – Have permits, ready to bid, need funding

- Shriners Blvd. Widening – TIP Package has been submitted to GRPC
- Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M); Softball: turf, sod, irrigation, and fence are complete, misc. concrete repairs are still needed and limestone has been installed in parking lot; Baseball: turf is complete, fine grading of topsoil happening now, irrigation, sod, fence and misc. concrete repairs outstanding; Soccer: Fence will be coming down soon and stripping of sod will start soon.
- Sport Complex Tennis Court Lights –Weaver Electric - \$178K, pre-construction meeting May 7th, materials are ordered, poles will be here by beginning of June, fixtures will be here by beginning of July, will only take one week once fixtures are here
- Tanglewood Infrastructure Ph II (MP) – DNA Underground - \$2.3m – NTP: 02/05/2024 - 270 days – Comp: 11/01/2024, work has started so far, no major concerns
- Tanglewood Sewer Replacement – Reviewing MP contract
- Ward 2 Recreational Center – Have 60% review plans for review
- Woolmarket Road Sidewalks – (Machado Patano) – Receive bids May 8, 2024, Landmark Construction is apparent low bidder at \$998,507.43
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 60% complete, met with consultant to bring the scope of work back into budget

Repair/Replace Work Status
as of 05/28/2024

Updates in red

Status	Priority	Location	Description of Work
Under Const.	0	Wilkes Water & Sewer	Utilities are complete, road is graded, working on finishing minor concrete work
Under Const.	0	Rustwood Emergency Water Repair	Emergency water main break over the weekend
Under Const.	1	Fire Station No. 10 Driveway Cave in	driveway is caving in over a collapsed storm drain
Pending Const.	2	Beauvior Home Drainage	First quote was too expensive, changing scope to get new quote
Pending Const.	4	Anatole Bay Drainage	Drainage issue coming from La Bonne Terre onto Anatole Bay property
Under Const.	4	Majestic Oaks RV Park	Rear drainage is not working causing their detention pond to back up
Need Quote	5	Brister Place 1373	Drainage pipe failure about 40' of bad pipe in front of 1373 Brister SR46471
Pending Const.	5	Graham Street 272 drainage	Remove pipe that was supposed to be flow filled by ORC
Pending Const.	6	GE Ohr & St. John Lining	Line the sewer pipes to repair cracks
Under Const.	7	McDonnell Ave. Lift Station	Ordered by PW, needs new concrete lid with hatch
Pending Const.	8	Buena Vista Lift Station Lining	Requested by PW, get with Chad Nobles to get scope
Need Quote	9	Mill Creek Sidewalk Repair	Concrete panel is collapsed this can be done under the concrete annual bid
Pending Const.	9	Miller Street Cave-in	Cave-in in the grass next to asphalt going up underneath the new asphalt
Pending Const.	10	Oaklawn West Ditch Cleaning	Clean out ditch to accept water from new houses being built across the street
Investigate		Airport Rd. Ditches	Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029
Need Quote		Atkinson Road Bridge Undermining	Per the bridge inspection report there is severe undermining
Pending PO		Azalea/Irish Hill	Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this
Need Quote		Beau Chene drainage cleaning	Clean out drainage behind houses so water will drain
Need Quote		Beverin Rd. and Jack Graves waterline	Waiting on Shriners Blvd. Waterline project to be completed
Need Quote		Bike Sharrows	Around east biloxi for Biloxi Bicycle Works
Investigating		The Bluffs Concrete Street	Numerous concrete street panels need to be replaced

Status	Priority	Location	Description of Work
Investigate		Boyette Rd. Drainage	Ditches need to be regraded (Kathy Santiago)
Quote		Carolwood add curb inlet	Install curb inlet in area that is holding water
Need Quote		Chambers Cove - Sewer cave in	SR# 46489 - pothole due to sewer cave in
Investigate		Cherry Ln & Riverview culvert replaced	Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Need Quote		Churchill concrete ditch groundwater issues	Going to see if Helms Polyfoam will work in this area
Hold		Club Moss Drainage	Clean out drainage behind houses so water will drain, looked at this again on 6/7/23, not able to get equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one.
Need Quote		Coventry Square Concrete Road Repair	Repair failing concrete panels
Need Quote		Crane Ridge 2089	Ditch is holding water
Investigate		Division & New St. Sinkhole	Need to investigate large sinkhole forming
Need Quote		Enclave Concrete Street Repair	Repair failing concrete panels
Need Quote		Fairview Drive/Pass Road	Road flooded during heavy rain, need storm drains cleaned out
Need Quote		Hiller Park Bridge erosion	
Need Quote		Hiller Park LS erosion	Correct erosion problem just west of the lift station
Need Quote		Howard Ave. Flush storm drains	Storm drains on Howard Ave. are full of debris
Need Quote		Jefferson Davis Sidewalk	make repairs to sidewalk - SR issued to PW
Need Quote		John Lee Rd. 13403	Culverts and ditches need to be cleaned out
Investigate		Glen Eagle west side ditch	ditch erosion in rear of property
Need Quote		Grady St. Sidewalk	Install sidewalk on Grady Street for elderly resident
Need Quote		La Bonne Terre Concrete Repair	Misc. Concrete street repairs needed throughout the neighborhood
Need Quote		Lorraine Road ditches	Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098
Need Quote		Lorraine Rd. 13143	Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572
Investigate		Main St. & Water St. Sinkhole	Need to video storm drain to see what's happening

Status	Priority	Location	Description of Work
Investigate		McDonnell Ave. Pothole	By Racetrack south of Irish Hill
Investigate		Melissa Drive Detention Pond	Detention Pond needs to be cleaned out.
Need Quote		North Oaklawn Rd. 12387	Ditches need to be cleaned
Quote		Old Biloxi Library sewer repairs	PW ordered this work, need to find out what's going on
Need Quote		Orleans & Carter pothole	PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair
Need Quote		Pass Road near Rodenberg Pothole	SR # 46726 - Pothole from potential sewer cave in
Investigate		Pin Oak Lift Station Ditch	Ditch runs north from lift station; resident at 10351 Pin Oak requested this work
Need Quote		Pin Oak & North River View	Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes	sinholes at manholes on Pine Grove
Investigate		Popps Ferry Road Potholes	South of Bridge - need manhole lid risers
Need Quote		Rich Ave. Waterline	Add fire protection for office building and Rich Ave
Need Quote		River Place Concrete Street Repairs	Repair failing concrete panels
Need Quote		Rodenberg potholes	Have video of this area, this is going to be a major repair, will probably need to be a capital project
Need Quote		Southeastern Doors & Windows	Sinkhole by curb inlet, getting video to assess problem
Need Quote		Sunkist Ponds Clean out drainage ponds	Sunkist Golf Course drainage ponds in city easements need to be cleaned
Need Quote		Watersview, 695	Concrete repair
Pending Const.		Woodland Park Dr street repair	Asphalt repair - B2T is going to see if Gulf Pride can do this
cancelled		Alyeska Condos	Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed - flushing is complete
Complete		Beauvoir and Railroad Liftstation Repair	This was ordered by PW, rework valve & check valve box, redo piping
Complete		Cedar Lake Rd. Ditch	Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next
Complete		Claudette Court Concrete Street Repair	

Status	Priority	Location	Description of Work
Complete		Davis St., 396 Sewer	Ordered by infrastructure team, no information provided to Engineering
Complete		Destiny Plantation ditch cleaning	Clean out ditch behind houses in Destiny Plantation - ordered by PW
Complete		Division & Porter Hydrant Repairs	Hydrant leg is leaking
Complete		Division St. Driveway Repair	
Complete		G.E. Ohr Sinkhole	Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week
Complete		G.E. Ohr Sewer Repair - Emergency	emergency repair of sewer main in GE Ohr.
Complete		GE Ohr City Parking Lot Sewer Repair	Rerouting sewer through the parking to GE Ohr due to clog in line going south
Complete		Goosepoint Drainage	Add a drainage inlet in the rear yard drainage line.
Complete		Hickman Road Sewer - Emergency	emergency repair of forcemain on Hickman Road
Complete		Hwy 90 (777 Beach Blvd.)	water leak
Cancelled		Jim Byrd Rd. ditch cleaning	Ditches need to be recut - HarCo to do this work
Cancelled		Jim Byrd Rd. 14080	Culvert needs to be cleaned out or replaced - HarCo to do this work
Complete		1187 Karli Lane	County redid road by house causing her driveway to flood - pipe has been ordered ongoing
Complete	0	La Bonne Terre Blvd. Concrete Repair	HOA replaced the panel without fixing the storm drain box
Complete		Louise St. drainage replacement	Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St. 95% complete
Complete	0	Mercedes Drive	Huge cave-in in the road that goes to the boat ramp
Cancelled		Oakridge ditch too deep	Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda Being handled by the county
Complete		Old Hwy 67 Ditch Maintenance	Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction
Complete		River Estates Circle Drainage	Ordered by PW, no information on scope.
Complete		Rodenberg & RR Lift Station Repair	This was ordered by PW, no information on scope or status
Complete		St. Charles & Hwy 90	Emergency repair of water line ahead of paving
Complete		Seal Avenue/Division St.	Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway

Status	Priority	Location	Description of Work
Complete		Seal Ave Storm Drain Repairs	Ordered by Infrastructure, no information on scope
Complete		Spanner Lane Sewer Repair/FH Relocate	Ordered by Infrastructure, no information on scope (old PO no. 20235756)
Complete	0	Spring Ridge & Brighton Circle Sinkhole	Sinkhole is forming at curb inlet this work should begin the week of 3/11/2024
Complete		Veterans Ave Storm Drain Repair	Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in

Total FY23-24 \$1,599,651.69

Pending \$846,589.41

Complete \$753,062.28