




BIŁOXI FIRE DEPARTMENT **INCIDENT SUMMARY REPORT FOR** **THE WEEK OF July 1 to July 8 2024**

1 - Fires (Structure & Vehicle)	7
2 - Rupture/Explosion	0
3 - Emergency Medical Services/Rescue	100
4 - Hazardous Conditions	2
5 - Service Calls	22
6 - Good Intent	15
7 - Fire Alarm Calls; Active, Malfunction	15
8 - Weather/Natural Disaster	1
9 - Special Incident Type	0
Total	<u>162</u>

WEEKLY COUNT OF INCIDENT TYPE



Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



Police Chief

John B. Miller

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


DATE: July 8, 2024

RE: Biloxi Police activity for July 1 – July 7, 2024


TOTAL CALLS FOR SERVICE	2161
TOTAL INCIDENT REPORTS	181
TOTAL OFFENSES (Violations/Reports)	245
TOTAL ARRESTS	145

Calls excluded from call type charts were: Extra Patrol – 579; Suspicious Circumstances – 91; Traffic Stops – 379; and Walk & Talk – 40. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE



OFFENSES BY CATEGORY





DATE: *July 1, 2024*

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR June 24-30, 2024

Building permits issued	92
Construction Valuation of permits issued	\$651,000
Building inspections performed	162
Business licenses	1
Renewals	0
Charter Boats	0
Peddler's licenses	0
Certificates of Occupancy issued	7 (0 were Short-Term Rentals)
Code enforcement cases opened	123
Code enforcement cases resolved	88

Repair/Replace Work Status
as of 07/08/2024

Updates in red

Status	Priority	Location	Description of Work
Under Const.	0	Anatole Bay Drainage	Drainage issue coming from La Bonne Terre onto Anatole Bay property
Under Const.	0	Majestic Oaks RV Park	Rear drainage is not working causing their detention pond to back up
Pending Const.	1	Woolmarket Rd. Water Leak	Water leak at Catfish restaurant waiting on 811 locates then will start investigative digging
Pending Const.	1	Buena Vista Lift Station Lining	Replacing the liner in the lift station
Pending Const.	1	Sunkist Ponds Clean out drainage ponds	Sunkist Golf Course drainage ponds in city easements need to be cleaned
Pending Const.	2	Beauvoir Home Drainage	Replacing a failing drainage pipe in city easement
Need Quote	3	Mill Creek Sidewalk Repair	Concrete panel is collapsed this can be done under the concrete annual bid
Need Quote	3	John Lee Rd. Sidewalk	Install sidewalk from Mill Creek Estates to Woolmarket Elementary School
Need Quote	3	Watersview, 695	Concrete sidewalk repair
Need Quote	5	Brister Place 1373	Drainage pipe failure about 40' of bad pipe in front of 1373 Brister SR46471
Need Quote	6	Desporte's Building - Concrete Pad	Concrete contractor to install concrete pad 50' along the east side of the building
Pending Const.	10	Oaklawn West Ditch Cleaning	Clean out ditch to accept water from new houses being built across the street
Pending Const.	10	Tara Lane Drainage Repairs	Replace collapsed pipe
Pending Const.	10	Chambers Cove - Sewer cave in	SR# 46489 - pothole due to sewer cave in
Need Quote	10	Irish Hill & White Ave Storm Drain Grate	Storm drain grate needs to be raised
Investigate	10	Irish Hill & Gill Ave Sewer Repair	Point Repair of sewer
Investigate	10	Pass Road near Rodenberg Pothole	SR # 46726 - Pothole from potential sewer cave in
Investigate		Airport Rd. Ditches	Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029
Need Quote		Atkinson Road Bridge Undermining	Per the bridge inspection report there is severe undermining
Pending PO		Azalea/Irish Hill	Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this

Status	Priority	Location	Description of Work
Need Quote		Beverin Rd. and Jack Graves waterline	Waiting on Shriners Blvd. Waterline project to be completed
Need Quote		Bike Sharrows	Around east biloxi for Biloxi Bicycle Works
Investigating		The Bluffs Concrete Street	Numerous concrete street panels need to be replaced
Investigate		Boyette Rd. Drainage	Ditches need to be regraded (Kathy Santiago)
Quote		Carolwood add curb inlet	Install curb inlet in area that is holding water
Investigate		Cherry Ln & Riverview culvert replaced	Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Need Quote		Churchill concrete ditch groundwater issues	Going to see if Helms Polyfoam will work in this area
Hold		Club Moss Drainage	Clean out drainage behind houses so water will drain, looked at this again on 6/7/23, not able to get equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one.
Need Quote		Coventry Square Concrete Road Repair	Repair failing concrete panels
Need Quote		Crane Ridge 2089	Ditch is holding water
Investigate		Division & New St. Sinkhole	Need to investigate large sinkhole forming
Investigate		Edgewater Park Sidewalk Repairs	Investigate to determine specific locations
Need Quote		Enclave Concrete Street Repair	Repair failing concrete panels
Need Quote		Fairview Drive/Pass Road	Road flooded during heavy rain, need storm drains cleaned out
Need Quote		Fearn drive ditch	install pipe in the ditch behind the houses on Fearn drive
Need Quote		Hiller Park Bridge erosion	
Need Quote		Hiller Park LS erosion	Correct erosion problem just west of the lift station
Need Quote		Howard Ave. Flush storm drains	Storm drains on Howard Ave. are full of debris
Need Quote		Jefferson Davis Sidewalk	make repairs to sidewalk - SR issued to PW
Need Quote		John Lee Rd. 13403	Culverts and ditches need to be cleaned out
Investigate		Glen Eagle west side ditch	ditch erosion in rear of property
Need Quote		Grady St. Sidewalk	Install sidewalk on Grady Street for elderly resident

Status	Priority	Location	Description of Work
Need Quote		La Bonne Terre Concrete Repair	Misc. Concrete street repairs needed throughout the neighborhood
Need Quote		Lorraine Road ditches	Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098
Need Quote		Lorraine Rd. 13143	Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572
Investigate		Main St. & Water St. Sinkhole	Need to video storm drain to see what's happening
Investigate		McDonnell Ave. Pothole	By Racetrack south of Irish Hill
Investigate		Melissa Drive Detention Pond	Detention Pond needs to be cleaned out.
Investigate		Nelson Rd. 373	Drainage coming of the church parking lot is flooding her yard
Need Quote		North Oaklawn Rd. 12387	Ditches need to be cleaned
Quote		Old Biloxi Library sewer repairs	PW ordered this work, need to find out what's going on
Need Quote		Orleans & Carter pothole	PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair
Investigate		Pin Oak Lift Station Ditch	Ditch runs north from lift station; resident at 10351 Pin Oak requested this work
Need Quote		Pin Oak & North River View	Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes	sinholes at manholes on Pine Grove
Investigate		Popps Ferry Road Potholes	South of Bridge - need manhole lid risers
Need Quote		Pringle Circle	Sewer repairs
Need Quote		Rich Ave. Waterline	Add fire protection for office building and Rich Ave
Need Quote		River Place Concrete Street Repairs	Repair failing concrete panels
Need Quote		Rodenberg potholes	Have video of this area, this is going to be a major repair, will probably need to be a capital project
Investigate		Sheridan Court 2576	Water coming off the street into residents garage, causing garage to flood
Need Quote		Southeastern Doors & Windows	Sinkhole by curb inlet, getting video to assess problem
Cancelled		Sunrise Court drainage	605 Sunrise Court, extend drain pipe to past fence - County is going to do this work
Investigate		Woolmarket Road/Kayleigh Cove Flooding	Woolmarket Rd./Kaylie Cove flooded during heaving rain, impacting daycare access
Pending Const.		Woodland Park Dr street repair	Asphalt repair - B2T is going to see if Gulf Pride can do this

Status	Priority	Location	Description of Work
cancelled		Alyeska Condos	Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed - flushing is complete
Complete		Beauvoir and Railroad Liftstation Repair	This was ordered by PW, rework valve & check valve box, redo piping
Cancelled		Beau Chene drainage cleaning	Clean out drainage behind houses so water will drain - this is a conservation easement cannot work in this wetland area.
Complete		Cedar Lake Rd. Ditch	Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next
Complete		Claudette Court Concrete Street Repair	
Complete		Davis St., 396 Sewer	Ordered by infrastructure team, no information provided to Engineering
Complete		Destiny Plantation ditch cleaning	Clean out ditch behind houses in Destiny Plantation - ordered by PW
Complete		Division & Porter Hydrant Repairs	Hydrant leg is leaking
Complete		Division St. Driveway Repair	
Complete		Fire Station No. 10 Driveway Cave in	driveway is caving in over a collapsed storm drain
Complete		G.E. Ohr Sinkhole	Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week
Complete		GE Ohr & St. John Lining	Line the sewer pipes to repair cracks
Complete		G.E. Ohr Sewer Repair - Emergency	emergency repair of sewer main in GE Ohr.
Complete		GE Ohr City Parking Lot Sewer Repair	Rerouting sewer through the parking to GE Ohr due to clog in line going south
Complete		GE Ohr Emergency Sewer Repair	Sewer manhole broken during paving
Complete		Goosepoint Drainage	Add a drainage inlet in the rear yard drainage line.
Complete		Graham Street 272 drainage	Remove pipe that was supposed to be flow filled by ORC
Complete		Hickman Road Sewer - Emergency	emergency repair of forcemain on Hickman Road
Complete		Hwy 90 (777 Beach Blvd.)	water leak
Cancelled		Jim Byrd Rd. ditch cleaning	Ditches need to be recut - HarCo to do this work
Cancelled		Jim Byrd Rd. 14080	Culvert needs to be cleaned out or replaced - HarCo to do this work
Complete		1187 Karli Lane	County redid road by house causing her driveway to flood - pipe has been ordered ongoing

Status	Priority	Location	Description of Work
Complete		La Bonne Terre Blvd. Concrete Repair	HOA replaced the panel without fixing the storm drain box
Complete		Louise St. drainage replacement	Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St. 95% complete
Complete		McDonnell Ave. Lift Station	Ordered by PW, needs new concrete lid with hatch
Complete		Mercedes Drive	Huge cave-in in the road that goes to the boat ramp
Complete		Miller Street Cave-in	Cave-in in the grass next to asphalt going up underneath the new asphalt
Cancelled		Oakridge ditch too deep	Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda Being handled by the county
Complete		Old Hwy 67 Ditch Maintenance	Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction
Complete		Porter Ave. Emergency Water Repair	Water main break
Complete		River Estates Circle Drainage	Ordered by PW, no information on scope.
Complete		Rodenberg & RR Lift Station Repair	This was ordered by PW, no information on scope or status
Complete		Rustwood Emergency Water Repair	Emergency water main break over the weekend
Complete		St. Charles & Hwy 90	Emergency repair of water line ahead of paving
Complete		St. John Emergency Sewer Repair	Sewer main break
Complete		Seal Avenue/Division St.	Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway
Complete		Seal Ave Storm Drain Repairs	Ordered by Infrastructure, no information on scope
Complete		Spanner Lane Sewer Repair/FH Relocate	Ordered by Infrastructure, no information on scope (old PO no. 20235756)
Complete		Spring Ridge & Brighton Circle Sinkhole	Sinkhole is forming at curb inlet this work should begin the week of 3/11/2024
Complete		Veterans Ave Storm Drain Repair	Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in
Complete		Wilkes Water & Sewer	Work is complete, paving to start this week

Total FY23-24	\$1,898,379.62
Pending	\$594,192.93
Complete	\$1,304,186.69



Engineering Department Weekly Update

July 08, 2024
(updates in red)

Projects Out to Bid

- Bay Vista Water Well Repairs

Projects in the Process of Being Awarded

- Popps Ferry Extension
- Woolmarket Road Sidewalks

Projects Under Construction

- BRIC Grant (Cedar Lake Bridge)
- Causeway Pier Repairs (east side)
- Sports Complex Field Improvements
- Sports Complex Tennis Court Lights
- Tanglewood Phase II

Private Utility Work in ROW

- Anita Court (CSpire) – Boring starting 6/19/24
- Anita Court (AT&T) – permit under review
- Azalea Dr. (Porter to Azalea) – pending approved but won't start until after Anita/Sunset complete
- Beauvoir (CSpire) – pending review
- Hiller Drive (CSpire) – permit under review
- Irish Hill (St. John to Summer Place and south to Hwy 90) (CSpire) – permit under review
- Kensington (Benachi Ave. West) (CSpire) – permit under review
- Keesler Circle (Caldwell west to St. Jude) (CSpire) – permit under review
- McDonnell Ave (N of Pass Road) (CSpire) – permit under review
- Pass Rd. & Debuys Rd. (AT&T) – Boring complete, working to get sod placed
- Pass Rd. (Hiller to Irish) – Aerial work starting the week of 6/17/24
- Pass Rd. & McDonnell Ave. – Aerial work starting the week of 6/17/24
- Preserve Subdivision (Shriners Blvd.) – permit under review
- Reserve at Marsh Island (Sparklight) – Waiting for Coast Electric to complete
- Rodenberg (Cspire) – Hollywood Blvd area – Boring is complete
- Sunset Blvd. (Cspire) – Boring starting 6/19/24

Misc.

- Electrical poles on Hwy 90/Oak Street – met with MS Power, they are working up a cost,
- Electrical poles at Kuhn St. – get with MS Power to put those underground
- Saenger Roof Warranty – Duralast inspected the roof, Duralast came and reinspected the roof on June 5th, waiting to hear response from this 2nd inspection
- Additional lights on Haise Statute
- Additional LED lights on Lighthouse that can change colors remotely

Projects

- Bay Vista Water Well – **Receive bids July 17, 2024**; pre-bid meeting June 26th
- Bay Vista Water Line Replacement Project No. 1013 – Working toward 60% plans
- Belle La Vie Lift Station – Will be out to bid by the end of July
- Biloxi-OS Bridge Walking Path Ramp – Have a plan to submit to MDOT, verbal discussions with MDOT indicate there won't be any issues with receiving a permit
- Brashier Bayou Sediment Removal – have all the permits, getting plans/specs ready to advertise need funding, received Tidelands funding but the money won't be available until 2025
- Bridge Repairs
 - Cedar Lake Bridge – Have fracture critical repairs that need to be made, don't have quote yet on repairs or funding
- Causeway Pier Repairs (east side) – Work is on-going
- Cedar Lake Bridge BRIC Grant – Have a project update meeting with Cypress on Wed. June 19th
- Concrete Annual Contract – See Repair-Replace list attached
- CTA Pass Road preemption/priority agreement – installation of preemption/priority equipment in the traffic signals along Pass Road, the City will be equipment to be installed in Fire Trucks as well, no cost to the City for 5 years, after 5 years will cost about \$4300 per year;
- **Desporte Building Lean-To – Receive bids August 17th**
- Hiller Park Drainage Improvements – pending award of NRDA/NFWF grant
- Hwy 90 parking improvements – 90% set of plans being reviewed
- Lighthouse Pier – design complete, received Corps Permit, waiting on FEMA/MEMA funding issues to be resolved

- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal, Working with DMR to get dredging permit approval; Corps permit is out for public comment until July 15, 2024
- Kuhn St. Boat Launch Expansion – rejected bids, will rebid project once funding is available
- MGCCC Traffic Signal – Receive bids July 17, 2024
- Oak Street Pier (South) – Approved 30% design
- Parker’s Creek Sediment Removal – Received the DMR permit, waiting on Corps permit
- Paving – **Phase I is complete, working on cost estimates to determine how much funding is needed for Phase II**
- Phase II Paving (Ward is parenthesis)

▪ Lamey Street (HarCo) ▪ Pinecrest (7) ▪ Dundewood (7) ▪ RSR 1 & 2	▪ Point Cadet Marina area (1) ▪ Cuevas Street ▪ Mercury Lane (5) ▪ Pine Grove Ave (5) ▪ Briarfield Ave. (5)	▪ Beacon Pl. (5) ▪ Deming Pl. (5) ▪ Fayard Street (1) ▪ Victory Lane (7) ▪ Jackson St. bricks (1) ▪ Monie Vista (4)
---	---	--
- Point Cadet Living Shoreline (BMA) – DMR approved the scope change, will have 100% plans for final review by City and Covington by the end of this week
- Point Cadet Nearshore #1096 (BMA) – design on-going, permitting is going to take longer than we thought, it’s probably going to be another 6-12 months in permitting
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, have BMA contract will review and then to get on council agenda for approval working on the Restore grant paperwork with Contracts to get the MDEQ agreement in place
- Point Cadet Marina Phase III – have preliminary layout that needs approval so a cost estimate can be developed so we can be ready for round 3 of funding
- Popp’s Ferry Extension #913 –
 - CSX formal easement documents should be received soon
 - Received bids, apparent low bidder is Necaise Bros. Construction Co., Inc in the amount of \$20.8M, bid packages are being reviewed and will be placed on council agenda for approval
- Popp’s Ferry Bridge Draw Replacement – NS contract is under preliminary review by MDOT

- Popp’s Ferry Recreational Complex Lighting – working through legal issues with bond counsel and city attorney before putting out to bid, leasing on the International Field only sent updated specs to bond counsel for review
- Port Repair Replace Contract – Emergency repairs to piers to Point Cadet Marina are complete, no other work going on under this contract right now
- Repair/Replace Contract – See attached
- Rodenberg at Pass Road Intersection – ROW acquisition underway
- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed meeting with Seymour this week for an update
 - Hiller Park Pond - have permits
 - Point Cadet Marina – have permits
 - Parkers Creek – pending Corps permit
 - Brasher Bayou – Have permits, ready to bid, need funding
- Shriners Blvd. Widening – This project is in the draft TIP for approval, it still has to go to MDOT and be adopted in the STIP, construction funding will be in 2027, but we will be able to start the design process in September or October
- Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M); **still on track to be complete by end of July, the only scope that may not be complete is the baseball parking lot because it is additional work that was not included in the original project.**
- Sport Complex Tennis Court Lights –Weaver Electric - \$178K, pre-construction meeting May 7th, materials are ordered, poles will be here by beginning of June, fixtures will be here by beginning of July, will only take one week once fixtures are here
- Tanglewood Infrastructure Ph II (MP) – DNA Underground - \$2.3m – NTP: 02/05/2024 - 270 days – Comp: 11/01/2024, work has started so far, no major concerns
- Tanglewood Sewer Replacement – Machado Patano design contract on council agenda June 11, 2024 for approval
- Ward 2 Recreational Center – **Site plan has been approved by DRC, building plans are at 100%, Pickering is going to submit for building plan review so when the project goes out to bid the building permit will be ready to be applied for by the contractor**

- Woolmarket Road Sidewalks – (Machado Patano) – Landmark Construction; \$998,507.43; NTP TBD; Notice of Award has been sent to Landmark, once we receive their contracts, bonds and insurance back we'll be able to schedule the start date
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 60% complete, met with consultant to bring the scope of work back into budget

City of Biloxi Public Works Department

Completed Work Orders for 7/1/24-7/7/24

WorkOrderId	Description	Actual Finish	Address	Total Cost
143174	ROOF REPAIR	7/1/2024	SEAFOOD AND MARITIME MUSEUM	\$235.55
135794	A/C LEAKING/FILTER	7/2/2024	SEAFOOD AND MARITIME MUSEUM	\$86.75
143222	ELECTRICAL ROUTINE MAINTENANCE - LS	7/5/2024	GATES OF BILOXI L.S.	\$126.45
143167	ELECTRICAL ROUTINE MAINTENANCE - LS	7/1/2024	GATES OF BILOXI L.S.	\$126.45
143225	ELECTRICAL ROUTINE MAINTENANCE - LS	7/3/2024	GATES OF BILOXI L.S.	\$252.90
143224	ELECTRICAL ROUTINE MAINTENANCE - LS	7/6/2024	GATES OF BILOXI L.S.	\$227.61
143229	CLEAN LIFT STATION	7/3/2024	CAILLAVET STREET L.S.	\$43.76
143194	ELECTRICAL REPAIR - LS	7/1/2024	COMMERCE PARK L.S.	\$75.87
143221	ELECTRICAL ROUTINE MAINTENANCE - LS	7/3/2024	GATES OF BILOXI L.S.	\$126.45
143227	CUT/CLEAN DITCH	7/2/2024	Larkin Pl.	\$442.60
143181	CEMETERY CUT AND CLEAN	7/1/2024	cemetery	\$1,530.53
143185	CUT TREE/ LIMBS/ BUSHES	7/1/2024	375 RANDALL DR	\$42.84
143197	DAILY GRASS CUTTING	7/1/2024	campbell dr	\$1,458.07
143240	DAILY TRASH PICK UP	7/1/2024	EAST OAKLAWN RD	\$298.00
143183	CUT TREE/ LIMBS/ BUSHES	7/1/2024	PASS RD	\$85.69
143220	DAILY GRASS CUTTING	7/2/2024	kayliegh cv	\$1,622.31
143231	REPAIR POT HOLE	7/1/2024	MAIN ST	\$306.85
143182	CUT TREE/ LIMBS/ BUSHES	7/1/2024	SOUTHERN AVE & VIOLET ST	\$171.37
143186	CUT TREE/ LIMBS/ BUSHES	7/1/2024	342 RANDALL DR	\$42.84
143216	CEMETERY CUT AND CLEAN	7/2/2024	cemetery	\$1,480.13
143243	BARRICADE SETUP/REMOVE	7/3/2024	280 BEACH BLVD	\$2,883.38

143184	CUT TREE/ LIMBS/ BUSHES	7/1/2024	152 MIRAMAR AVE	\$85.69
143226	DAILY GRASS CUTTING	7/1/2024	WEST OAKLAWN RD	\$1,045.30
143239	DAILY GRASS CUTTING	7/2/2024	Cedar Lake Rd.	\$746.65
143193	ELECTRICAL REPAIR - WELL	7/1/2024	TULLIS MANOR WELL	\$124.61

25

\$13,668.65