




**BILOXI FIRE DEPARTMENT  
INCIDENT SUMMARY REPORT FOR  
E WEEK OF September 16 September 23 2024**

|                                                  |                   |
|--------------------------------------------------|-------------------|
| <b>1 - Fires (Structure &amp; Vehicle)</b>       | <b>2</b>          |
| <b>2 - Rupture/Explosion</b>                     | <b>1</b>          |
| <b>3 - Emergency Medical Services/Rescue</b>     | <b>83</b>         |
| <b>4 - Hazardous Conditions</b>                  | <b>2</b>          |
| <b>5 - Service Calls</b>                         | <b>19</b>         |
| <b>6 - Good Intent</b>                           | <b>11</b>         |
| <b>7 - Fire Alarm Calls; Active, Malfunction</b> | <b>13</b>         |
| <b>8 - Weather/Natural Disaster</b>              | <b>3</b>          |
| <b>9 - Special Incident Type</b>                 | <b>2</b>          |
| <b>Total</b>                                     | <b><u>136</u></b> |


**WEEKLY COUNT OF INCIDENT TYPE**



Breakdown by Major Incident Types (553)

Start Date: 9/16/2024 7:00:00 | End Date: 9/23/2024 7:00:00

Runs by Incident Series



Incident Series

| Incident Series                                   | # of Incidents | % of Incidents |
|---------------------------------------------------|----------------|----------------|
| No Incident Series                                | 7              | 5%             |
| [100] Fire                                        | 2              | 1%             |
| [300] Rescue & Emergency Medical Service Incident | 83             | 61%            |
| [400] Hazardous Condition (No Fire)               | 1              | 1%             |
| [500] Service Call                                | 19             | 14%            |
| [600] Good Intent Call                            | 11             | 8%             |
| [700] False Alarm & False Call                    | 13             | 10%            |
| Grand Total                                       | 136            | 100%           |

| Incident Type                              | # of Incidents | % of Total |
|--------------------------------------------|----------------|------------|
| No type                                    | 7              | 5%         |
| [118] Trash or rubbish fire, contained     | 1              | 1%         |
| [151] Outside rubbish, trash or waste fire | 1              | 1%         |

| Incident Type                                            | # of Incidents | % of Total  |
|----------------------------------------------------------|----------------|-------------|
| [311] Medical assist, assist EMS crew                    | 20             | 15%         |
| [321] EMS call, excluding vehicle accident with injury   | 54             | 40%         |
| [322] Motor vehicle accident with injuries               | 7              | 5%          |
| [324] Motor vehicle accident with no injuries.           | 2              | 1%          |
| [411] Gasoline or other flammable liquid spill           | 1              | 1%          |
| [510] Person in distress, other                          | 1              | 1%          |
| [542] Animal rescue                                      | 1              | 1%          |
| [551] Assist police or other governmental agency         | 1              | 1%          |
| [552] Police matter                                      | 1              | 1%          |
| [553] Public service                                     | 2              | 1%          |
| [554] Assist invalid (Lift Assists)                      | 11             | 8%          |
| [561] Unauthorized burning / fire                        | 2              | 1%          |
| [611] Dispatched & canceled en route                     | 8              | 6%          |
| [622] No incident found on arrival at dispatch address   | 1              | 1%          |
| [631] Authorized controlled burning                      | 1              | 1%          |
| [661] EMS call, party transported by non-fire agency     | 1              | 1%          |
| [700] False alarm or false call, other                   | 1              | 1%          |
| [715] Local alarm system, malicious false alarm          | 1              | 1%          |
| [733] Smoke detector activation due to malfunction       | 1              | 1%          |
| [743] Smoke detector activation, no fire - unintentional | 3              | 2%          |
| [744] Detector activation, no fire - unintentional       | 2              | 1%          |
| [745] Alarm system activation, no fire - unintentional   | 4              | 3%          |
| [746] Carbon monoxide detector activation, no CO         | 1              | 1%          |
| <b>Grand Total</b>                                       | <b>136</b>     | <b>100%</b> |

## Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



## Police Chief

**John B. Miller**

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

[www.biloxi.ms.us](http://www.biloxi.ms.us)


**DATE:** September 23, 2024

**RE:** Biloxi Police activity for September 16 – September 22, 2024


|                                            |             |
|--------------------------------------------|-------------|
| <b>TOTAL CALLS FOR SERVICE</b>             | <b>1840</b> |
| <b>TOTAL INCIDENT REPORTS</b>              | <b>187</b>  |
| <b>TOTAL OFFENSES (Violations/Reports)</b> | <b>246</b>  |
| <b>TOTAL ARRESTS</b>                       | <b>141</b>  |

Calls excluded from call type charts were: Extra Patrol –352; Suspicious Circumstances – 101; Traffic Stops – 372; and Walk & Talk – 41. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

### TOP 20 CALL TYPES BY NATURE



### OFFENSES BY CATEGORY





**DATE:** *September 23, 2024*

**COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Sept 16-22, 2024**

|                                                 |                                      |
|-------------------------------------------------|--------------------------------------|
| <b>Building permits issued</b>                  | <i>144</i>                           |
| <b>Construction Valuation of permits issued</b> | <i>\$1,892,000</i>                   |
| <b>Building inspections performed</b>           | <i>114</i>                           |
| <b>Business licenses</b>                        | <i>8</i>                             |
| <b>Renewals</b>                                 | <i>93</i>                            |
| <b>Charter Boats</b>                            | <i>0</i>                             |
| <b>Peddler's licenses</b>                       | <i>2</i>                             |
| <b>Certificates of Occupancy issued</b>         | <i>9 (2 were Short-Term Rentals)</i> |
| <b>Code enforcement cases opened</b>            | <i>46</i>                            |
| <b>Code enforcement cases resolved</b>          | <i>54</i>                            |



**Engineering Department Weekly Update**  
September 23, 2024  
(updates in red)

**Projects Out to Bid**

**Projects in the Process of Being Awarded**

- Bay Vista Water Well Repairs
- Division St. Warehouse Lean-To
- MGCCC Traffic Signal
- Popps Ferry Extension

**Projects Under Construction**

- BRIC Grant (Cedar Lake Bridge)
- Causeway Pier Repairs (east side)
- Sports Complex Field Improvements
- Tanglewood Phase II
- Woolmarket Road Sidewalks

**Private Utility Work in ROW**

- Anita Court (AT&T) – Complete
- Azalea Dr. (Porter to Azalea) – Complete
- Beauvoir (CSpire) – permit under review
- Christiano Subdivision –AT&T under construction; when finished then Cspire will start their work
- Glenn Eagle Subd (Coast Connect) – Construction complete, working on cleanup and sodding
- Hiller Drive (CSpire) – permit under review
- Irish Hill (St. John to Summer Place and south to Hwy 90) (CSpire) – permit under review
- Kensington (Benachi Ave. West) (CSpire) – permit under review
- Kenmore Ave. & Edgewater Drive (AT&T) – Under construction
- Keesler Circle (Caldwell west to St. Jude) (CSpire) – Permit approved, waiting for a start date from contractor
- McDonnell Ave (N of Pass Road) (CSpire) – permit under review
- Preserve Subdivision (Shriners Blvd.) (Sparklight) – Under construction
- Reserve at Marsh Island (Centerpoint) – Complete

### **Misc.**

- Electrical poles on Hwy 90/Oak Street – met with MS Power, they are working up a cost
- Electrical poles at Kuhn St. – get with MS Power to put those underground
- Additional lights on Haise Statute – **Complete**
- Additional LED lights on Lighthouse that can change colors remotely – **Complete, need to remove bushes to get lights to project all the way to the base**
- Public Safety Elevator Repairs – NTP Sept. 23<sup>rd</sup>, will take about 6 weeks to complete because they can only do one car at a time

### **Projects**

- Bay Vista Water Well –Lyman Well at \$1.7m; NTP Nov. 4, 2024
- Bay Vista Water Line Replacement Project No. 1013 – Working toward 60% plans
- Belle La Vie Lift Station – Receive bids Oct. 16, 2024
- Biloxi-OS Bridge Walking Path Ramp – Have a plan to submit to MDOT, verbal discussions with MDOT indicate there won't be any issues with receiving a permit; BMA contract for final design will be on the council agenda in September
- Brashier Bayou Sediment Removal – have all the permits, getting plans/specs ready to advertise need funding, received Tideland's funding but the money won't be available until 2025
- Bridge Repairs
  - Cedar Lake Bridge – Have fracture critical repairs that need to be made, don't have quote yet on repairs or funding
- Causeway Pier Repairs (east side) – Work is on-going
- Cedar Lake Bridge BRIC Grant – Existing conditions report is complete, ready to have stakeholder and agency public meeting
- Concrete Annual Contract – See Repair-Replace list attached
- CTA Pass Road preemption/priority agreement – installation of preemption/priority equipment in the traffic signals along Pass Road, the City will be equipment to be installed in Fire Trucks as well, no cost to the City for 5 years, after 5 years will cost about \$4300 per year;
- Desporte Building Lean-To – Tapout Construction \$264K; project has been awarded, waiting for contract documents to be approved to have pre-construction meeting; will be 8-12 weeks to get the materials delivered
- Hwy 90 parking improvements – 90% set of plans being reviewed

- Lighthouse Pier – design complete, received Corps Permit, waiting on FEMA/MEMA funding issues to be resolved
- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal, Working with DMR to get dredging permit approval; Corps permit is out for public comment until July 15, 2024
- Kuhn St. Boat Launch Expansion – rejected bids, will rebid project once funding is available
- MGCCC Traffic Signal – Received bids July 17, 2024; apparent low bidder Powell Construction Services at \$450,000, Project was awarded on August 6, 2024; waiting on MDOT concurrence to send out contract documents to be executed by the contractor.
- Oak Street Pier (South) – Held 30% design meeting on August 1<sup>st</sup>; Cypress working toward 60% design by November
- Parker’s Creek Sediment Removal – Received the DMR permit, waiting on Corps permit; consultant checked on status of Corps permit on August 5<sup>th</sup>, waiting on response
- Paving – Phase I is complete, working on cost estimates to determine how much funding is needed for Phase II
- Phase II Paving (Ward is parenthesis)
 

|                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>▪ Lamey Street (HarCo)</li> <li>▪ Pinecrest (7)</li> <li>▪ Dundewood (7)</li> <li>▪ RSR 1 &amp; 2</li> <li>▪ Point Cadet Marina area (1)</li> <li>▪ Cuevas Street</li> <li>▪ Mercury Lane (5)</li> </ul> | <ul style="list-style-type: none"> <li>▪ Pine Grove Ave (5)</li> <li>Need costs for subsurface repairs and milling</li> <li>▪ Briarfield Ave. (5)</li> <li>▪ Beacon Pl. (5)</li> <li>▪ Deming Pl. (5)</li> <li>▪ Fayard Street (1)</li> <li>▪ Victory Lane (7)</li> </ul> | <ul style="list-style-type: none"> <li>▪ Jackson St. bricks (1)</li> <li>▪ Monie Vista (4)</li> <li>▪ Comfort Place Lee to Keller (1)</li> <li>▪ Jenkin Alley (1)</li> <li>▪ Stacy Ln (6)</li> <li>▪ Schonewitz (6)</li> </ul> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
- Point Cadet Living Shoreline (BMA) – DMR approved the scope change, will have 100% plans for final review by City and Covington by the end of this week
- Point Cadet Nearshore #1096 (BMA) – design on-going, permitting is going to take longer than we thought, it’s probably going to be another 6-12 months in permitting
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, waiting on Restore grant agreement from MDEQ to begin design
- Point Cadet Marina Phase III – have preliminary layout that needs approval so a cost estimate can be developed so we can be ready for round 3 of funding
- Popp’s Ferry Extension #913 –

- CSX formal easement documents should be received soon
- Awarded contract to Necaise Bros. in the amount of \$20.8M, working through the MDOT process to get approval to hold pre-construction meeting
- Popp’s Ferry Bridge Draw Replacement – NS contract is under preliminary review by MDOT
- Port Repair Replace Contract – Emergency repairs to piers to Point Cadet Marina are complete;
- Repair/Replace Contract – See attached
- Rodenberg at Pass Road Intersection – ROW acquisition underway; letters to property owners asking if they will be willing to donate property will be going out in the next week
- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed meeting with Seymour this week for an update
  - Hiller Park Pond - have permits
  - Point Cadet Marina – have permits
  - Parkers Creek – pending Corps permit
  - Brasher Bayou – Have permits, ready to bid, need funding
- Shriners Blvd. Widening – This project is in the draft TIP for approval, it still has to go to MDOT and be adopted in the STIP, construction funding will be in 2027, but we will be able to start the design process in September or October
- Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M); finishing the punchlist and parking lot; paving is only remaining item
- Sport Complex Tennis Court Lights –Weaver Electric - \$178K; Work is complete, but MUSCO has to come out to work on controls and there is severe washout around one of the light poles that will be fixed as an emergency repair under Bottom 2 Top
- Tanglewood Infrastructure Ph II (MP) – DNA Underground - \$2.3m – NTP: 02/05/2024 - 270 days – Comp: 11/01/2024, work has started so far, no major concerns
- Tanglewood Sewer Replacement – Held design kick off meeting, project will be ready to bid in November 2024
- Ward 2 Recreational Center – Site plan has been approved by DRC, building plans are at 100%, Pickering is going to submit for building plan review so when the project goes out to bid the building permit will be ready to be applied for by the contractor

- Woolmarket Road Sidewalks – (Machado Patano) – Landmark Construction; \$998,507.43; NTP October 23, 2024; Completion – April 2025
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 75% complete, this project will have to be broken out into phases but we're waiting to see how much funding we receive before doing that and finalizing the design

Repair/Replace Work Status  
as of 09/23/2024

Updates in red

| Status              | Priority | Location                                 | Description of Work                                                                                                                                                                   |
|---------------------|----------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Under Const.        | 0        | Anatole Bay Drainage                     | Drainage issue coming from La Bonne Terre onto Anatole Bay property; pouring concrete boxes and ditch, final dirt work and sod are only remaining work; expected completion Oct. 1st  |
| Under Const.        | 0        | Beauvior Home Drainage                   | Replacing a failing drainage pipe in city easement - Under construction                                                                                                               |
| Under Const.        | 0        | Desporte's Building - Concrete Pad       | Concrete contractor to install concrete pad 50' along the east side of the building - fill has been brought in, the concrete pad will be poured after the installation of the lean-to |
| Under Const.        | 0        | Iberville & Pringle Circle               | Emergency Repair due to sewer cave in <b>paving is still outstanding</b>                                                                                                              |
| Under Const.        | 0        | Lameuse Street south of Hwy 90           | Emergency Repair due to storm drain cave in; investigated and                                                                                                                         |
| Under Const.        | 0        | Shorecrest Drive Water Relocation        | Relocation of watermain for Hawk Creek Subdivision                                                                                                                                    |
| Under Const.        | 0        | Sports Complex Light pole                | Erosion around the new light pole, apparently the new pole hit a drainage line; emergency repair this week due to severe erosion <b>starting this week</b>                            |
| Under Const.        | 1        | Buena Vista Lift Station Lining          | Replacing the liner in the lift station, <b>should be complete this week</b>                                                                                                          |
| Pending Const.      | 1        | Sunkist Ponds Clean out drainage ponds   | Sunkist Golf Course drainage ponds in city easements need to be cleaned <b>should be starting this week but had a couple of emergency repairs come up that have to be done first</b>  |
| <b>Under Const.</b> | 1        | Mill Creek Sidewalk Repair               | Concrete panel is collapsed this can be done under the concrete annual bid - this week                                                                                                |
| <b>Under Const.</b> | 1        | John Lee Rd. Sidewalk                    | Install sidewalk from Mill Creek Estates to Woolmarket Elementary School - starting this week                                                                                         |
| Pending Const.      | 1        | Watersview, 695                          | Concrete sidewalk repair - Will be done after Mill Creek Sidewalk Repairs                                                                                                             |
| Need Quote          | 5        | Brister Place 1373                       | Drainage pipe failure about 40' of bad pipe in front of 1373 Brister SR46471                                                                                                          |
| <b>Complete</b>     | 10       | Oaklawn West Ditch Cleaning              | Clean out ditch to accept water from new houses being built across the street                                                                                                         |
| Pending Const.      | 10       | Tara Lane Drainage Repairs               | Replace collapsed pipe                                                                                                                                                                |
| Pending Const.      | 10       | Chambers Cove - Sewer cave in            | SR# 46489 - pothole due to sewer cave in                                                                                                                                              |
| Need Quote          | 10       | Irish Hill & White Ave Storm Drain Grate | Storm drain grate needs to be raised                                                                                                                                                  |
| Investigate         | 10       | Irish Hill & Gill Ave Sewer Repair       | Point Repair of sewer                                                                                                                                                                 |
| Investigate         | 10       | Pass Road near Rodenberg Pothole         | SR # 46726 - Pothole from potential sewer cave in                                                                                                                                     |

| Status        | Priority | Location                                    | Description of Work                                                                                                           |
|---------------|----------|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Investigate   |          | Airport Rd. Ditches                         | Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029                       |
| Need Quote    |          | Atkinson Road Bridge Undermining            | Per the bridge inspection report there is severe undermining                                                                  |
| Pending PO    |          | Azalea/Irish Hill                           | Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this                                             |
| Need Quote    |          | Benachi, 116                                | Road repaved by Infrastructure Contractor is higher than sidewalk and water rushes from the street almost to their front door |
| Need Quote    |          | Beverin Rd. and Jack Graves waterline       | Waiting on Shriners Blvd. Waterline project to be completed                                                                   |
| Need Quote    |          | Bike Sharrows                               | Around east biloxi for Biloxi Bicycle Works                                                                                   |
| Investigating |          | The Bluffs Concrete Street                  | Numerous concrete street panels need to be replaced                                                                           |
| Investigate   |          | Boyette Rd. Drainage                        | Ditches need to be regraded (Kathy Santiago)                                                                                  |
| Quote         |          | Carolwood add curb inlet                    | Install curb inlet in area that is holding water                                                                              |
| Investigate   |          | Carter Road, 328                            | Investigate sink hole                                                                                                         |
| Investigate   |          | Cherry Ln & Riverview culvert replaced      | Replace failed culvert - need PW to clean ditch so water will drain in order to investigate                                   |
| Need Quote    |          | Churchill concrete ditch groundwater issues | Going to see if Helms Polyfoam will work in this area                                                                         |
| Need Quote    |          | Coventry Square Concrete Road Repair        | Repair failing concrete panels                                                                                                |
| Need Quote    |          | Crane Ridge 2089                            | Ditch is holding water                                                                                                        |
| Investigate   |          | Division & New St. Sinkhole                 | Need to investigate large sinkhole forming                                                                                    |
| Investigate   |          | Edgewater Park Sidewalk Repairs             | Investigate to determine specific locations                                                                                   |
| Need Quote    |          | Enclave Concrete Street Repair              | Repair failing concrete panels                                                                                                |
| Need Quote    |          | Fairview Drive/Pass Road                    | Road flooded during heavy rain, need storm drains cleaned out                                                                 |
| Need Quote    |          | Fearn drive ditch                           | install pipe in the ditch behind the houses on Fearn drive                                                                    |
| Need Quote    |          | Hiller Park Bridge erosion                  |                                                                                                                               |
| Need Quote    |          | Hiller Park LS erosion                      | Correct erosion problem just west of the lift station                                                                         |
| Investigate   |          | Hilton Avenue, 334                          | Drainage issue with culvert, water flows down the hole not into the drain                                                     |
| Need Quote    |          | Howard & Joachim Drainage                   | Reconnect existing storm drain to inlet; was inadvertently missed during Infrastructure                                       |
| Investigate   |          | Iberville & Hwy 90 Cave in                  | Cave-in in the grass                                                                                                          |

| Status      | Priority | Location                            | Description of Work                                                                                                                    |
|-------------|----------|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Need Quote  |          | Jefferson Davis Sidewalk            | make repairs to sidewalk - SR issued to PW                                                                                             |
| Need Quote  |          | John Lee Rd. 13403                  | Culverts and ditches need to be cleaned out                                                                                            |
| Investigate |          | Kayleigh Cove Flooding              | Woolmarket Rd./Kaylie Cove flooded during heaving rain, impacting daycare access                                                       |
| Investigate |          | Glen Eagle west side ditch          | ditch erosion in rear of propert                                                                                                       |
| Need Quote  |          | Grady St. Sidewalk                  | Install sidewalk on Grady Street for elderly resident                                                                                  |
| Investigate |          | Greenhill Circle Ditch              | County cut ditches and now two residents are saying their property holds water                                                         |
| Investigate |          | La Bonne Terre Drainage             | 425 LeBlanc Cv and 430 LeBlanc Cv extend culvert to stop erosion                                                                       |
| Need Quote  |          | La Bonne Terre Concrete Repair      | Misc. Concrete street repairs needed throughout the neighborhood                                                                       |
| Need Quote  |          | Lorraine Road ditches               | Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098                                                      |
| Need Quote  |          | Lorraine Rd. 13143                  | Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572 |
| Investigate |          | Main St. & Water St. Sinkhole       | Need to video storm drain to see what's happening                                                                                      |
| Investigate |          | McDonnell Ave. Pothole              | By Racetrack south of Irish Hill                                                                                                       |
| Investigate |          | Melissa Drive Detention Pond        | Detention Pond needs to be cleaned out.                                                                                                |
| Investigate |          | Nelson Rd. 373                      | Drainage coming of the church parking lot is flooding her yard                                                                         |
| Need Quote  |          | North Oaklawn Rd. 12387             | Ditches need to be cleaned                                                                                                             |
| Need Quote  |          | Orleans & Carter pothole            | PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair          |
| Investigate |          | Pin Oak Lift Station Ditch          | Ditch runs north from lift station; resident at 10351 Pin Oak requested this work                                                      |
| Need Quote  |          | Pin Oak & North River View          | Culverts need to be cleaned Janet Hughes                                                                                               |
| Investigate |          | Pine Grove Sinkholes                | sinholes at manholes on Pine Grove                                                                                                     |
| Investigate |          | Popps Ferry Road Potholes           | South of Bridge - need manhole lid risers                                                                                              |
| Need Quote  |          | Pringle Circle                      | Sewer repairs                                                                                                                          |
| Need Quote  |          | Rich Ave. Waterline                 | Add fire protection for office building and Rich Ave                                                                                   |
| Need Quote  |          | River Place Concrete Street Repairs | Repair failing concrete panels                                                                                                         |
| Need Quote  |          | Rodenberg potholes                  | Have video of this area, this is going to be a major repair, will probably need to be a capital project                                |

| Status         | Priority | Location                                 | Description of Work                                                                                                                                                                                                                                                                                                                                                              |
|----------------|----------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Investigate    |          | Sheridan Court 2576                      | Water coming off the street into residents garage, causing garage to flood                                                                                                                                                                                                                                                                                                       |
| Need Quote     |          | Southeastern Doors & Windows             | Sinkhole by curb inlet, getting video to assess problem                                                                                                                                                                                                                                                                                                                          |
| Need Quote     |          | Tribe Drive Concrete Ditches             | Clean debris and dirt out of the ditch                                                                                                                                                                                                                                                                                                                                           |
| Pending Const. |          | Woodland Park Dr street repair           | Asphalt repair - B2T is going to see if Gulf Pride can do this                                                                                                                                                                                                                                                                                                                   |
| cancelled      |          | Alyeska Condos                           | Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed - flushing is complete                                                                                                                                                                                  |
| Complete       |          | Beauvoir and Railroad Liftstation Repair | This was ordered by PW, rework valve & check valve box, redo piping                                                                                                                                                                                                                                                                                                              |
| Cancelled      |          | Beau Chene drainage cleaning             | Clean out drainage behind houses so water will drain - this is a conservation easement cannot work in this wetland area.                                                                                                                                                                                                                                                         |
| Complete       |          | Cedar Lake Rd. Ditch                     | Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next                                                                                                     |
| Complete       |          | Claudette Court Concrete Street Repair   |                                                                                                                                                                                                                                                                                                                                                                                  |
| cancelled      |          | Club Moss Drainage                       | equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one. This is going to take a capital project due to wetlands and amount of vegetation present |
| Complete       |          | Davis St., 396 Sewer                     | Ordered by infrastructure team, no information provided to Engineering                                                                                                                                                                                                                                                                                                           |
| Complete       |          | Destiny Plantation ditch cleaning        | Clean out ditch behind houses in Destiny Plantation - ordered by PW                                                                                                                                                                                                                                                                                                              |
| Complete       |          | Division & Porter Hydrant Repairs        | Hydrant leg is leaking                                                                                                                                                                                                                                                                                                                                                           |
| Complete       |          | Division St. Driveway Repair             |                                                                                                                                                                                                                                                                                                                                                                                  |
| Complete       |          | Fire Station No. 10 Driveway Cave in     | driveway is caving in over a collapsed storm drain                                                                                                                                                                                                                                                                                                                               |
| Complete       |          | G.E. Ohr Sinkhole                        | Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week                                                                                                                                                                                                                                                                                                |
| Complete       |          | GE Ohr & St. John Lining                 | Line the sewer pipes to repair cracks                                                                                                                                                                                                                                                                                                                                            |
| Complete       |          | G.E. Ohr Sewer Repair - Emergency        | emergency repair of sewer main in GE Ohr.                                                                                                                                                                                                                                                                                                                                        |
| Complete       |          | GE Ohr City Parking Lot Sewer Repair     | Rerouting sewer through the parking to GE Ohr due to clog in line going south                                                                                                                                                                                                                                                                                                    |
| Complete       |          | GE Ohr Emergency Sewer Repair            | Sewer manhole broken during paving                                                                                                                                                                                                                                                                                                                                               |
| Complete       |          | Goosepoint Drainage                      | Add a drainage inlet in the rear yard drainage line.                                                                                                                                                                                                                                                                                                                             |

| Status    | Priority | Location                                         | Description of Work                                                                                                                                           |
|-----------|----------|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Complete  |          | Graham Street 272 drainage                       | Remove pipe that was supposed to be flow filled by ORC                                                                                                        |
| Complete  |          | Hickman Road Sewer - Emergency                   | emergency repair of forcemain on Hickman Road                                                                                                                 |
| Complete  |          | Howard & Caillavet - water main break on weekend | Repair a broken water main - waiting on invoice                                                                                                               |
| Complete  |          | Hwy 90 (777 Beach Blvd.)                         | water leak                                                                                                                                                    |
| Cancelled |          | Jim Byrd Rd. ditch cleaning                      | Ditches need to be recut - HarCo to do this work                                                                                                              |
| Cancelled |          | Jim Byrd Rd. 14080                               | Culvert needs to be cleaned out or replaced - HarCo to do this work                                                                                           |
| Complete  |          | 1187 Karli Lane                                  | County redid road by house causing her driveway to flood - pipe has been ordered ongoing                                                                      |
| Complete  |          | La Bonne Terre Blvd. Concrete Repair             | HOA replaced the panel without fixing the storm drain box                                                                                                     |
| Complete  |          | Louise St. drainage replacement                  | Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St. 95% complete                                               |
| Complete  |          | Majestic Oaks RV Park                            | Rear drainage is not working causing their detention pond to back up work on-going; work 90% complete, waiting for ground to dry out to finish clearing ditch |
| Complete  |          | McDonnell Ave. Lift Station                      | Ordered by PW, needs new concrete lid with hatch                                                                                                              |
| Complete  |          | Mercedes Drive                                   | Huge cave-in in the road that goes to the boat ramp                                                                                                           |
| Complete  |          | Miller Street Cave-in                            | Cave-in in the grass next to asphalt going up underneath the new asphalt                                                                                      |
| Cancelled |          | Oakridge ditch too deep                          | Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda Being handled by the county          |
| Complete  |          | Old Hwy 67 Ditch Maintenance                     | Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction                             |
| Cancelled |          | Old Biloxi Library sewer repairs                 | PW ordered this work, need to find out what's going on PW handled this work                                                                                   |
| Complete  |          | Porter Ave. Emergency Water Repair               | Water main break                                                                                                                                              |
| Complete  |          | River Estates Circle Drainage                    | Ordered by PW, no information on scope.                                                                                                                       |
| Complete  |          | Rodenberg & RR Lift Station Repair               | This was ordered by PW, no information on scope or status                                                                                                     |
| Complete  |          | Rustwood Emergency Water Repair                  | Emergency water main break over the weekend                                                                                                                   |
| Complete  |          | St. Charles & Hwy 90                             | Emergency repair of water line ahead of paving                                                                                                                |
| Complete  |          | St. John Emergency Sewer Repair                  | Sewer main break                                                                                                                                              |
| Complete  |          | Seal Avenue/Division St.                         | Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway                                                                                  |

| Status    | Priority | Location                                | Description of Work                                                                                                                                                                                                                      |
|-----------|----------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Complete  |          | Seal Ave Storm Drain Repairs            | Ordered by Infrastructure, no information on scope                                                                                                                                                                                       |
| Complete  |          | Spanner Lane Sewer Repair/FH Relocate   | Ordered by Infrastructure, no information on scope (old PO no. 20235756)                                                                                                                                                                 |
| Complete  |          | Spring Ridge & Brighton Circle Sinkhole | Sinkhole is forming at curb inlet this work should begin the week of 3/11/2024                                                                                                                                                           |
| Complete  | 0        | St. Mary Blvd. Emergency Sewer Repair   | Emergency sewer repair for Public Works                                                                                                                                                                                                  |
| Cancelled |          | Sunrise Court drainage                  | 605 Sunrise Court, extend drain pipe to past fence - County is going to do this work                                                                                                                                                     |
| Complete  |          | Veterans Ave Storm Drain Repair         | Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in                                                                                                                                                  |
| Complete  |          | Wilkes Water & Sewer                    | Work is complete, paving to start this week                                                                                                                                                                                              |
| Complete  |          | West Drive Drainage Box                 | Repairs to failing storm drain box                                                                                                                                                                                                       |
| Complete  |          | Woolmarket Rd. Water Leak               | Water leak at Catfish restaurant waiting on 811 locates then will start investigative digging exposed the entire forcemain, water service and backflow and could not find any leak, informed property owner that it must be ground water |

|               |                |
|---------------|----------------|
| Total FY23-24 | \$1,802,737.71 |
| Pending       | \$448,243.62   |
| Complete      | \$1,354,494.09 |

# City of Biloxi Public Works Department

## Completed Work Orders for 9/16/24-9/22/24

| WorkOrderId | Description                         | Actual Finish | Address                              | Total Cost |
|-------------|-------------------------------------|---------------|--------------------------------------|------------|
| 145383      | RESTROOM- REPAIR TOILET             | 9/17/2024     | WEST BILOXI COMMUNITY CENTER         | \$294.49   |
| 145374      | STRUCTURE-REPAIR WALL               | 9/16/2024     | PUBLIC WORKS ADMINISTRATION BUILDING | \$233.40   |
| 145568      | REPLACE LIGHT BULBS                 | 9/20/2024     | COMMUNITY DEVELOPMENT (MLK BUILDING) | \$64.71    |
| 145569      | REPLACE LIGHT BULBS                 | 9/20/2024     | LOPEZ QUAVE PUBLIC SAFETY CENTER     | \$63.18    |
| 145542      | BRIDGE MAINTENANCE                  | 9/19/2024     | ceder lake bridge                    | \$45.65    |
| 145375      | ELECTRICAL ROUTINE MAINTENANCE - LS | 9/16/2024     | GATES OF BILOXI L.S.                 | \$151.74   |
| 145467      | ELECTRICAL REPAIR - LS              | 9/18/2024     | NORTH SHORE L.S.                     | \$101.16   |
| 145503      | CLEAN/FLUSH SEWER SERVICE           | 9/18/2024     | 762 CAMBRIDGE DR                     | \$848.79   |
| 145456      | GRINDER PUMP ELECTRICAL REPAIR      | 9/17/2024     | 13225 SOUTH SANDY CREEK RD           | \$151.74   |
| 145461      | REPAIR/REPLACE LINE                 | 9/18/2024     | 886 AUBURN DR                        | \$2,153.24 |
| 145469      | GRINDER PUMP ELECTRICAL REPAIR      | 9/17/2024     | 13225 SOUTH SANDY CREEK RD           | \$151.74   |
| 145528      | REPAIR WATER LINE                   | 9/19/2024     | 384 HOLLEY ST                        | \$49.50    |
| 145453      | INSTALL RISER RING                  | 9/17/2024     | MONIE VISTA DR                       | \$167.45   |
| 145457      | ELECTRICAL ROUTINE MAINTENANCE - LS | 9/18/2024     | GATES OF BILOXI L.S.                 | \$151.74   |
| 145502      | ELECTRICAL ROUTINE MAINTENANCE - LS | 9/19/2024     | GATES OF BILOXI L.S.                 | \$151.74   |
| 145377      | ELECTRICAL REPAIR - LS              | 9/16/2024     | THORNHILL SOUTH #1 L.S.              | \$101.16   |
| 145407      | ELECTRICAL ROUTINE MAINTENANCE - LS | 9/17/2024     | GATES OF BILOXI L.S.                 | \$151.74   |
| 145468      | ELECTRICAL REPAIR - LS              | 9/18/2024     | RAINTREE APARTMENTS L.S.             | \$101.16   |
| 145527      | CLEAN LIFT STATION                  | 9/19/2024     | CAMPBELL DRIVE L.S.                  | \$104.44   |
| 145555      | ELECTRICAL ROUTINE MAINTENANCE - LS | 9/22/2024     | GATES OF BILOXI L.S.                 | \$151.74   |
| 145553      | ELECTRICAL ROUTINE MAINTENANCE - LS | 9/20/2024     | GATES OF BILOXI L.S.                 | \$151.74   |

|        |                                        |           |                                             |             |
|--------|----------------------------------------|-----------|---------------------------------------------|-------------|
| 145574 | ELECTRICAL REPAIR - LS                 | 9/20/2024 | RODENBERG @ RR TRACKS L.S.                  | \$75.87     |
| 145554 | ELECTRICAL ROUTINE MAINTENANCE -<br>LS | 9/21/2024 | GATES OF BILOXI L.S.                        | \$151.74    |
| 145556 | ELECTRICAL ROUTINE MAINTENANCE -<br>LS | 9/22/2024 | GATES OF BILOXI L.S.                        | \$151.74    |
| 145323 | BARRICADE SETUP/REMOVE                 | 9/16/2024 | Beach Blvd. @ Maple St                      | \$2,881.51  |
| 145410 | DAILY TRASH PICK UP                    | 9/16/2024 | CAUSEWAY DR                                 | \$670.26    |
| 145458 | DAILY TRASH PICK UP                    | 9/17/2024 | NORTH RIVER VUE CIR                         | \$191.50    |
| 145285 | REPAIR/REPLACE SIDEWALK                | 9/19/2024 | 9214 NATURES TRL                            | \$838.47    |
| 145408 | DAILY TRASH PICK UP                    | 9/16/2024 | 2312 MERRY LN                               | \$47.88     |
| 145492 | DAILY TRASH PICK UP                    | 9/18/2024 | BAYVIEW AVE                                 | \$670.26    |
| 145289 | REPAIR/REPLACE SIDEWALK                | 9/19/2024 | 9331 NATURES TRL                            | \$1,734.51  |
| 145409 | DAILY TRASH PICK UP                    | 9/16/2024 | 14064 SCHONEWITZ RD                         | \$47.88     |
| 145284 | REPAIR/REPLACE SIDEWALK                | 9/19/2024 | 9230 NATURES TRL                            | \$838.47    |
| 145348 | BARRICADE SETUP/REMOVE                 | 9/16/2024 | LAMEUSE ST                                  | \$17,129.04 |
| 145411 | CUT TREE/ LIMBS/ BUSHES                | 9/16/2024 | 342 RANDALL DR                              | \$33.30     |
| 145460 | DAILY GRASS CUTTING                    | 9/18/2024 | BAYVIEW AVE                                 | \$758.76    |
| 145550 | DAILY TRASH PICK UP                    | 9/19/2024 | FORREST AVE                                 | \$766.01    |
| 145572 | CEMETERY CUT AND CLEAN                 | 9/20/2024 | cemetary                                    | \$2,370.49  |
| 145597 | DAILY GRASS CUTTING                    | 9/17/2024 | BAYVIEW AVE                                 | \$2,022.95  |
| 145611 | CUT TREE/ LIMBS/ BUSHES                | 9/19/2024 | PINE ST                                     | \$614.72    |
| 145068 | CONCRETE REPAIR/INSTALL                | 9/19/2024 | 9324 NATURES TRL                            | \$1,171.15  |
| 145557 | SINKHOLE                               | 9/19/2024 | FATHER RYAN AVE                             | \$460.02    |
| 145593 | DAILY TRASH PICK UP                    | 9/20/2024 | NORTH OAKLAWN RD                            | \$766.01    |
| 145603 | DAILY GRASS CUTTING                    | 9/19/2024 | KUHN ST                                     | \$2,191.40  |
| 145596 | DAILY GRASS CUTTING                    | 9/16/2024 | BACK BAY BLVD                               | \$2,022.95  |
| 145609 | DAILY GRASS CUTTING                    | 9/20/2024 | RAILROAD ST                                 | \$2,022.95  |
| 145592 | REPAIR POT HOLE                        | 9/18/2024 | IBERVILLE DR & PRINGLE CIR                  | \$79.12     |
| 145599 | DAILY GRASS CUTTING                    | 9/18/2024 | esters blvs                                 | \$1,998.15  |
| 145612 | DAILY GRASS CUTTING                    | 9/21/2024 | POPPS FERRY RD                              | \$1,622.20  |
| 145224 | REPAIR/REPLACE SIDEWALK                | 9/19/2024 | 9238 NATURES TRL                            | \$838.47    |
| 145560 | STRIPING/PAVEMENT MARKING              | 9/18/2024 | POPPS FERRY RD & NORTH COUNTRY CLUB<br>LN   | \$3,434.36  |
| 145559 | STRIPING/PAVEMENT MARKING              | 9/19/2024 | POPPS FERRY RD & SUNKIST COUNTRY CLUB<br>RD | \$3,277.51  |
| 145575 | STRIPING/PAVEMENT MARKING              | 9/16/2024 | POPPS FERRY RD & RUSTWOOD DR                | \$3,165.93  |
| 145567 | REPAIR SIGN                            | 9/17/2024 | 147 REYNOIR ST                              | \$12.69     |

|        |                             |           |                              |          |
|--------|-----------------------------|-----------|------------------------------|----------|
| 145573 | SIGN FABRICATION            | 9/17/2024 | PUBLIC WORKS SIGN SHOP       | \$466.96 |
| 145552 | OIL CHANGE                  | 9/19/2024 | 61803                        | \$15.64  |
| 145471 | REPLACE LID                 | 9/16/2024 | 900 NORTH SHORE DR           | \$44.67  |
| 97875  | REPAIR/REPLACE COOLING      | 9/17/2024 | VEHICLE MAINTENANCE BUILDING | \$105.96 |
| 145436 | REPAIR WATER LINE           | 9/17/2024 | 214 DELAUNEY ST              | \$515.15 |
| 145464 | REPAIR WATER LINE           | 9/19/2024 | PARK VIEW DR                 | \$36.80  |
| 145472 | REPLACE LID                 | 9/16/2024 | 2420 SUNKIST COUNTRY CLUB RD | \$44.67  |
| 145580 | REPLACE LID                 | 9/19/2024 | NORTH SHORE DR               | \$134.02 |
| 98385  | REPAIR/REPLACE COOLING      | 9/17/2024 | VEHICLE MAINTENANCE BUILDING | \$65.11  |
| 77646  | REPAIR/REPLACE COOLING      | 9/17/2024 | 60741                        | \$26.53  |
| 145391 | GENERAL GROUNDS MAINTENANCE | 9/16/2024 | SOUTH HILL WELL              | \$38.61  |
| 145397 | GENERAL GROUNDS MAINTENANCE | 9/16/2024 | RUSTWOOD WELL                | \$19.30  |
| 145403 | CHLORINATION SYSTEM         | 9/16/2024 | LAKEVIEW WELL                | \$19.30  |
|        | ADJUST/EXERCISE             |           |                              |          |
| 145454 | CHECK/RESET SCADA           | 9/17/2024 | NORTH RIVERVUE WELL          | \$126.45 |
| 145475 | PAINT WELL HEAD AND PIPING  | 9/17/2024 | VEE ST WELL                  | \$38.61  |
| 145479 | CHLORINATION SYSTEM         | 9/17/2024 | NORTH BILOXI #1 WELL         | \$38.61  |
|        | REPAIR/REPLACE              |           |                              |          |
| 145483 | CHLORINATION SYSTEM         | 9/18/2024 | SPORTS COMPLEX WELL          | \$38.61  |
|        | REPAIR/REPLACE              |           |                              |          |
| 145487 | GENERAL GROUNDS MAINTENANCE | 9/18/2024 | CEDAR LAKE WELL              | \$38.61  |
| 145355 | WELL DAILY INSPECTION       | 9/16/2024 | PINE STREET WELL             | \$317.47 |
| 145378 | CONTROL REPAIR              | 9/16/2024 | DEBUYS WELL                  | \$50.58  |
| 145389 | CHLORINATION SYSTEM         | 9/16/2024 | SOUTH HILL WELL              | \$38.61  |
|        | REPAIR/REPLACE              |           |                              |          |
| 145393 | GENERAL GROUNDS MAINTENANCE | 9/16/2024 | VEE ST WELL                  | \$38.61  |
| 145400 | CHLORINATION SYSTEM         | 9/16/2024 | NORTH RIVERVUE WELL          | \$38.61  |
|        | REPAIR/REPLACE              |           |                              |          |
| 145473 | GENERAL GROUNDS MAINTENANCE | 9/17/2024 | DEBUYS WELL                  | \$119.05 |
| 145477 | CHLORINATION SYSTEM         | 9/17/2024 | VEE ST WELL                  | \$89.35  |
|        | REPAIR/REPLACE              |           |                              |          |
| 145481 | GENERAL GROUNDS MAINTENANCE | 9/17/2024 | NORTH BILOXI #1 WELL         | \$57.91  |
| 145485 | CHLORINATION SYSTEM         | 9/18/2024 | 67 & OAKLAWN WELL            | \$77.21  |
|        | REPAIR/REPLACE              |           |                              |          |
| 145379 | ELECTRICAL REPAIR - WELL    | 9/16/2024 | OAKLAWN WELL                 | \$7.99   |
| 145390 | CHLORINATION SYSTEM         | 9/16/2024 | SOUTH HILL WELL              | \$19.30  |
|        | ADJUST/EXERCISE             |           |                              |          |

|        |                                        |           |                              |          |
|--------|----------------------------------------|-----------|------------------------------|----------|
| 145395 | CHLORINATION SYSTEM<br>REPAIR/REPLACE  | 9/16/2024 | RUSTWOOD WELL                | \$38.61  |
| 145401 | GENERAL GROUNDS MAINTENANCE            | 9/16/2024 | NORTH RIVERVUE WELL          | \$19.30  |
| 145474 | GENERAL GROUNDS MAINTENANCE            | 9/18/2024 | DEBUYS WELL                  | \$79.37  |
| 145478 | GENERAL GROUNDS MAINTENANCE            | 9/17/2024 | VEE ST WELL                  | \$44.67  |
| 145482 | PAINT WELL HEAD AND PIPING             | 9/17/2024 | RUSTWOOD WELL                | \$38.61  |
| 145486 | CHLORINATION SYSTEM<br>ADJUST/EXERCISE | 9/18/2024 | 67 & OAKLAWN WELL            | \$19.30  |
| 145535 | PAINT WELL HEAD AND PIPING             | 9/19/2024 | VEE ST WELL                  | \$19.30  |
| 145539 | GENERAL GROUNDS MAINTENANCE            | 9/19/2024 | LAKEVIEW WELL                | \$198.42 |
| 145388 | WELL DAILY INSPECTION                  | 9/17/2024 | PINE STREET WELL             | \$548.47 |
| 145392 | CHLORINATION SYSTEM<br>ADJUST/EXERCISE | 9/16/2024 | VEE ST WELL                  | \$19.30  |
| 145399 | MEET WITH CONTRACTOR                   | 9/16/2024 | NORTH BILOXI #1 WELL         | \$38.61  |
| 145455 | GENERAL MAINTENANCE                    | 9/17/2024 | WOOLMARKET FIRE STATION TANK | \$151.74 |
| 145476 | PLUMBING REPAIR/REPLACE                | 9/17/2024 | VEE ST WELL                  | \$89.35  |
| 145480 | CHLORINATION SYSTEM<br>ADJUST/EXERCISE | 9/17/2024 | NORTH BILOXI #1 WELL         | \$19.30  |
| 145484 | GENERAL GROUNDS MAINTENANCE            | 9/18/2024 | SPORTS COMPLEX WELL          | \$19.30  |
| 145488 | GENERAL GROUNDS MAINTENANCE            | 9/18/2024 | NORTH RIVERVUE WELL          | \$57.91  |
| 145533 | MEET WITH CONTRACTOR                   | 9/19/2024 | NORTH BILOXI #1 WELL         | \$38.61  |
| 145532 | GENERAL GROUNDS MAINTENANCE            | 9/19/2024 | CEDAR LAKE WELL              | \$19.30  |
| 145540 | GENERAL GROUNDS MAINTENANCE            | 9/19/2024 | SUPERIOR WELL                | \$19.30  |
| 145544 | GENERAL GROUNDS MAINTENANCE            | 9/19/2024 | SUPERIOR WELL                | \$19.30  |
| 145576 | WELL DAILY INSPECTION                  | 9/18/2024 | PINE STREET WELL             | \$548.47 |
| 145534 | GENERAL GROUNDS MAINTENANCE            | 9/19/2024 | NORTH BILOXI #1 WELL         | \$19.30  |
| 145538 | GENERAL GROUNDS MAINTENANCE            | 9/19/2024 | SOUTH HILL WELL              | \$19.30  |
| 145548 | GENERAL GROUNDS MAINTENANCE            | 9/18/2024 | N RIVER VIEW TANK            | \$38.61  |
| 145578 | WELL DAILY INSPECTION                  | 9/20/2024 | PINE STREET WELL             | \$548.47 |
| 145543 | CHLORINATION SYSTEM<br>ADJUST/EXERCISE | 9/19/2024 | SUPERIOR WELL                | \$19.30  |
| 145549 | GENERAL GROUNDS MAINTENANCE            | 9/18/2024 | CEDAR LAKE WELL              | \$38.61  |
| 145537 | PAINT WELL HEAD AND PIPING             | 9/19/2024 | SOUTH HILL WELL              | \$19.30  |
| 145541 | CHANGE CL2 CYLINDERS                   | 9/19/2024 | SUPERIOR WELL                | \$19.30  |
| 145547 | GENERAL GROUNDS MAINTENANCE            | 9/19/2024 | OAKLAWN WELL                 | \$38.61  |
| 145577 | WELL DAILY INSPECTION                  | 9/19/2024 | PINE STREET WELL             | \$548.47 |

