




**BILOXI FIRE DEPARTMENT
INCIDENT SUMMARY REPORT FOR
1E WEEK OF September 9 September 16 2024**

1 - Fires (Structure & Vehicle)	5
2 - Rupture/Explosion	0
3 - Emergency Medical Services/Rescue	73
4 - Hazardous Conditions	6
5 - Service Calls	24
6 - Good Intent	6
7 - Fire Alarm Calls; Active, Malfunction	17
8 - Weather/Natural Disaster	3
9 - Special Incident Type	2
Total	<u>136</u>


WEEKLY COUNT OF INCIDENT TYPE



Breakdown by Major Incident Types (553)

Start Date: 9/9/2024 7:00:00 | End Date: 9/16/2024 7:00:00

Runs by Incident Series



Incident Series

Incident Series	# of Incidents	% of Incidents
No Incident Series	5	4%
[100] Fire	5	4%
[300] Rescue & Emergency Medical Service Incident	73	54%
[400] Hazardous Condition (No Fire)	6	4%
[500] Service Call	24	18%
[600] Good Intent Call	6	4%
[700] False Alarm & False Call	17	13%
Grand Total	136	100%

Incident Type	Number of Incidents	% of Total
No type	5	4%
[111] Building fire	2	1%
[115] Incinerator overload or malfunction, fire confined	1	1%
[118] Trash or rubbish fire, contained	1	1%
[132] Road freight or transport vehicle fire	1	1%
[311] Medical assist, assist EMS crew	11	8%
[321] EMS call, excluding vehicle accident with injury	58	43%
[322] Motor vehicle accident with injuries	2	1%
[324] Motor vehicle accident with no injuries.	1	1%
[353] Removal of victim(s) from stalled elevator	1	1%
[412] Gas leak (natural gas or LPG)	1	1%
[420] Toxic condition, other	1	1%
[441] Heat from short circuit (wiring), defective/worn	2	1%
[444] Power line down	2	1%
[500] Service Call, other	1	1%
[511] Lock-out	1	1%
[550] Public service assistance, other	1	1%
[553] Public service	4	3%
[554] Assist invalid (Lift Assists)	16	12%
[561] Unauthorized burning / fire	1	1%
[611] Dispatched & canceled en route	4	3%
[622] No incident found on arrival at dispatch address	2	1%
[700] False alarm or false call, other	1	1%
[730] System malfunction, other	1	1%
[733] Smoke detector activation due to malfunction	3	2%
[734] Heat detector activation due to malfunction	1	1%
[735] Alarm system sounded due to malfunction	1	1%
[740] Unintentional transmission of alarm, other	1	1%
[741] Sprinkler activation, no fire - unintentional	1	1%
[743] Smoke detector activation, no fire - unintentional	2	1%
[744] Detector activation, no fire - unintentional	3	2%
[745] Alarm system activation, no fire - unintentional	3	2%

Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



Police Chief

John B. Miller

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


DATE: September 16, 2024

RE: Biloxi Police activity for September 9 – September 15, 2024


TOTAL CALLS FOR SERVICE	1708
TOTAL INCIDENT REPORTS	134
TOTAL OFFENSES (Violations/Reports)	163
TOTAL ARRESTS	103

Calls excluded from call type charts were: Extra Patrol –424; Suspicious Circumstances – 98; Traffic Stops – 249; and Walk & Talk – 49. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE



OFFENSES BY CATEGORY





DATE: September 16, 2024

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Sept 9 - 15, 2024

Building permits issued	77
Construction Valuation of permits issued	\$931,000
Building inspections performed	114
Business licenses	14
Renewals	83
Charter Boats	0
Peddler's licenses	7
Certificates of Occupancy issued	10 (1 was Short-Term Rentals)
Code enforcement cases opened	58
Code enforcement cases resolved	71



Engineering Department Weekly Update
September 16, 2024
(updates in red)

Projects Out to Bid

Projects in the Process of Being Awarded

- Bay Vista Water Well Repairs
- Division St. Warehouse Lean-To
- MGCCC Traffic Signal
- Popps Ferry Extension

Projects Under Construction

- BRIC Grant (Cedar Lake Bridge)
- Causeway Pier Repairs (east side)
- Sports Complex Field Improvements
- ~~Sports Complex Tennis Court Lights~~
- Tanglewood Phase II
- Woolmarket Road Sidewalks

Private Utility Work in ROW

- Anita Court (AT&T) – **Complete**
- Azalea Dr. (Porter to Azalea) – **Complete**
- Beauvoir (CSpire) – permit under review
- Christiano Subdivision – **AT&T under construction; when finished then Cspire will start their work**
- Glenn Eagle Subd (Coast Connect) – **Construction complete, working on cleanup and sodding**
- Hiller Drive (CSpire) – **permit under review**
- Irish Hill (St. John to Summer Place and south to Hwy 90) (CSpire) – permit under review
- Kensington (Benachi Ave. West) (CSpire) – permit under review
- Kenmore Ave. & Edgewater Drive (AT&T) – Under construction
- Keesler Circle (Caldwell west to St. Jude) (CSpire) – **Permit approved, waiting for a start date from contractor**
- McDonnell Ave (N of Pass Road) (CSpire) – permit under review
- Preserve Subdivision (Shriners Blvd.) (Sparklight) – **Under construction**
- Reserve at Marsh Island (Centerpoint) – **Complete**

Misc.

- Electrical poles on Hwy 90/Oak Street – met with MS Power, they are working up a cost
- Electrical poles at Kuhn St. – get with MS Power to put those underground
- Additional lights on Haise Statute – Contractor will be installing new lights, should start by the end of the week; will get Admin out after dark to approve the angle of lights
- Additional LED lights on Lighthouse that can change colors remotely – Contractor will installing new lights, should start in the next week; will have the capability to change color by remote, by phone or by computer; will get Admin out after dark to approve the angle of lights
- Public Safety Elevator Repairs – NTP Sept. 23rd, will take about 6 weeks to complete because they can only do one car at a time

Projects

- Bay Vista Water Well –Lyman Well at \$1.7m; NTP Nov. 4, 2024
- Bay Vista Water Line Replacement Project No. 1013 – Working toward 60% plans
- Belle La Vie Lift Station – Receive bids Oct. 16, 2024
- Biloxi-OS Bridge Walking Path Ramp – Have a plan to submit to MDOT, verbal discussions with MDOT indicate there won't be any issues with receiving a permit; BMA contract for final design will be on the council agenda in September
- Brashier Bayou Sediment Removal – have all the permits, getting plans/specs ready to advertise need funding, received Tideland's funding but the money won't be available until 2025
- Bridge Repairs
 - Cedar Lake Bridge – Have fracture critical repairs that need to be made, don't have quote yet on repairs or funding
- Causeway Pier Repairs (east side) – Work is on-going
- Cedar Lake Bridge BRIC Grant – Existing conditions report is complete, ready to have stakeholder and agency public meeting
- Concrete Annual Contract – See Repair-Replace list attached
- CTA Pass Road preemption/priority agreement – installation of preemption/priority equipment in the traffic signals along Pass Road, the City will be equipment to be installed in Fire Trucks as well, no cost to the City for 5 years, after 5 years will cost about \$4300 per year;

- Desporte Building Lean-To – Tapout Construction \$264K; **project has been awarded, waiting for contract documents to be approved to have pre-construction meeting; will be 8-12 weeks to get the materials delivered**
- Hwy 90 parking improvements – 90% set of plans being reviewed
- Lighthouse Pier – design complete, received Corps Permit, waiting on FEMA/MEMA funding issues to be resolved
- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal, Working with DMR to get dredging permit approval; Corps permit is out for public comment until July 15, 2024
- Kuhn St. Boat Launch Expansion – rejected bids, will rebid project once funding is available
- MGCCC Traffic Signal – Received bids July 17, 2024; apparent low bidder Powell Construction Services at \$450,000, Project was awarded on August 6, 2024; waiting on MDOT concurrence to send out contract documents to be executed by the contractor.
- Oak Street Pier (South) – Held 30% design meeting on August 1st; Cypress working toward 60% design by November
- Parker’s Creek Sediment Removal – Received the DMR permit, waiting on Corps permit; consultant checked on status of Corps permit on August 5th, waiting on response
- Paving – Phase I is complete, working on cost estimates to determine how much funding is needed for Phase II
- Phase II Paving (Ward is parenthesis)

▪ Lamey Street (HarCo) ▪ Pinecrest (7) ▪ Dundewood (7) ▪ RSR 1 & 2 ▪ Point Cadet Marina area (1)	▪ Cuevas Street ▪ Mercury Lane (5) ▪ Pine Grove Ave (5) Need costs for subsurface repairs and milling ▪ Briarfield Ave. (5)	▪ Beacon Pl. (5) ▪ Deming Pl. (5) ▪ Fayard Street (1) ▪ Victory Lane (7) ▪ Jackson St. bricks (1) ▪ Monie Vista (4)
--	--	--
- Point Cadet Living Shoreline (BMA) – DMR approved the scope change, will have 100% plans for final review by City and Covington by the end of this week
- Point Cadet Nearshore #1096 (BMA) – design on-going, permitting is going to take longer than we thought, it’s probably going to be another 6-12 months in permitting
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, waiting on Restore grant agreement from MDEQ to begin design

- Point Cadet Marina Phase III – have preliminary layout that needs approval so a cost estimate can be developed so we can be ready for round 3 of funding
- Popp’s Ferry Extension #913 –
 - CSX formal easement documents should be received soon
 - Awarded contract to Necaise Bros. in the amount of \$20.8M, working through the MDOT process to get approval to hold pre-construction meeting
- Popp’s Ferry Bridge Draw Replacement – NS contract is under preliminary review by MDOT
- Port Repair Replace Contract – Emergency repairs to piers to Point Cadet Marina are complete;
- Repair/Replace Contract – See attached
- Rodenberg at Pass Road Intersection – ROW acquisition underway; letters to property owners asking if they will be willing to donate property will be going out in the next week
- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed meeting with Seymour this week for an update
 - Hiller Park Pond - have permits
 - Point Cadet Marina – have permits
 - Parkers Creek – pending Corps permit
 - Brasher Bayou – Have permits, ready to bid, need funding
- Shriners Blvd. Widening – This project is in the draft TIP for approval, it still has to go to MDOT and be adopted in the STIP, construction funding will be in 2027, but we will be able to start the design process in September or October
- Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M); finishing the punchlist and parking lot; **paving is only remaining item**
- Sport Complex Tennis Court Lights –Weaver Electric - \$178K; **Work is complete, but MUSCO has to come out to work on controls and there is severe washout around one of the light poles that will be fixed as an emergency repair under Bottom 2 Top**
- Tanglewood Infrastructure Ph II (MP) – DNA Underground - \$2.3m – NTP: 02/05/2024 - 270 days – Comp: 11/01/2024, work has started so far, no major concerns
- Tanglewood Sewer Replacement – Held design kick off meeting, project will be ready to bid in November 2024

- Ward 2 Recreational Center – Site plan has been approved by DRC, building plans are at 100%, Pickering is going to submit for building plan review so when the project goes out to bid the building permit will be ready to be applied for by the contractor
- Woolmarket Road Sidewalks – (Machado Patano) – Landmark Construction; \$998,507.43; NTP October 23, 2024; Completion – April 2025
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 75% complete, this project will have to be broken out into phases but we're waiting to see how much funding we receive before doing that and finalizing the design

Repair/Replace Work Status
as of 09/16/2024

Updates in red

Status	Priority	Location	Description of Work
Under Const.	0	Anatole Bay Drainage	Drainage issue coming from La Bonne Terre onto Anatole Bay property; pouring concrete boxes and ditch, final dirt work and sod are only remaining work; expected completion Oct. 1st
Under Const.	0	Beauvior Home Drainage	Replacing a failing drainage pipe in city easement - Under construction
Under Const.	0	Desporte's Building - Concrete Pad	Concrete contractor to install concrete pad 50' along the east side of the building - fill has been brought in, the concrete pad will be poured after the installation of the lean-to
Complete	0	Majestic Oaks RV Park	Rear drainage is not working causing their detention pond to back up work on-going; work 90% complete, waiting for ground to dry out to finish clearing ditch
Complete	0	Iberville & Pringle Circle	Emergency Repair due to sewer cave in
Under Const.	0	Lameuse Street south of Hwy 90	Emergency Repair due to storm drain cave in; investigated and
Under Const.	0	Shorecrest Drive Water Relocation	Relocation of watermain for Hawk Creek Subdivision
Pending Quote	0	Sports Complex Light pole	Erosion around the new light pole, apparently the new pole hit a drainage line; emergency repair this week due to severe erosion
Under Const.	1	Buena Vista Lift Station Lining	Replacing the liner in the lift station - work was delay due to Hurricane, expected to start this week
Pending Const.	1	Sunkist Ponds Clean out drainage ponds	Sunkist Golf Course drainage ponds in city easements need to be cleaned
Pending Const.	1	Mill Creek Sidewalk Repair	Concrete panel is collapsed this can be done under the concrete annual bid - this week
Pending Const.	1	John Lee Rd. Sidewalk	Install sidewalk from Mill Creek Estates to Woolmarket Elementary School - starting this week
Pending Const.	1	Watersview, 695	Concrete sidewalk repair - Will be done after Mill Creek Sidewalk Repairs
Need Quote	5	Brister Place 1373	Drainage pipe failure about 40' of bad pipe in front of 1373 Brister SR46471
Pending Const.	10	Oaklawn West Ditch Cleaning	Clean out ditch to accept water from new houses being built across the street
Pending Const.	10	Tara Lane Drainage Repairs	Replace collapsed pipe
Pending Const.	10	Chambers Cove - Sewer cave in	SR# 46489 - pothole due to sewer cave in
Need Quote	10	Irish Hill & White Ave Storm Drain Grate	Storm drain grate needs to be raised
Investigate	10	Irish Hill & Gill Ave Sewer Repair	Point Repair of sewer

Status	Priority	Location	Description of Work
Investigate	10	Pass Road near Rodenberg Pothole	SR # 46726 - Pothole from potential sewer cave in
Investigate		Airport Rd. Ditches	Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029
Need Quote		Atkinson Road Bridge Undermining	Per the bridge inspection report there is severe undermining
Pending PO		Azalea/Irish Hill	Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this
Need Quote		Benachi, 116	Road repaved by Infrastructure Contractor is higher than sidewalk and water rushes from the street almost to their front door
Need Quote		Beverin Rd. and Jack Graves waterline	Waiting on Shriners Blvd. Waterline project to be completed
Need Quote		Bike Sharrows	Around east biloxi for Biloxi Bicycle Works
Investigating		The Bluffs Concrete Street	Numerous concrete street panels need to be replaced
Investigate		Boyette Rd. Drainage	Ditches need to be regraded (Kathy Santiago)
Quote		Carolwood add curb inlet	Install curb inlet in area that is holding water
Investigate		Carter Road, 328	Investigate sink hole
Investigate		Cherry Ln & Riverview culvert replaced	Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Need Quote		Churchill concrete ditch groundwater issues	Going to see if Helms Polyfoam will work in this area
Need Quote		Coventry Square Concrete Road Repair	Repair failing concrete panels
Need Quote		Crane Ridge 2089	Ditch is holding water
Investigate		Division & New St. Sinkhole	Need to investigate large sinkhole forming
Investigate		Edgewater Park Sidewalk Repairs	Investigate to determine specific locations
Need Quote		Enclave Concrete Street Repair	Repair failing concrete panels
Need Quote		Fairview Drive/Pass Road	Road flooded during heavy rain, need storm drains cleaned out
Need Quote		Fearn drive ditch	install pipe in the ditch behind the houses on Fearn drive
Need Quote		Hiller Park Bridge erosion	
Need Quote		Hiller Park LS erosion	Correct erosion problem just west of the lift station
Investigate		Hilton Avenue, 334	Drainage issue with culvert, water flows down the hole not into the drain
Need Quote		Howard Ave. Flush storm drains	Storm drains on Howard Ave. are full of debris

Status	Priority	Location	Description of Work
Investigate		Iberville & Hwy 90 Cave in	Cave-in in the grass
Need Quote		Jefferson Davis Sidewalk	make repairs to sidewalk - SR issued to PW
Need Quote		John Lee Rd. 13403	Culverts and ditches need to be cleaned out
Investigate		Kayleigh Cove Flooding	Woolmarket Rd./Kaylie Cove flooded during heaving rain, impacting daycare access
Investigate		Glen Eagle west side ditch	ditch erosion in rear of propert
Need Quote		Grady St. Sidewalk	Install sidewalk on Grady Street for elderly resident
Investigate		Greenhill Circle Ditch	County cut ditches and now two residents are saying their property holds water
Investigate		La Bonne Terre Drainage	425 LeBlanc Cv and 430 LeBlanc Cv extend culvert to stop erosion
Need Quote		La Bonne Terre Concrete Repair	Misc. Concrete street repairs needed throughout the neighborhood
Need Quote		Lorraine Road ditches	Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098
Need Quote		Lorraine Rd. 13143	Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572
Investigate		Main St. & Water St. Sinkhole	Need to video storm drain to see what's happening
Investigate		McDonnell Ave. Pothole	By Racetrack south of Irish Hill
Investigate		Melissa Drive Detention Pond	Detention Pond needs to be cleaned out.
Investigate		Nelson Rd. 373	Drainage coming of the church parking lot is flooding her yard
Need Quote		North Oaklawn Rd. 12387	Ditches need to be cleaned
Need Quote		Orleans & Carter pothole	PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair
Investigate		Pin Oak Lift Station Ditch	Ditch runs north from lift station; resident at 10351 Pin Oak requested this work
Need Quote		Pin Oak & North River View	Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes	sinholes at manholes on Pine Grove
Investigate		Popps Ferry Road Potholes	South of Bridge - need manhole lid risers
Need Quote		Pringle Circle	Sewer repairs
Need Quote		Rich Ave. Waterline	Add fire protection for office building and Rich Ave
Need Quote		River Place Concrete Street Repairs	Repair failing concrete panels

Status	Priority	Location	Description of Work
Need Quote		Rodenberg potholes	Have video of this area, this is going to be a major repair, will probably need to be a capital project
Investigate		Sheridan Court 2576	Water coming off the street into residents garage, causing garage to flood
Need Quote		Southeastern Doors & Windows	Sinkhole by curb inlet, getting video to assess problem
Need Quote		Tribe Drive Concrete Ditches	Clean debris and dirt out of the ditch
Pending Const.		Woodland Park Dr street repair	Asphalt repair - B2T is going to see if Gulf Pride can do this
cancelled		Alyeska Condos	Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed - flushing is complete
Complete		Beauvoir and Railroad Liftstation Repair	This was ordered by PW, rework valve & check valve box, redo piping
Cancelled		Beau Chene drainage cleaning	Clean out drainage behind houses so water will drain - this is a conservation easement cannot work in this wetland area.
Complete		Cedar Lake Rd. Ditch	Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next
Complete		Claudette Court Concrete Street Repair	
cancelled		Club Moss Drainage	equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one. This is going to take a capital project due to wetlands and amount of vegetation present
Complete		Davis St., 396 Sewer	Ordered by infrastructure team, no information provided to Engineering
Complete		Destiny Plantation ditch cleaning	Clean out ditch behind houses in Destiny Plantation - ordered by PW
Complete		Division & Porter Hydrant Repairs	Hydrant leg is leaking
Complete		Division St. Driveway Repair	
Complete		Fire Station No. 10 Driveway Cave in	driveway is caving in over a collapsed storm drain
Complete		G.E. Ohr Sinkhole	Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week
Complete		GE Ohr & St. John Lining	Line the sewer pipes to repair cracks
Complete		G.E. Ohr Sewer Repair - Emergency	emergency repair of sewer main in GE Ohr.
Complete		GE Ohr City Parking Lot Sewer Repair	Rerouting sewer through the parking to GE Ohr due to clog in line going south
Complete		GE Ohr Emergency Sewer Repair	Sewer manhole broken during paving

Status	Priority	Location	Description of Work
Complete		Goosepoint Drainage	Add a drainage inlet in the rear yard drainage line.
Complete		Graham Street 272 drainage	Remove pipe that was supposed to be flow filled by ORC
Complete		Hickman Road Sewer - Emergency	emergency repair of forcemain on Hickman Road
Complete		Howard & Caillavet - water main break on weekend	Repair a broken water main - waiting on invoice
Complete		Hwy 90 (777 Beach Blvd.)	water leak
Cancelled		Jim Byrd Rd. ditch cleaning	Ditches need to be recut - HarCo to do this work
Cancelled		Jim Byrd Rd. 14080	Culvert needs to be cleaned out or replaced - HarCo to do this work
Complete		1187 Karli Lane	County redid road by house causing her driveway to flood - pipe has been ordered ongoing
Complete		La Bonne Terre Blvd. Concrete Repair	HOA replaced the panel without fixing the storm drain box
Complete		Louise St. drainage replacement	Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St. 95% complete
Complete		McDonnell Ave. Lift Station	Ordered by PW, needs new concrete lid with hatch
Complete		Mercedes Drive	Huge cave-in in the road that goes to the boat ramp
Complete		Miller Street Cave-in	Cave-in in the grass next to asphalt going up underneath the new asphalt
Cancelled		Oakridge ditch too deep	Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda Being handled by the county
Complete		Old Hwy 67 Ditch Maintenance	Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction
Cancelled		Old Biloxi Library sewer repairs	PW ordered this work, need to find out what's going on PW handled this work
Complete		Porter Ave. Emergency Water Repair	Water main break
Complete		River Estates Circle Drainage	Ordered by PW, no information on scope.
Complete		Rodenberg & RR Lift Station Repair	This was ordered by PW, no information on scope or status
Complete		Rustwood Emergency Water Repair	Emergency water main break over the weekend
Complete		St. Charles & Hwy 90	Emergency repair of water line ahead of paving
Complete		St. John Emergency Sewer Repair	Sewer main break
Complete		Seal Avenue/Division St.	Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway
Complete		Seal Ave Storm Drain Repairs	Ordered by Infrastructure, no information on scope

Status	Priority	Location	Description of Work
Complete		Spanner Lane Sewer Repair/FH Relocate	Ordered by Infrastructure, no information on scope (old PO no. 20235756)
Complete		Spring Ridge & Brighton Circle Sinkhole	Sinkhole is forming at curb inlet this work should begin the week of 3/11/2024
Complete	0	St. Mary Blvd. Emergency Sewer Repair	Emergency sewer repair for Public Works
Cancelled		Sunrise Court drainage	605 Sunrise Court, extend drain pipe to past fence - County is going to do this work
Complete		Veterans Ave Storm Drain Repair	Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in
Complete		Wilkes Water & Sewer	Work is complete, paving to start this week
Complete		West Drive Drainage Box	Repairs to failing storm drain box
Complete		Woolmarket Rd. Water Leak	Water leak at Catfish restaurant waiting on 811 locates then will start investigative digging exposed the entire forcemain, water service and backflow and could not find any leak, informed property owner that it must be ground water

Total FY23-24	\$1,802,737.71
Pending	\$471,915.97
Complete	\$1,330,821.74

City of Biloxi Public Works Department

Completed Work Orders for 9/9/24-9/15/24

WorkOrderId	Description	Actual Finish	Address	Total Cost
145187	RESTROOM-REPAIR WATER LINES	9/9/2024	CEMETERY RESTROOM	\$134.78
145155	PREVENTIVE MAINTENANCE	9/9/2024	COMMUNITY DEVELOPMENT (MLK BUILDING)	\$0.00
145250	REPAIR/REPLACE WATER LINES	9/9/2024	HILLER PARK ARMORY	\$116.70
145303	REPLACE LIGHT BULBS	9/12/2024	CITY HALL	\$135.95
145276	REPAIR CLEAN OUT	9/12/2024	190 LEE ST	\$21.88
145280	ELECTRICAL ROUTINE MAINTENANCE - LS	9/12/2024	DIAZ STREET L.S.	\$75.87
145332	ELECTRICAL ROUTINE MAINTENANCE - LS	9/15/2024	GATES OF BILOXI L.S.	\$151.74
145281	ELECTRICAL REPAIR - LS	9/12/2024	EAST SHORECREST DRIVE L.S.	\$75.87
145139	ELECTRICAL ROUTINE MAINTENANCE - LS	9/9/2024	GATES OF BILOXI L.S.	\$151.74
145278	ELECTRICAL ROUTINE MAINTENANCE - LS	9/11/2024	GATES OF BILOXI L.S.	\$202.32
145282	ELECTRICAL REPAIR - LS	9/12/2024	CAMPBELL DRIVE @ MITCHELL L.S.	\$126.45
145330	ELECTRICAL ROUTINE MAINTENANCE - LS	9/13/2024	GATES OF BILOXI L.S.	\$151.74
145343	REPAIR CLEAN OUT	9/13/2024	598 WETZEL DR	\$93.56
145279	ELECTRICAL REPAIR - LS	9/12/2024	6th STREET L.S.	\$101.16
145331	ELECTRICAL ROUTINE MAINTENANCE - LS	9/15/2024	GATES OF BILOXI L.S.	\$151.74
145344	REPAIR CLEAN OUT	9/13/2024	588 WETZEL DR	\$111.12
145253	CLEAN CATCH BASIN	9/10/2024	IRISH HILL DR	\$784.54
145261	CLEAN CATCH BASIN	9/10/2024	MICHELLE DR	\$508.69
145273	CLEAN CATCH BASIN	9/11/2024	MICHELLE DR	\$248.77
145319	FLUSH LINES	9/9/2024	2344 COUNTRY CLUB LN	\$228.40
145329	CLEAN CATCH BASIN	9/12/2024	HOWARD AVE	\$82.48

145270	CLEAN CATCH BASIN	9/11/2024	PASS RD	\$218.89
145271	CLEAN CATCH BASIN	9/11/2024	BRASHER RD	\$41.46
145295	CLEAN CATCH BASIN	9/12/2024	irish hill	\$573.51
145260	CUT TREE/ LIMBS/ BUSHES	9/10/2024	2281 CLUB MOSS CIR	\$74.22
145267	DAILY TRASH PICK UP	9/11/2024	PINE ST	\$510.98
145272	DAILY TRASH PICK UP	9/11/2024	758 WHITNEY DR	\$29.72
145291	CUT TREE/ LIMBS/ BUSHES	9/12/2024	B ST	\$162.97
145296	CUT TREE/ LIMBS/ BUSHES	9/12/2024	198 CRAWFORD ST	\$105.47
145316	CUT/CLEAN CITY PROPERTY	9/9/2024	TARA LN	\$1,636.62
145322	CUT TREE/ LIMBS/ BUSHES	9/12/2024	rodeo dr	\$208.73
145328	CUT TREE/ LIMBS/ BUSHES	9/12/2024	BACK BAY BLVD	\$27.49
145336	DAILY TRASH PICK UP	9/12/2024	132 THOMAS ST	\$110.79
145371	DAILY TRASH PICK UP	9/13/2024	AJ HOLLOWAY DR	\$670.26
145178	BARRICADE SETUP/REMOVE	9/10/2024	CADET ST	\$388.95
145255	SAND REMOVAL/ HAULED	9/13/2024	JOHN HENRY BEAK PARK	\$1,169.96
145268	DAILY TRASH PICK UP	9/11/2024	HOWARD AVE	\$479.21
145293	CUT TREE/ LIMBS/ BUSHES	9/12/2024	FATHER RYAN AVE	\$176.27
145297	SAND REMOVAL/ HAULED	9/11/2024	WEST OAKLAWN RD	\$1,204.15
145305	EQUIPMENT DELIVERY/PICKUP	9/11/2024	9378 OAKLAWN RD	\$140.07
145324	CUT TREE/ LIMBS/ BUSHES	9/12/2024	ALICIA DR	\$34.74
145333	DAILY TRASH PICK UP	9/11/2024	PINE ST	\$383.00
145372	LITTER CONTROL	9/13/2024	WEST OAKLAWN RD	\$447.47
145249	DAILY TRASH PICK UP	9/9/2024	TARA LN	\$670.26
145256	DAILY TIRE PICKUP	9/10/2024	ELMER ST	\$192.45
145262	LANDSCAPE WORK	9/10/2024	BOND HOUSE	\$103.96
145274	CUT TREE/ LIMBS/ BUSHES	9/11/2024	BAYLY DR	\$803.50
145294	CUT TREE/ LIMBS/ BUSHES	9/12/2024	BAY SHORE DR	\$108.08
145320	CUT TREE/ LIMBS/ BUSHES	9/12/2024	FAYARD ST	\$212.84
145325	CUT TREE/ LIMBS/ BUSHES	9/12/2024	BAY POINTE DR	\$34.74
145334	DAILY TRASH PICK UP	9/12/2024	B ST	\$110.79
145368	DAILY TRASH PICK UP	9/13/2024	436 LAMEUSE ST	\$110.79
145373	REPAIR POT HOLE	9/13/2024	WOOLMARKET RD	\$159.49
145275	CUT TREE/ LIMBS/ BUSHES	9/12/2024	BENT OAKS BLVD	\$280.99
145311	EQUIPMENT MAINTENANCE	9/11/2024	9378 OAKLAWN RD	\$444.29
145321	REPAIR POT HOLE	9/12/2024	iberville dr	\$57.62
145327	CUT TREE/ LIMBS/ BUSHES	9/12/2024	1ST ST & CEDAR ST	\$27.49

145335	DAILY TRASH PICK UP	9/12/2024	JOHN LEE RD	\$383.00
145369	DAILY TRASH PICK UP	9/13/2024	ESTERS BLVD	\$166.19
90367	REPLACE LID	9/10/2024	847 BRENTWOOD DR, BILOXI, MS, 39532	\$0.00
145236	REPAIR/REPLACE METER BOX	9/10/2024	115 MIRAMAR AVE	\$38.61
142895	REPAIR/REPLACE METER BOX	9/12/2024	761 BAYBREEZE DR	\$0.00
145248	REPAIR WATER LINE	9/9/2024	2411 hinman dr	\$178.53
145277	REPAIR WATER LINE	9/12/2024	578 LEE ST	\$981.24
145341	REPAIR WATER LINE	9/13/2024	214 DELAUNEY ST	\$535.15
123136	REPLACE MUSHROOM CAP	9/13/2024	1312 FATHER RYAN AVE	\$92.81
145302	FLUSH HYDRANT	9/9/2024	125 MIRAMAR AVE	\$115.82
145233	TURN OFF METER FOR RESIDENT	9/9/2024	POINT CADET PAVILION	\$55.52
145243	REPAIR WATER LINE	9/9/2024	324 WESTVIEW DR	\$151.17
145174	WELL DAILY INSPECTION	9/9/2024	PINE STREET WELL	\$438.40
145246	WELL DAILY INSPECTION	9/10/2024	PINE STREET WELL	\$438.40
145300	CHLORINATION SYSTEM	9/9/2024	SPORTS COMPLEX WELL	\$19.30
	ADJUST/EXERCISE			
145304	GENERAL GROUNDS MAINTENANCE	9/11/2024	KUHN ST WELL	\$79.37
145308	GENERAL GROUNDS MAINTENANCE	9/11/2024	PINE STREET WELL	\$79.37
145312	GENERAL GROUNDS MAINTENANCE	9/12/2024	GREATER AVE WELL	\$79.37
145356	CHANGE CL2 CYLINDERS	9/12/2024	KUHN ST WELL	\$23.22
145301	GENERAL GROUNDS MAINTENANCE	9/9/2024	SOUTH HILL WELL	\$38.61
145309	GENERAL GROUNDS MAINTENANCE	9/11/2024	PINE STREET WELL	\$19.30
145313	CHLORINATION SYSTEM	9/11/2024	VEE ST WELL	\$19.30
	ADJUST/EXERCISE			
145357	CHLORINATION SYSTEM	9/12/2024	KUHN ST WELL	\$23.22
	ADJUST/EXERCISE			
145298	CHANGE CL2 CYLINDERS	9/9/2024	SPORTS COMPLEX WELL	\$19.30
145306	GENERAL GROUNDS MAINTENANCE	9/11/2024	KUHN ST WELL	\$39.68
145310	GENERAL GROUNDS MAINTENANCE	9/11/2024	MAPLE ST WELL	\$79.37
145314	CHLORINATION SYSTEM	9/12/2024	67 & OAKLAWN WELL	\$19.30
	ADJUST/EXERCISE			
145257	WELL DAILY INSPECTION	9/11/2024	PINE STREET WELL	\$438.40
145266	WELL DAILY INSPECTION	9/12/2024	PINE STREET WELL	\$548.47
145283	ELECTRICAL REPAIR - WELL	9/11/2024	OAKLAWN WELL	\$126.45
145299	CHLORINATION SYSTEM	9/9/2024	SPORTS COMPLEX WELL	\$19.30
	ADJUST/EXERCISE			
145307	GENERAL GROUNDS MAINTENANCE	9/11/2024	TULLIS MANOR WELL	\$79.37

145315	WELL DAILY INSPECTION	9/13/2024	PINE STREET WELL	\$438.40
--------	-----------------------	-----------	------------------	----------

90				\$21,531.68
-----------	--	--	--	--------------------