




BILOXI FIRE DEPARTMENT **INCIDENT SUMMARY REPORT FOR** **THE WEEK OF October 7 to October 14 2024**

1 - Fires (Structure & Vehicle)	10
2 - Rupture/Explosion	3
3 - Emergency Medical Services/Rescue	97
4 - Hazardous Conditions	9
5 - Service Calls	17
6 - Good Intent	13
7 - Fire Alarm Calls; Active, Malfunction	17
8 - Weather/Natural Disaster	2
9 - Special Incident Type	2
Total	<u>170</u>


WEEKLY COUNT OF INCIDENT TYPE



Breakdown by Major Incident Types (553)

Start Date: 10/7/2024 7:00:00 | End Date: 10/14/2024 7:00:00

Runs by Incident Series



Incident Series

Incident Series	# of Incidents	% of Incidents
No Incident Series	7	4%
[100] Fire	10	6%
[300] Rescue & Emergency Medical Service Incident	97	57%
[400] Hazardous Condition (No Fire)	9	5%
[500] Service Call	17	10%
[600] Good Intent Call	13	8%
[700] False Alarm & False Call	17	10%
Grand Total	170	100%

Incident Type	# of Incidents	% of Total
No type	7	4%
[111] Building fire	3	2%
[118] Trash or rubbish fire, contained	1	1%

Incident Type	# of Incidents	% of Total
[131] Passenger vehicle fire	1	1%
[137] Camper or recreational vehicle (RV) fire	1	1%
[142] Brush or brush-and-grass mixture fire	2	1%
[151] Outside rubbish, trash or waste fire	2	1%
[311] Medical assist, assist EMS crew	7	4%
[320] Emergency medical service incident, other	1	1%
[321] EMS call, excluding vehicle accident with injury	82	48%
[322] Motor vehicle accident with injuries	1	1%
[324] Motor vehicle accident with no injuries.	4	2%
[341] Search for person on land	1	1%
[350] Extrication, rescue, other	1	1%
[411] Gasoline or other flammable liquid spill	2	1%
[412] Gas leak (natural gas or LPG)	3	2%
[442] Overheated motor	1	1%
[445] Arcing, shorted electrical equipment	2	1%
[462] Aircraft standby	1	1%
[551] Assist police or other governmental agency	1	1%
[552] Police matter	2	1%
[554] Assist invalid (Lift Assists)	12	7%
[561] Unauthorized burning / fire	2	1%
[611] Dispatched & canceled en route	8	5%
[622] No incident found on arrival at dispatch address	2	1%
[631] Authorized controlled burning	1	1%
[651] Smoke scare, odor of smoke	2	1%
[733] Smoke detector activation due to malfunction	1	1%
[735] Alarm system sounded due to malfunction	4	2%
[740] Unintentional transmission of alarm, other	1	1%
[743] Smoke detector activation, no fire - unintentional	3	2%
[744] Detector activation, no fire - unintentional	3	2%
[745] Alarm system activation, no fire - unintentional	5	3%
Grand Total	170	100%

Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us

**Police Chief****John B. Miller**

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100



Fax: 228.374.1922

www.biloxi.ms.us

DATE: October 14, 2024**RE:** Biloxi Police activity for October 7 – October 13, 2024

TOTAL CALLS FOR SERVICE	2450
TOTAL INCIDENT REPORTS	168
TOTAL OFFENSES (Violations/Reports)	221
TOTAL ARRESTS	131

Calls excluded from call type charts were: Extra Patrol – 408; Suspicious Circumstances – 119; Traffic Stops – 851; and Walk & Talk – 33. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE**OFFENSES BY CATEGORY**



DATE: *October 7, 2024*

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Oct 7-13, 2024

Building permits issued	63
Construction Valuation of permits issued	\$1,407,900
Building inspections performed	145
Business licenses	7
Renewals	44
Charter Boats	0
Peddler's licenses	9
Certificates of Occupancy issued	8 (0 were Short-Term Rentals)
Code enforcement cases opened	10
Code enforcement cases resolved	36



Engineering Department Weekly Update

October 14, 2024

(updates in red)

Projects Out to Bid

- Pre-Event Debris Removal Contractor

Projects in the Process of Being Awarded

- Bay Vista Water Well Repairs
- Division St. Warehouse Lean-To
- MGCCC Traffic Signal
- Popps Ferry Extension

Projects Under Construction

- BRIC Grant (Cedar Lake Bridge)
- Causeway Pier Repairs (east side)
- Sports Complex Field Improvements
- Tanglewood Phase II
- Woolmarket Road Sidewalks

Private Utility Work in ROW

- Azalea Dr. (Porter to Azalea) – Complete
- Beauvoir (CSpire) – permit under review
- Christiano Subdivision –AT&T under construction; when finished then Cspire will start their work
- Glenn Eagle Subd (Coast Connect) – Construction complete, working on cleanup and sodding
- Hiller Drive (CSpire) – permit under review
- Irish Hill (St. John to Summer Place and south to Hwy 90) (CSpire) – permit under review
- Kensington (Benachi Ave. West) (CSpire) – permit under review
- Kenmore Ave. & Edgewater Drive (AT&T) – Complete
- Keesler Circle (Caldwell west to St. Jude) (CSpire) – Boring starting today
- McDonnell Ave (N of Pass Road) (CSpire) – permit under review
- Motise Road – Under construction
- Preserve Subdivision (Shriners Blvd.) (Sparklight) – Boring complete, pulling wire now

Misc.

- Electrical poles on Hwy 90/Oak Street – met with MS Power, they are working up a cost
- Electrical poles at Kuhn St. – get with MS Power to put those underground
- Public Safety Elevator Repairs – NTP Sept. 23rd, will take about 6 weeks to complete because they can only do one car at a time

Projects

- Bay Vista Water Well –Lyman Well at \$1.7m; NTP Nov. 4, 2024
- Bay Vista Water Line Replacement Project No. 1013 – Working toward 60% plans
- Belle La Vie Lift Station – **Receive bids Oct. 16, 2024**
- Biloxi-OS Bridge Walking Path Ramp – Have BMA contract for final design pending funding to put on council agenda for approval
- Brashier Bayou Sediment Removal – have all the permits, getting plans/specs ready to advertise need funding, received Tideland's funding but the money won't be available until 2025
- Causeway Pier Repairs (east side) – **Work is complete**
- Cedar Lake Bridge BRIC Grant – Existing conditions report is complete, ready to have stakeholder and agency public meeting
- Concrete Annual Contract – See Repair-Replace list attached
- CTA Pass Road preemption/priority agreement – installation of preemption/priority equipment in the traffic signals along Pass Road, the City will be equipment to be installed in Fire Trucks as well, no cost to the City for 5 years, after 5 years will cost about \$4300 per year;
- Desporte Building Lean-To – Tapout Construction \$264K; project has been awarded, waiting for contract documents to be approved to have pre-construction meeting; will be 8-12 weeks to get the materials delivered
- Hwy 90 parking improvements – **Ready to submit to MDOT for permit, construction is pending MDOT permit approval and funding**
- Lighthouse Pier – design complete, received Corps Permit, waiting on FEMA/MEMA funding issues to be resolved
- Keegan Bayou Restoration – Permits being requested, GOMESA project submitted to DMR, also in the Restore Act Portal, Working with DMR to get dredging permit approval; Corps permit is out for public comment until July 15, 2024

- MGCCC Traffic Signal – Received bids July 17, 2024; apparent low bidder Powell Construction Services at \$450,000, Project was awarded on August 6, 2024; waiting on MDOT concurrence to send out contract documents to be executed by the contractor.
- Oak Street Pier (South) – Held 30% design meeting on August 1st; Cypress working toward 60% design by November
- Parker’s Creek Sediment Removal – Received the DMR permit, waiting on Corps permit; consultant checked on status of Corps permit on August 5th, waiting on response
- Paving – Phase I is complete, working on cost estimates to determine how much funding is needed for Phase II
- Phase II Paving (Ward is parenthesis)

▪ Lamey Street (HarCo) ▪ Pinecrest (7) ▪ Dundewood (7) ▪ RSR 1 & 2 ▪ Point Cadet Marina area (1) ▪ Cuevas Street ▪ Mercury Lane (5)	▪ Pine Grove Ave (5) - Need costs for subsurface repairs and milling ▪ Briarfield Ave. (5) ▪ Beacon Pl. (5) ▪ Deming Pl. (5) ▪ Fayard Street (1) ▪ Victory Lane (7)	▪ Jackson St. bricks (1) ▪ Monie Vista (4) ▪ Comfort Place Lee to Keller (1) ▪ Jenkin Alley (1) ▪ Stacy Ln (6) ▪ Schonewitz (6) ▪ Jim Money (north of Atkinson (3)
---	---	---
- Point Cadet Living Shoreline (BMA) – DMR approved the scope change, will have 100% plans for final review by City and Covington by the end of this week
- Point Cadet Nearshore #1096 (BMA) – design on-going, permitting is going to take longer than we thought, it’s probably going to be another 6-12 months in permitting
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, waiting on Restore grant agreement from MDEQ to begin design
- Popp’s Ferry Extension #913 –
 - CSX formal easement documents should be received soon
 - Awarded contract to Necaise Bros. in the amount of \$20.8M, working through the MDOT process to get approval to hold pre-construction meeting
 - Groundbreaking October 16, 2023
- Popp’s Ferry Bridge Draw Replacement – NS contract is under preliminary review by MDOT
- Port Repair Replace Contract
 - Dredging Point Cadet Marina – pending construction have issued PO
 - Sherman Canaan Marina – working up costs for make substantial repairs

- Repair/Replace Contract – See attached
- Rodenberg at Pass Road Intersection – ROW acquisition underway; letters to property owners asking if they will be willing to donate property will be going out in the next week
- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed meeting with Seymour this week for an update
 - Hiller Park Pond - have permits
 - Point Cadet Marina – have permits
 - Parkers Creek – pending Corps permit
 - Brasher Bayou – Have permits, ready to bid, need funding
- Shriners Blvd. Widening – **Project was approved in the STIP; ready to begin the MDOT process by requesting Project Activation, which will be on council agenda end of Oct. beginning of Nov.**
- Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M); finishing the punchlist and parking lot; paving is only remaining item **working on mucking out one last area of bad soil in order to complete the paving**
- Sport Complex Tennis Court Lights – **Complete**
- Tanglewood Infrastructure Ph II (MP) – DNA Underground - \$2.3m – NTP: 02/05/2024 - 270 days – Comp: 11/01/2024, work has started so far, no major concerns
- Tanglewood Sewer Replacement – Held design kick off meeting, project will be ready to bid in November 2024
- Woolmarket Road Sidewalks – (Machado Patano) – Landmark Construction; \$998,507.43; NTP October 23, 2024; Completion – April 2025
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 75% complete, this project will have to be broken out into phases but we're waiting to see how much funding we receive before doing that and finalizing the design

Repair/Replace Work Status
as of 10/14/2024

Updates in red

Status	Priority	Location	Description of Work
Under Const.	0	Anatole Bay Drainage	Drainage issue coming from La Bonne Terre onto Anatole Bay property; laying sod, waiting on fence
Under Const.	0	Desporte's Building - Concrete Pad	Concrete contractor to install concrete pad 50' along the east side of the building - fill has been brought in, the concrete pad will be poured after the installation of the lean-to
Under Const.	0	Lameuse Street south of Hwy 90	Emergency Repair due to storm drain cave in; investigated and backfilled; need to grout the storm drain and repave
Under Const.	0	Edgewater Park Sidewalk Repairs	Starting after cruising
Under Const.	0	Johnson Diesel Sewer Main	Run sewer service to connect to existing tap
Investigate	1	Carter Road, 328	Investigate sink hole at Carter & Orleans
Pending Const.	1	Oaklawn Rd. North ditch	Cut roadside ditch so that it drains to existing low spot from 9226 N Oaklawn rd. north
Pending Const.	1	Tara Lane Drainage Repairs	Replace collapsed pipe
Pending Const.	1	Irish Hill & Gill Ave Sewer Repair	Point Repair of sewer
Under Const.	2	Bike Sharrows	Around east biloxi for Biloxi Bicycle Works
Investigate	2	LeBlanc Cove Drainage	425 LeBlanc Cv and 430 LeBlanc Cv extend culvert to stop erosion - waiting on video
Investigate	2	2267 Club Moss Drainage and Concrete	
Need Quote	2	Atkinson Rd. / Gulf Shores Care Center	Grout the drainage and then repave the parking lot
Need Quote	3	Braun St. Drainage	Sinkhole due to pipe failure
Need Quote	3	Churchill concrete ditch groundwater issues	Going to see if Helms Polyfoam will work in this area
Need Quote	3	Howard & Joachim Drainage	Reconnect existing storm drain to inlet; was inadvertinetly missed during Infrastructure
Need Quote	3	Grady St. Sidewalk	Install sidewalk on Grady Street for elderly resident
Investigate	5	Pass Road near Rodenberg Pothole	SR # 46726 - Pothole from potential sewer cave in
Investigate	5	McDonnell Ave. Pothole	By Racetrack south of Irish Hill
Need Quote	5	Benachi, 116	Road repaved by Infrastructure Contractor is higher than sidewalk and water rushes from the street almost to their front door

Status	Priority	Location	Description of Work
Need Quote	5	Hiller Park LS erosion	Correct erosion problem just west of the lift station
Investigate	5	Nelson Rd. 373	Drainage coming of the church parking lot is flooding her yard
Need Quote	6	Fearn drive ditch	install pipe in the ditch behind the houses on Fearn drive
Investigate	10	Caillavet St. Water Leak	In the median of 421 of Caillavet St. - may be irrigation
Investigate	10	Nelson Road pothole	Potholes in Nelson road need to be fixed
Investigate	10	Edgewater Estates Sinkhole	Pothole near 324 Fairview Drive - PW backfilled, need to make permanent repair
Investigate	10	Chambers Cove - Sewer cave in	SR# 46489 - pothole due to sewer cave in need to get video to determine scope of work
Need Quote	10	Irish Hill & White Ave Storm Drain Grate	Storm drain grate needs to be raised
Need Quote		Beverin Rd. and Jack Graves waterline	Waiting on Shriners Blvd. Waterline project to be completed
Investigate		The Bluffs Concrete Street	Numerous concrete street panels need to be replaced
Investigate		Boyette Rd. Drainage	Ditches need to be regraded (Kathy Santiago)
Need Quote		Carolwood add curb inlet	Install curb inlet in area that is holding water
Investigate		Cherry Ln & Riverview culvert replaced	Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Need Quote		Coventry Square Concrete Road Repair	Repair failing concrete panels
Need Quote		Crane Ridge 2089	Ditch is holding water
Investigate		Division & New St. Sinkhole	Need to investigate large sinkhole forming
Need Quote		Enclave Concrete Street Repair	Repair failing concrete panels
Investigate		Hilton Avenue, 334	Drainage issue with culvert, water flows down the hole not into the drain
Investigate		Iberville & Hwy 90 Cave in	Cave-in in the grass SR No.
Need Quote		Jefferson Davis Sidewalk	make repairs to sidewalk - SR issued to PW
Investigate		Larkin Drive Drainage	Ditches need to be recut - drainage is backing up in yards
Investigate		Glen Eagle west side ditch	ditch erosion in rear of property
Investigate		Greenhill Circle Ditch	County cut ditches and now two residents are saying their property holds water
Need Quote		Lorraine Rd. 13143	Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572 PW replaced the culvert, need to have them cut the ditch

Status	Priority	Location	Description of Work
Investigate		Main St. & Water St. Sinkhole	Need to video storm drain to see what's happening
Investigate		Melissa Drive Detention Pond	Detention Pond needs to be cleaned out.
Need Quote		North Oaklawn Rd. 12387	Ditches need to be cleaned
Investigate		Pin Oak Lift Station Ditch	Ditch runs north from lift station; resident at 10351 Pin Oak requested this work
Need Quote		Pin Oak & North River View	Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes	sinholes at manholes on Pine Grove
Investigate		Popps Ferry Road Potholes	South of Bridge - need manhole lid risers
Need Quote		Rich Ave. Waterline	Add fire protection for office building and Rich Ave
Need Quote		River Place Concrete Street Repairs	Repair failing concrete panels
Need Quote		Rodenberg potholes	Have video of this area, this is going to be a major repair, will probably need to be a capital project
Investigate		Sheridan Court 2576	Water coming off the street into residents garage, causing garage to flood
cancelled		Alyeska Condos	Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed - flushing is complete
Cancel		Airport Rd. Ditches	Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029 ditches are not in terrible condition
Cancel		Atkinson Road Bridge Undermining	Per the bridge inspection report there is severe undermining - going to group this under a contract for bridge repairs
Cancel		Azalea/Irish Hill	Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this
Complete		Beauvoir and Railroad Liftstation Repair	This was ordered by PW, rework valve & check valve box, redo piping
Complete		Beauvoir Home Drainage	Replacing a failing drainage pipe in city easement - Complete
Cancelled		Beau Chene drainage cleaning	Clean out drainage behind houses so water will drain - this is a conservation easement cannot work in this wetland area.
Complete		Buena Vista Lift Station Lining	Replacing the liner in the lift station, should be complete this week
Cancel		Bohn St. Water leak	repair water leak north of Caillavet - found no water leaks

Status	Priority	Location	Description of Work
Complete		Cedar Lake Rd. Ditch	Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next
Complete		Claudette Court Concrete Street Repair	
cancelled		Club Moss Drainage	equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one. This is going to take a capital project due to wetlands and amount of vegetation present
Complete		Damon Court sinkhole	13408 Damon Court, sinkhole - may be damaged culvert - no city utilities therefore not a city issue
Complete		Davis St., 396 Sewer	Ordered by infrastructure team, no information provided to Engineering
Complete		Destiny Plantation ditch cleaning	Clean out ditch behind houses in Destiny Plantation - ordered by PW
Complete		Division & Porter Hydrant Repairs	Hydrant leg is leaking
Complete		Division St. Driveway Repair	
Cancel		Fairview Drive/Pass Road	Road flooded during heavy rain, need storm drains cleaned out
Complete		Fire Station No. 10 Driveway Cave in	driveway is caving in over a collapsed storm drain
Complete		G.E. Ohr Sinkhole	Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week
Complete		GE Ohr & St. John Lining	Line the sewer pipes to repair cracks
Complete		G.E. Ohr Sewer Repair - Emergency	emergency repair of sewer main in GE Ohr.
Complete		GE Ohr City Parking Lot Sewer Repair	Rerouting sewer through the parking to GE Ohr due to clog in line going south
Complete		GE Ohr Emergency Sewer Repair	Sewer manhole broken during paving
Complete		Goosepoint Drainage	Add a drainage inlet in the rear yard drainage line.
Complete		Graham Street 272 drainage	Remove pipe that was supposed to be flow filled by ORC
Complete		Hickman Road Sewer - Emergency	emergency repair of forcemain on Hickman Road
Complete		Howard & Caillavet - water main break on weekend	Repair a broken water main - waiting on invoice
Complete		Hwy 90 (777 Beach Blvd.)	water leak
Cancelled		Jim Byrd Rd. ditch cleaning	Ditches need to be recut - HarCo to do this work

Status	Priority	Location	Description of Work
Cancelled		Jim Byrd Rd. 14080	Culvert needs to be cleaned out or replaced - HarCo to do this work
Complete		John Lee Rd. 13403	Culverts and ditches need to be cleaned out - completed by county
Complete		John Lee Rd. Sidewalk	Install sidewalk from Mill Creek Estates to Woolmarket Elementary School - starting this week
Complete		Kayleigh Cove Flooding	Woolmarket Rd./Kaylie Cove flooded during heaving rain, impacting daycare access completed by Public Works
Complete		1187 Karli Lane	County redid road by house causing her driveway to flood - pipe has been ordered ongoing
Complete		La Bonne Terre Blvd. Concrete Repair	HOA replaced the panel without fixing the storm drain box
Complete		Lorraine Road ditches	Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098
Complete		Louise St. drainage replacement	Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St. 95% complete
Complete		Majestic Oaks RV Park	Rear drainage is not working causing their detention pond to back up work on-going; work 90% complete, waiting for ground to dry out to finish clearing ditch
Complete		McDonnell Ave. Lift Station	Ordered by PW, needs new concrete lid with hatch
Complete		Mercedes Drive	Huge cave-in in the road that goes to the boat ramp
Complete		Mill Creek Sidewalk Repair	Concrete panel is collapsed this can be done under the concrete annual bid - this week
Complete		Miller Street Cave-in	Cave-in in the grass next to asphalt going up underneath the new asphalt
Complete		Oaklawn West Ditch Cleaning	Clean out ditch to accept water from new houses being built across the street
Cancelled		Oakridge ditch too deep	Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda Being handled by the county
Complete		Old Hwy 67 Ditch Maintenance	Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction
Cancelled		Old Biloxi Library sewer repairs	PW ordered this work, need to find out what's going on PW handled this work
Complete		Porter Ave. Emergency Water Repair	Water main break
Complete		Pringle Circle	Sewer repairs
Complete		River Estates Circle Drainage	Ordered by PW, no information on scope.
Complete		Rodenberg & RR Lift Station Repair	This was ordered by PW, no information on scope or status
Complete		Rustwood Emergency Water Repair	Emergency water main break over the weekend
Complete		St. Charles & Hwy 90	Emergency repair of water line ahead of paving

Status	Priority	Location	Description of Work
Complete		St. John Emergency Sewer Repair	Sewer main break
Complete		St. Mary Blvd. Emergency Sewer Repair	Emergency sewer repair for Public Works
Complete		Seal Avenue/Division St.	Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway
Complete		Seal Ave Storm Drain Repairs	Ordered by Infrastructure, no information on scope
Complete		Shorecrest Drive Water Relocation	Relocation of watermain for Hawk Creek Subdivision
Complete		Spanner Lane Sewer Repair/FH Relocate	Ordered by Infrastructure, no information on scope (old PO no. 20235756)
Complete		Sports Complex Light pole	Erosion around the new light pole, apparently the new pole hit a drainage line; emergency repair this week due to severe erosion starting this week
Complete		Spring Ridge & Brighton Circle Sinkhole	Sinkhole is forming at curb inlet this work should begin the week of 3/11/2024
Complete	0	Sunkist Ponds Clean out drainage ponds	Sunkist Golf Course drainage ponds in city easements need to be cleaned should be starting this week but had a couple of emergency repairs come up that have to be done first
Cancelled		Sunrise Court drainage	605 Sunrise Court, extend drain pipe to past fence - County is going to do this work
Complete		Tribe Drive Concrete Ditches	Clean debris and dirt out of the ditch completed by Public Works
Complete		Veterans Ave Storm Drain Repair	Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in
Complete		Watersview, 695	Concrete sidewalk repair - Will be done after Mill Creek Sidewalk Repairs
Complete		Wilkes Water & Sewer	Work is complete, paving to start this week
Complete		West Drive Drainage Box	Repairs to failing storm drain box
Complete		Woolmarket Rd. Water Leak	Water leak at Catfish restaurant waiting on 811 locates then will start investigative digging exposed the entire forcemain, water service and backflow and could not find any leak, informed property owner that it must be ground water

Total FY23-24	\$1,794,605.31
Pending	\$463,784.57
Complete	\$1,628,476.54

City of Biloxi Public Works Department

Completed Work Orders for 10/7/24-10/13/24

WorkOrderId	Description	Actual Finish	Address	Total Cost
146095	REPLACE LIGHT BULBS	10/8/2024	195 REYNOIR ST	\$34.70
145996	PREVENTIVE MAINTENANCE	10/9/2024	HILLER PARK ALCUS WORKSHOP	\$0.00
146084	REPAIR ELECTRICAL COMPONENT	10/7/2024	WATER BILLING OFFICE	\$182.05
146103	AC REPAIR	10/9/2024	WOOLMARKET CITY CENTER	\$393.08
146134	PLUMBING REPAIRS	10/10/2024	LEE CHINN FIRE STATION 4	\$166.47
145254	STRUCTURE-PAINT	10/11/2024	GRUICH COMMUNITY CENTER	\$648.80
145651	STRUCTURE-PAINT	10/9/2024	LOPEZ QUAVE PUBLIC SAFETY CENTER	\$1,167.00
145907	STRUCTURE-REPAIR WALL	10/11/2024	LIGHTHOUSE VISITORS CENTER	\$155.60
143999	CLEAN A/C FILTER	10/9/2024	PUBLIC WORKS VEHICLE MAINTENANCE	\$166.03
145382	AC REPAIR	10/7/2024	CITY HALL	\$326.95
145908	RESTROOM-REPAIR SINK	10/7/2024	LIGHTHOUSE VISITORS CENTER	\$77.80
146173	BRIDGE MAINTENANCE	10/10/2024	ceder lake bridge	\$72.48
146079	ELECTRICAL ROUTINE MAINTENANCE - LS	10/7/2024	EDGEWATER @ 90 L.S.	\$21.88
146111	ELECTRICAL REPAIR - LS	10/8/2024	T & E L.S.	\$126.45
146115	CLEAN/FLUSH SEWER SERVICE	10/7/2024	2293 HARKNESS CT	\$1,017.46
146123	ELECTRICAL REPAIR - LS	10/9/2024	MALPASS LANDING L.S.	\$177.03
146167	ELECTRICAL ROUTINE MAINTENANCE - LS	10/12/2024	COVENANT SQUARE L.S.	\$21.88
146171	ELECTRICAL ROUTINE MAINTENANCE - LS	10/12/2024	RODENBERG @ HWY 90 L.S.	\$21.88
146221	REPAIR/REPLACE CASTING	10/13/2024	2036 beach blvd	\$165.02
146077	ELECTRICAL ROUTINE MAINTENANCE - LS	10/7/2024	COVENANT SQUARE L.S.	\$21.88
146113	ELECTRICAL ROUTINE MAINTENANCE - LS	10/9/2024	EDGEWATER @ 90 L.S.	\$21.88
146117	CLEAN MANHOLE	10/9/2024	119 RUE MAGNOLIA	\$826.68

146165	ELECTRICAL ROUTINE MAINTENANCE - LS	10/13/2024	RODENBERG @ HWY 90 L.S.	\$126.45
146169	ELECTRICAL ROUTINE MAINTENANCE - LS	10/12/2024	EDGEWATER @ 90 L.S.	\$21.88
146200	REPAIR/RPLACE LID/COVER	10/11/2024	790 HOLLY HILLS DR	\$227.39
146080	ELECTRICAL ROUTINE MAINTENANCE - LS	10/7/2024	RODENBERG @ HWY 90 L.S.	\$21.88
146098	ELECTRICAL ROUTINE MAINTENANCE - LS	10/8/2024	RODENBERG @ HWY 90 L.S.	\$126.45
146112	ELECTRICAL ROUTINE MAINTENANCE - LS	10/9/2024	COVENANT SQUARE L.S.	\$21.88
146116	CLEAN MANHOLE	10/8/2024	1735 BEACH BLVD	\$763.09
146124	ELECTRICAL REPAIR - LS	10/9/2024	NORTH COUNTRY CLUB L.S.	\$75.87
146164	ELECTRICAL ROUTINE MAINTENANCE - LS	10/13/2024	RODENBERG @ HWY 90 L.S.	\$126.45
146168	ELECTRICAL ROUTINE MAINTENANCE - LS	10/11/2024	EDGEWATER @ 90 L.S.	\$21.88
146078	ELECTRICAL ROUTINE MAINTENANCE - LS	10/7/2024	RAINTREE APARTMENTS L.S.	\$21.88
146093	REPAIR CLEAN OUT	10/7/2024	13311 HUDSON-KROHN RD	\$106.48
146114	ELECTRICAL ROUTINE MAINTENANCE - LS	10/9/2024	RODENBERG @ HWY 90 L.S.	\$21.88
146136	ELECTRICAL ROUTINE MAINTENANCE - LS	10/10/2024	RODENBERG @ HWY 90 L.S.	\$126.45
146166	ELECTRICAL ROUTINE MAINTENANCE - LS	10/11/2024	COVENANT SQUARE L.S.	\$21.88
146170	ELECTRICAL ROUTINE MAINTENANCE - LS	10/11/2024	RODENBERG @ HWY 90 L.S.	\$21.88
146050	BARRICADE SETUP/REMOVE	10/8/2024	DR FRANK G GRUCH SR CENTER	\$812.23
146128	INSTALL/REPAIR CULVERT	10/9/2024	SOUTH OAKLAWN LN	\$946.92
146132	ROW MAINTENANCE	10/9/2024	bay view	\$2,333.29
146158	ROW MAINTENANCE	10/10/2024	BAY VIEW	\$1,484.03
146130	CUT/CLEAN CITY PROPERTY	10/8/2024	COMMUNICATIONS BUILDING	\$214.16
146046	4 FT DELINEATOR SET UP/ REMOVAL	10/8/2024	BOHN ST	\$256.11
146058	BARRICADE SETUP/REMOVE	10/8/2024	HOPKINS BLVD	\$1,012.23
146129	DAILY GRASS CUTTING	10/8/2024	HWY 67 HWY	\$362.70
146133	ROW MAINTENANCE	10/9/2024	division st	\$2,440.49
146042	4 FT DELINEATOR SET UP/ REMOVAL	10/8/2024	INDIAN LN	\$301.11
146131	DAILY GRASS CUTTING	10/9/2024	SHRINERS BLVD	\$774.70

146175	SIGN/POLE WORK	10/9/2024	PARKWAY RD	\$528.24
146179	SIGN/POLE WORK	10/8/2024	11504 SHORECREST RD	\$17.88
146183	SIGN/POLE WORK	10/8/2024	BALD EAGLE DR & PIN OAK DR	\$137.38
146192	TEMPORARY SIGN INSTALL/ REMOVE	10/7/2024	visitors center	\$56.23
146177	SIGN/POLE WORK	10/8/2024	SHORECREST RD & LORRAINE RD	\$68.55
146181	SIGN/POLE WORK	10/8/2024	SHORECREST RD & EAST SHORE CREST DR	\$17.88
146190	SIGN/POLE WORK	10/7/2024	ASHWOOD PL & POPPS FERRY RD	\$110.00
146176	SIGN/POLE WORK	10/10/2024	BAY VISTA DR & CARTER RD	\$529.05
146180	SIGN/POLE WORK	10/8/2024	11111 SHORECREST RD	\$17.88
146174	STRIPING/PAVEMENT MARKING	10/9/2024	BEACH BLVD	\$45.03
146178	SIGN/POLE WORK	10/8/2024	SHORECREST RD & BOYETTE RD	\$17.88
146182	SIGN/POLE WORK	10/8/2024	SOUTH RIVER DR & EAST SHORE CREST DR	\$18.25
146191	SIGN FABRICATION	10/7/2024	PUBLIC WORKS SIGN SHOP	\$77.30
146172	BATTERY	10/10/2024	30418	\$140.71
146199	REPAIR/REPLACE LIGHTING SYSTEM	10/11/2024	62400	\$30.99
146105	REPAIR/REPLACE BRAKE	10/8/2024	61906	\$122.00
146121	OIL CHANGE	10/9/2024	60802	\$6.83
142678	REPAIR/REPLACE METER BOX	10/10/2024	852 TERRACE CT	\$92.25
146184	REPAIR/REPLACE WATER-PM	10/11/2024	332 CARTER RD	\$1,274.97
136639	REPAIR/REPLACE METER BOX	10/8/2024	868 CAROLEE CIR	\$0.00
142688	REPAIR/REPLACE METER BOX	10/7/2024	880 ON THE GREEN	\$21.54
146126	REPAIR WATER LINE	10/9/2024	2449 MARTIN RD	\$369.89
146218	REPAIR/REPLACE WATER-PM	10/12/2024	343 westviwe dr	\$1,237.02
146125	ELECTRICAL REPAIR - WELL	10/9/2024	VEE ST WELL	\$101.16