




**BILOXI FIRE DEPARTMENT
INCIDENT SUMMARY REPORT FOR
THE WEEK OF September 30 October 7 2024**

1 - Fires (Structure & Vehicle)	2
2 - Rupture/Explosion	1
3 - Emergency Medical Services/Rescue	88
4 - Hazardous Conditions	2
5 - Service Calls	18
6 - Good Intent	8
7 - Fire Alarm Calls; Active, Malfunction	15
8 - Weather/Natural Disaster	2
9 - Special Incident Type	2
Total	<u>138</u>


WEEKLY COUNT OF INCIDENT TYPE



Breakdown by Major Incident Types (553)

Start Date: 9/30/2024 7:00:00 | End Date: 10/7/2024 7:00:00

Runs by Incident Series



Incident Series

Incident Series	# of Incidents	% of Incidents
No Incident Series	7	5%
[100] Fire	2	1%
[300] Rescue & Emergency Medical Service Incident	88	64%
[500] Service Call	18	13%
[600] Good Intent Call	8	6%
[700] False Alarm & False Call	15	11%
Grand Total	138	100%

Incident Type	# of Incidents	% of Total
No type	7	5%
[151] Outside rubbish, trash or waste fire	1	1%
[154] Dumpster or other outside trash receptacle fire	1	1%
[311] Medical assist, assist EMS crew	6	4%

Incident Type	# of Incidents	% of Total
[320] Emergency medical service incident, other	2	1%
[321] EMS call, excluding vehicle accident with injury	65	47%
[322] Motor vehicle accident with injuries	9	7%
[323] Motor vehicle/pedestrian accident (MV Ped)	2	1%
[324] Motor vehicle accident with no injuries.	2	1%
[361] Swimming/recreational water areas rescue	2	1%
[510] Person in distress, other	2	1%
[554] Assist invalid (Lift Assists)	13	9%
[561] Unauthorized burning / fire	3	2%
[611] Dispatched & canceled en route	4	3%
[622] No incident found on arrival at dispatch address	3	2%
[651] Smoke scare, odor of smoke	1	1%
[700] False alarm or false call, other	1	1%
[731] Sprinkler activation due to malfunction	1	1%
[733] Smoke detector activation due to malfunction	1	1%
[735] Alarm system sounded due to malfunction	2	1%
[736] CO detector activation due to malfunction	1	1%
[741] Sprinkler activation, no fire - unintentional	1	1%
[743] Smoke detector activation, no fire - unintentional	2	1%
[744] Detector activation, no fire - unintentional	1	1%
[745] Alarm system activation, no fire - unintentional	5	4%
Grand Total	138	100%

Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



Police Chief

John B. Miller

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


DATE: September 30, 2024

RE: Biloxi Police activity for September 23 – September 29, 2024


TOTAL CALLS FOR SERVICE	1928
TOTAL INCIDENT REPORTS	168
TOTAL OFFENSES (Violations/Reports)	221
TOTAL ARRESTS	151

Calls excluded from call type charts were: Extra Patrol – 415; Suspicious Circumstances – 123; Traffic Stops – 370; and Walk & Talk – 74. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE



OFFENSES BY CATEGORY





DATE: *October 7, 2024*

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Sept 30 – Oct 6, 2024

Building permits issued	<i>172</i>
Construction Valuation of permits issued	<i>\$9,644,500</i>
Building inspections performed	<i>172</i>
Business licenses	<i>4</i>
Renewals	<i>95</i>
Charter Boats	<i>0</i>
Peddler's licenses	<i>13</i>
Certificates of Occupancy issued	<i>11 (1 was Short-Term Rentals)</i>
Code enforcement cases opened	<i>38</i>
Code enforcement cases resolved	<i>55</i>

Repair/Replace Work Status
as of 10/07/2024

Updates in red

Status	Priority	Location	Description of Work
Under Const.	0	Anatole Bay Drainage	Drainage issue coming from La Bonne Terre onto Anatole Bay property; pouring concrete boxes and ditch, final dirt work and sod are only remaining work; expected completion Oct. 1st
Complete	0	Beauvoir Home Drainage	Replacing a failing drainage pipe in city easement - Under construction
Under Const.	0	Desporte's Building - Concrete Pad	Concrete contractor to install concrete pad 50' along the east side of the building - fill has been brought in, the concrete pad will be poured after the installation of the lean-to
Under Const.	0	Iberville & Pringle Circle	Emergency Repair due to sewer cave in paving is still outstanding
Under Const.	0	Lameuse Street south of Hwy 90	Emergency Repair due to storm drain cave in; investigated and
Under Const.	0	Shorecrest Drive Water Relocation	Relocation of watermain for Hawk Creek Subdivision
Complete	0	Sports Complex Light pole	Erosion around the new light pole, apparently the new pole hit a drainage line; emergency repair this week due to severe erosion starting this week
Complete	1	Buena Vista Lift Station Lining	Replacing the liner in the lift station, should be complete this week
Complete	1	Sunkist Ponds Clean out drainage ponds	Sunkist Golf Course drainage ponds in city easements need to be cleaned should be starting this week but had a couple of emergency repairs come up that have to be done first
Complete	1	Mill Creek Sidewalk Repair	Concrete panel is collapsed this can be done under the concrete annual bid - this week
Complete	1	John Lee Rd. Sidewalk	Install sidewalk from Mill Creek Estates to Woolmarket Elementary School - starting this week
Pending Const.	1	Watersview, 695	Concrete sidewalk repair - Will be done after Mill Creek Sidewalk Repairs
Need Quote	5	Brister Place 1373	Drainage pipe failure about 40' of bad pipe in front of 1373 Brister SR46471
Investigate	10	Bohn St. Water leak	repair water leak north of Caillavet
Investigate	10	Oaklawn Rd. North ditch	Cut roadside ditch so that it drains to existing low spot from 9226 N Oaklawn rd. north
Complete	10	Oaklawn West Ditch Cleaning	Clean out ditch to accept water from new houses being built across the street
Investigate	10	Nelson Road pothole	Potholes in Nelson road need to be fixed
Investigate	10	Edgewater Estates Sinkhole	Pothole near 324 Fairview Drive
Investigate	10	Damon Court sinkhole	13408 Damon Court, sinkhole - may be damaged culvert

Status	Priority	Location	Description of Work
Pending Const.	10	Tara Lane Drainage Repairs	Replace collapsed pipe
Pending Const.	10	Chambers Cove - Sewer cave in	SR# 46489 - pothole due to sewer cave in
Need Quote	10	Irish Hill & White Ave Storm Drain Grate	Storm drain grate needs to be raised
Investigate	10	Irish Hill & Gill Ave Sewer Repair	Point Repair of sewer
Investigate	10	Pass Road near Rodenberg Pothole	SR # 46726 - Pothole from potential sewer cave in
Investigate		Airport Rd. Ditches	Ditches and culverts need to be cleaned or replaced 12287 Airport Rd. Chuck & Jeanette Collins 392-8029
Need Quote		Atkinson Road Bridge Undermining	Per the bridge inspection report there is severe undermining
Pending PO		Azalea/Irish Hill	Asphalt Repair (Bird bath by Tree)- B2T is going to see if Gulf Pride can do this
Need Quote		Benachi, 116	Road repaved by Infrastructure Contractor is higher than sidewalk and water rushes from the street almost to their front door
Need Quote		Beverin Rd. and Jack Graves waterline	Waiting on Shriners Blvd. Waterline project to be completed
Need Quote		Bike Sharrows	Around east biloxi for Biloxi Bicycle Works
Investigating		The Bluffs Concrete Street	Numerous concrete street panels need to be replaced
Investigate		Boyette Rd. Drainage	Ditches need to be regraded (Kathy Santiago)
Quote		Carolwood add curb inlet	Install curb inlet in area that is holding water
Investigate		Carter Road, 328	Investigate sink hole
Investigate		Cherry Ln & Riverview culvert replaced	Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Need Quote		Churchill concrete ditch groundwater issues	Going to see if Helms Polyfoam will work in this area
Need Quote		Coventry Square Concrete Road Repair	Repair failing concrete panels
Need Quote		Crane Ridge 2089	Ditch is holding water
Investigate		Division & New St. Sinkhole	Need to investigate large sinkhole forming
Investigate		Edgewater Park Sidewalk Repairs	Investigate to determine specific locations
Need Quote		Enclave Concrete Street Repair	Repair failing concrete panels
Need Quote		Fairview Drive/Pass Road	Road flooded during heavy rain, need storm drains cleaned out
Need Quote		Fearn drive ditch	install pipe in the ditch behind the houses on Fearn drive

Status	Priority	Location	Description of Work
Need Quote		Hiller Park Bridge erosion	
Need Quote		Hiller Park LS erosion	Correct erosion problem just west of the lift station
Investigate		Hilton Avenue, 334	Drainage issue with culvert, water flows down the hole not into the drain
Need Quote		Howard & Joachim Drainage	Reconnect existing storm drain to inlet; was inadvertintely missed during Infrastructure
Investigate		Iberville & Hwy 90 Cave in	Cave-in in the grass
Need Quote		Jefferson Davis Sidewalk	make repairs to sidewalk - SR issued to PW
		Johnson Diesel Sewer Main	Run sewer service for Ho
Need Quote		John Lee Rd. 13403	Culverts and ditches need to be cleaned out
Investigate		Kayleigh Cove Flooding	Woolmarket Rd./Kaylie Cove flooded during heaving rain, impacting daycare access
Investigate		Larkin Drive Drainage	Ditches need to be recut - drainage is backing up in yards
Investigate		Glen Eagle west side ditch	ditch erosion in rear of propert
Need Quote		Grady St. Sidewalk	Install sidewalk on Grady Street for elderly resident
Investigate		Greenhill Circle Ditch	County cut ditches and now two residents are saying their property holds water
Investigate		La Bonne Terre Drainage	425 LeBlanc Cv and 430 LeBlanc Cv extend culvert to stop erosion
Need Quote		La Bonne Terre Concrete Repair	Misc. Concrete street repairs needed throughout the neighborhood
Need Quote		Lorraine Road ditches	Ditches on both sides need to be cleaned 13352 Lorraine Rd. Anthony Wall 392-3098
Need Quote		Lorraine Rd. 13143	Culvert needs to be cleaned out or replaced and pothold needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572
Investigate		Main St. & Water St. Sinkhole	Need to video storm drain to see what's happening
Investigate		McDonnell Ave. Pothole	By Racetrack south of Irish Hill
Investigate		Melissa Drive Detention Pond	Detention Pond needs to be cleaned out.
Investigate		Nelson Rd. 373	Drainage coming of the church parking lot is flooding her yard
Need Quote		North Oaklawn Rd. 12387	Ditches need to be cleaned
Need Quote		Orleans & Carter pothole	PW patched pothole but we need to investigate if there is anything going on with the pipe in order to make a permanent repair
Investigate		Pin Oak Lift Station Ditch	Ditch runs north from lift station; resident at 10351 Pin Oak requested this work

Status	Priority	Location	Description of Work
Need Quote		Pin Oak & North River View	Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes	sinholes at manholes on Pine Grove
Investigate		Popps Ferry Road Potholes	South of Bridge - need manhole lid risers
Need Quote		Pringle Circle	Sewer repairs
Need Quote		Rich Ave. Waterline	Add fire protection for office building and Rich Ave
Need Quote		River Place Concrete Street Repairs	Repair failing concrete panels
Need Quote		Rodenberg potholes	Have video of this area, this is going to be a major repair, will probably need to be a capital project
Investigate		Sheridan Court 2576	Water coming off the street into residents garage, causing garage to flood
Need Quote		Southeastern Doors & Windows	Sinkhole by curb inlet, getting video to assess problem
Need Quote		Tribe Drive Concrete Ditches	Clean debris and dirt out of the ditch
Pending Const.		Woodland Park Dr street repair	Asphalt repair - B2T is going to see if Gulf Pride can do this
cancelled		Alyeska Condos	Water is backing up in parking area, pipe video showed that the issue is roots on the condo side, there is some debris on the city side that we're going to have flushed - flushing is complete
Complete		Beauvoir and Railroad Liftstation Repair	This was ordered by PW, rework valve & check valve box, redo piping
Cancelled		Beau Chene drainage cleaning	Clean out drainage behind houses so water will drain - this is a conservation easement cannot work in this wetland area.
Complete		Cedar Lake Rd. Ditch	Resident located at 6145 Kimbrough Blvd. is getting water in her house due to ditch being blocked by the Cedar Lake Rd. well site driveway. Ditch needs to be redug from Kimbrough Blvd. south past the well driveway to make sure that it drains starting this week or next
Complete		Claudette Court Concrete Street Repair	
cancelled		Club Moss Drainage	equipment back there was thinking about hand working it, but a resident came out and stated that he tried to get in there himself with a shovel and there are so many roots, he wasn't able to remove very much sediment, going to have to come up with something creative on this one. This is going to take a capital project due to wetlands and amount of vegetation present
Complete		Davis St., 396 Sewer	Ordered by infrastructure team, no information provided to Engineering
Complete		Destiny Plantation ditch cleaning	Clean out ditch behind houses in Destiny Plantation - ordered by PW
Complete		Division & Porter Hydrant Repairs	Hydrant leg is leaking
Complete		Division St. Driveway Repair	

Status	Priority	Location	Description of Work
Complete		Fire Station No. 10 Driveway Cave in	driveway is caving in over a collapsed storm drain
Complete		G.E. Ohr Sinkhole	Need an emergency repair of sinkhole in GE Ohr prior to paving starting this week
Complete		GE Ohr & St. John Lining	Line the sewer pipes to repair cracks
Complete		G.E. Ohr Sewer Repair - Emergency	emergency repair of sewer main in GE Ohr.
Complete		GE Ohr City Parking Lot Sewer Repair	Rerouting sewer through the parking to GE Ohr due to clog in line going south
Complete		GE Ohr Emergency Sewer Repair	Sewer manhole broken during paving
Complete		Goosepoint Drainage	Add a drainage inlet in the rear yard drainage line.
Complete		Graham Street 272 drainage	Remove pipe that was supposed to be flow filled by ORC
Complete		Hickman Road Sewer - Emergency	emergency repair of forcemain on Hickman Road
Complete		Howard & Caillavet - water main break on weekend	Repair a broken water main - waiting on invoice
Complete		Hwy 90 (777 Beach Blvd.)	water leak
Cancelled		Jim Byrd Rd. ditch cleaning	Ditches need to be recut - HarCo to do this work
Cancelled		Jim Byrd Rd. 14080	Culvert needs to be cleaned out or replaced - HarCo to do this work
Complete		1187 Karli Lane	County redid road by house causing her driveway to flood - pipe has been ordered ongoing
Complete		La Bonne Terre Blvd. Concrete Repair	HOA replaced the panel without fixing the storm drain box
Complete		Louise St. drainage replacement	Replace collapsed pipe, PW has temporarily fixed this but needs a permanent repair 8420 Louise St. 95% complete
Complete		Majestic Oaks RV Park	Rear drainage is not working causing their detention pond to back up work on-going; work 90% complete, waiting for ground to dry out to finish clearing ditch
Complete		McDonnell Ave. Lift Station	Ordered by PW, needs new concrete lid with hatch
Complete		Mercedes Drive	Huge cave-in in the road that goes to the boat ramp
Complete		Miller Street Cave-in	Cave-in in the grass next to asphalt going up underneath the new asphalt
Cancelled		Oakridge ditch too deep	Ditches are too deep for residents to cut get with County for assistance Request for County Assistance on Council Agenda Being handled by the county
Complete		Old Hwy 67 Ditch Maintenance	Regrade ditches and install crossover pipe to alleviate flooding (Sally Smith 13268 Old Hwy 67 drainage issue) under construction
Cancelled		Old Biloxi Library sewer repairs	PW ordered this work, need to find out what's going on PW handled this work

Status	Priority	Location	Description of Work
Complete		Porter Ave. Emergency Water Repair	Water main break
Complete		River Estates Circle Drainage	Ordered by PW, no information on scope.
Complete		Rodenberg & RR Lift Station Repair	This was ordered by PW, no information on scope or status
Complete		Rustwood Emergency Water Repair	Emergency water main break over the weekend
Complete		St. Charles & Hwy 90	Emergency repair of water line ahead of paving
Complete		St. John Emergency Sewer Repair	Sewer main break
Complete		Seal Avenue/Division St.	Driveway at 305 Seal Ave drains into rear yard and washing out rear driveway
Complete		Seal Ave Storm Drain Repairs	Ordered by Infrastructure, no information on scope
Complete		Spanner Lane Sewer Repair/FH Relocate	Ordered by Infrastructure, no information on scope (old PO no. 20235756)
Complete		Spring Ridge & Brighton Circle Sinkhole	Sinkhole is forming at curb inlet this work should begin the week of 3/11/2024
Complete	0	St. Mary Blvd. Emergency Sewer Repair	Emergency sewer repair for Public Works
Cancelled		Sunrise Court drainage	605 Sunrise Court, extend drain pipe to past fence - County is going to do this work
Complete		Veterans Ave Storm Drain Repair	Raising storm drain box at the south end of Veterans Ave. so Cristiano Subd. can tie in
Complete		Wilkes Water & Sewer	Work is complete, paving to start this week
Complete		West Drive Drainage Box	Repairs to failing storm drain box
Complete		Woolmarket Rd. Water Leak	Water leak at Catfish restaurant waiting on 811 locates then will start investigative digging exposed the entire forcemain, water service and backflow and could not find any leak, informed property owner that it must be ground water

Total FY23-24	\$1,802,737.71
Pending	\$448,243.62
Complete	\$1,354,494.09

City of Biloxi Public Works Department

Completed Work Orders for 9/30/24-10/6/24

WorkOrderId	Description	Actual Finish	Address	Total Cost
142578	CLEAN A/C FILTER	9/30/2024	WEST BILOXI LIBRARY	\$110.40
145904	REPLACE LIGHT BULBS	10/1/2024	COMMUNICATIONS BUILDING	\$21.04
145857	REPAIR ELECTRICAL COMPONENT	10/1/2024	WOOLMARKET CITY CENTER	\$481.39
145858	AC REPAIR	9/30/2024	WEST BILOXI LIBRARY	\$97.25
145650	PREVENTIVE MAINTENANCE	10/3/2024	HILLER PARK ALCUS WORKSHOP	\$0.00
145834	ELECTRICAL ROUTINE MAINTENANCE - LS	9/30/2024	COVENANT SQUARE L.S.	\$21.88
145851	ELECTRICAL REPAIR - LS	9/30/2024	COVENANT SQUARE L.S.	\$202.32
145887	ELECTRICAL ROUTINE MAINTENANCE - LS	10/2/2024	COVENANT SQUARE L.S.	\$21.88
145892	ELECTRICAL ROUTINE MAINTENANCE - LS	10/2/2024	RODENBERG @ HWY 90 L.S.	\$21.88
145984	ELECTRICAL ROUTINE MAINTENANCE - LS	10/5/2024	COVENANT SQUARE L.S.	\$21.88
145988	ELECTRICAL ROUTINE MAINTENANCE - LS	10/5/2024	RAINTREE APARTMENTS L.S.	\$21.88
145992	ELECTRICAL ROUTINE MAINTENANCE - LS	10/5/2024	RODENBERG @ HWY 90 L.S.	\$21.88
145796	ELECTRICAL ROUTINE MAINTENANCE - LS	9/30/2024	RAINTREE APARTMENTS L.S.	\$21.88
145938	FLUSH SEWER GRAVITY MAIN	10/2/2024	2649 PASS RD	\$784.16
145976	ELECTRICAL ROUTINE MAINTENANCE - LS	10/3/2024	RODENBERG @ HWY 90 L.S.	\$151.74
145985	FLUSH SEWER GRAVITY MAIN	10/3/2024	331 SHIRLEY CT	\$585.90
145989	ELECTRICAL ROUTINE MAINTENANCE - LS	10/4/2024	EDGEWATER @ 90 L.S.	\$21.88
146076	ELECTRICAL REPAIR - LS	10/4/2024	BUENA VISTA L.S.	\$126.45

145798	ELECTRICAL ROUTINE MAINTENANCE - LS	9/30/2024	EDGEWATER @ 90 L.S.	\$21.88
145827	ELECTRICAL REPAIR - LS	9/30/2024	EDGEWATER @ 90 L.S.	\$202.32
145889	ELECTRICAL ROUTINE MAINTENANCE - LS	10/2/2024	RAINTREE APARTMENTS L.S.	\$21.88
145939	CLEAN/FLUSH SEWER SERVICE	10/2/2024	209 GILL AVE	\$1,988.30
145977	ELECTRICAL ROUTINE MAINTENANCE - LS	10/6/2024	RODENBERG @ HWY 90 L.S.	\$151.74
145981	ELECTRICAL ROUTINE MAINTENANCE - LS	10/4/2024	COVENANT SQUARE L.S.	\$21.88
145986	ELECTRICAL ROUTINE MAINTENANCE - LS	10/4/2024	RAINTREE APARTMENTS L.S.	\$21.88
145990	ELECTRICAL ROUTINE MAINTENANCE - LS	10/5/2024	EDGEWATER @ 90 L.S.	\$21.88
145799	ELECTRICAL ROUTINE MAINTENANCE - LS	9/30/2024	RODENBERG @ HWY 90 L.S.	\$21.88
145828	ELECTRICAL REPAIR - LS	9/30/2024	RAINTREE APARTMENTS L.S.	\$108.35
145850	ELECTRICAL ROUTINE MAINTENANCE - LS	10/1/2024	RODENBERG @ HWY 90 L.S.	\$151.74
145891	ELECTRICAL ROUTINE MAINTENANCE - LS	10/2/2024	EDGEWATER @ 90 L.S.	\$21.88
145930	REPAIR CLEAN OUT	10/2/2024	741 HOLLY HILLS DR	\$24.67
145978	ELECTRICAL ROUTINE MAINTENANCE - LS	10/6/2024	RODENBERG @ HWY 90 L.S.	\$151.74
145991	ELECTRICAL ROUTINE MAINTENANCE - LS	10/4/2024	RODENBERG @ HWY 90 L.S.	\$21.88
145805	BARRICADE SETUP/REMOVE	9/30/2024	TOWN GREEN	\$6,184.60
145847	DAILY TRASH PICK UP	9/30/2024	OLD BAY RD	\$95.75
145859	DAILY TRASH PICK UP	9/30/2024	BALTAR LN	\$47.88
145874	DAILY TRASH PICK UP	10/1/2024	PASS RD	\$191.50
145946	DAILY TRASH PICK UP	10/2/2024	POPPS FERRY RD	\$191.50
145952	DAILY TRASH PICK UP	10/2/2024	OAK ST	\$47.88
145967	DAILY TRASH PICK UP	10/2/2024	HUDSON-KROHN RD	\$47.88
145979	DAILY GRASS CUTTING	10/2/2024	shriners blvd	\$1,727.91
145765	INSTALL NEW SIDEWALK	9/30/2024	2141 POPPS FERRY RD	\$5,208.57
145807	4 FT DELINEATOR SET UP/ REMOVAL	9/30/2024	MAIN ST	\$853.30
145836	DAILY TRASH PICK UP	9/30/2024	2503 SHORE DR	\$95.75
145848	DAILY TRASH PICK UP	9/30/2024	OLD BILOXI CEMETERY	\$191.50

145860	DAILY TRASH PICK UP	9/30/2024	164 OAK ST	\$47.88
145876	DAILY TRASH PICK UP	10/1/2024	POPPS FERRY RD	\$383.00
145893	STREET SWEEPING	9/30/2024	MOTSIE RD	\$366.71
145948	DAILY TRASH PICK UP	10/2/2024	1039 HOWARD AVE	\$47.88
145964	DAILY TRASH PICK UP	10/2/2024	DIVISION ST	\$47.88
145980	DAILY GRASS CUTTING	10/3/2024	PASS RD	\$560.36
145993	DAILY TRASH PICK UP	10/2/2024	AJ Holloway Sports Complex Improvements	\$95.75
145837	DAILY TRASH PICK UP	9/30/2024	BENACHI AVE	\$95.75
145849	DAILY TRASH PICK UP	9/30/2024	OLD BILOXI CEMETERY	\$191.50
145853	REPAIR POT HOLE	9/30/2024	346 FAIRVIEW DR	\$308.99
145872	DAILY TRASH PICK UP	10/1/2024	LAUREL CT	\$95.75
145950	DAILY TRASH PICK UP	10/2/2024	LAMEY ST	\$47.88
145965	DAILY TRASH PICK UP	10/2/2024	KUHN ST	\$95.75
145994	DAILY TRASH PICK UP	10/2/2024	CEDAR LAKE RD	\$47.88
146062	CUT TREE/ LIMBS/ BUSHES	10/4/2024	BEACH VIEW AVE	\$133.21
145838	DAILY TRASH PICK UP	9/30/2024	319 WEST DR	\$95.75
145873	BARRICADE SETUP/REMOVE	10/1/2024	POINT CADET PAVILION	\$255.84
145942	DAILY GRASS CUTTING	10/2/2024	KIMBROUGH BLVD	\$53.54
145951	DAILY TRASH PICK UP	10/2/2024	HOLLEY ST	\$95.75
145966	DAILY TRASH PICK UP	10/2/2024	NEW ST	\$47.88
145983	DAILY GRASS CUTTING	10/3/2024	beauvior rd	\$489.07
145987	DAILY GRASS CUTTING	10/3/2024	PASS RD	\$1,721.87
145493	ROW MAINTENANCE	10/3/2024	POPPS FERRY RD	\$29,919.02
146017	BANNER SETUP/ TAKE DOWN	10/1/2024	LIGHTHOUSE VISITORS CENTER	\$50.95
146022	REPAIR SIGN	10/2/2024	IBERVILLE DR & BEACH BLVD	\$33.84
146047	SIGN/POLE WORK	10/3/2024	LILLY LN & HOWARD AVE	\$66.25
146018	REPAIR SIGN	10/2/2024	ALTHEA ST & BEACH BLVD	\$43.96
146023	REPAIR SIGN	10/2/2024	CAYMAN CV & IBERVILLE DR	\$33.84
146043	REPAIR SIGN	10/3/2024	CAMILLE ST & REYNOIR ST	\$33.84
146019	REPAIR SIGN	10/2/2024	OAKMONT PL & BEACH BLVD	\$33.84
146024	REPAIR SIGN	10/2/2024	IBERVILLE DR & BILMARSAN DR	\$17.92
146015	SIGN/POLE WORK	10/1/2024	CEDAR LAKE RD & TRIBE DR	\$68.64
146021	SIGN/POLE WORK	10/2/2024	BRIARFIELD AVE & BEACH BLVD	\$86.80
146040	BANNER SETUP/ TAKE DOWN	10/1/2024	LAMEUSE ST	\$303.71
146038	SIGN FABRICATION	10/2/2024	PUBLIC WORKS SIGN SHOP	\$74.26

146044	SIGN/POLE WORK	10/3/2024	WATER ST & CROESUS ST	\$65.52
146049	REPAIR SIGN	10/3/2024	CALDWELL AVE & BEACH BLVD	\$33.84
145855	REPAIR/REPLACE BRAKE	9/30/2024	311	\$249.36
145897	REPAIR/REPLACE WIPER BLADES	10/2/2024	61915	\$18.55
145852	OIL CHANGE	9/30/2024	61901	\$15.83
145856	REPAIR/REPLACE COOLING	9/30/2024	61901	\$31.65
145895	OIL CHANGE	10/1/2024	61801	\$46.32
145913	LIGHT EQUIPMENT REPAIR	10/2/2024	704-p	\$60.97
145854	BATTERY	9/30/2024	60720	\$289.89
145896	BATTERY	10/1/2024	30402	\$142.38
145914	REPAIR/REPLACE AC	10/2/2024	61000	\$170.81
145925	REPAIR WATER LINE	10/2/2024	2107 RUSTWOOD DR	\$424.18
145934	REPAIR WATER LINE	10/2/2024	7103 LARKIN PL E	\$185.42
145888	REPAIR WATER LINE	10/1/2024	872 Ellington Dr	\$4,960.85
145926	REPAIR WATER LINE	10/2/2024	2512 Shady Lane	\$437.84
145928	REPAIR WATER LINE	10/2/2024	1966 Mitchell Dr	\$1,229.49
146025	FLOW TEST	10/4/2024	944 RIVERVIEW DR	\$510.32
130183	REPLACE MUSHROOM CAP	10/3/2024	134 MORRISON, BILOXI, MS, 39530	\$114.76
146057	CHLORINE DELIVERY	9/30/2024	BRADFORD ST WELL	\$5,074.30
146063	CHLORINE DELIVERY	9/30/2024	NORTH BILOXI #1 WELL	\$5,074.30
146068	CHANGE CL2 CYLINDERS	10/1/2024	PINE STREET WELL	\$21.86
146072	CHANGE CL2 CYLINDERS	10/1/2024	BRADFORD ST WELL	\$21.86
146027	WELL DAILY INSPECTION	9/30/2024	PINE STREET WELL	\$438.40
146031	WELL DAILY INSPECTION	10/4/2024	PINE STREET WELL	\$438.40
146036	CALIBRATE CHLORINE SCALES	9/30/2024	PINE STREET WELL	\$11.61
146041	ASSIST ELECTRICIAN	9/30/2024	MAPLE ST WELL	\$11.61
146051	CHLORINE DELIVERY	9/30/2024	MAPLE ST WELL	\$5,074.30
146060	CHLORINE DELIVERY	9/30/2024	IBERVILLE WELL	\$5,074.30
146064	CHLORINE DELIVERY	9/30/2024	67 & OAKLAWN WELL	\$5,074.30
146069	CHANGE CL2 CYLINDERS	10/1/2024	MAPLE ST WELL	\$19.36
146075	CHLORINATION SYSTEM	10/3/2024	PORTER AVE WELL	\$11.61
	ADJUST/EXERCISE			
146028	WELL DAILY INSPECTION	10/1/2024	PINE STREET WELL	\$438.40
146033	CHANGE CL2 CYLINDERS	9/30/2024	PINE STREET WELL	\$21.86
146037	CHANGE CL2 CYLINDERS	9/30/2024	MAPLE ST WELL	\$21.86
146048	CHLORINE DELIVERY	9/30/2024	PINE STREET WELL	\$5,596.96

146053	CHLORINE DELIVERY	9/30/2024	TULLIS MANOR WELL	\$75.30
146061	CHLORINE DELIVERY	9/30/2024	GREATER AVE WELL	\$5,074.30
146065	CHANGE CL2 CYLINDERS	9/30/2024	TULLIS MANOR WELL	\$21.86
146070	CHANGE CL2 CYLINDERS	10/1/2024	TULLIS MANOR WELL	\$21.86
145885	ELECTRICAL REPAIR - WELL	10/1/2024	PORTER AVE WELL	\$101.16
146029	WELL DAILY INSPECTION	10/2/2024	PINE STREET WELL	\$438.40
146034	CHLORINATION SYSTEM ADJUST/EXERCISE	9/30/2024	PINE STREET WELL	\$21.86
146054	CHLORINE DELIVERY	9/30/2024	KUHN ST WELL	\$5,074.30
146067	CHLORINATION SYSTEM REPAIR/REPLACE	10/1/2024	TULLIS MANOR WELL	\$5,042.72
146071	CHANGE CL2 CYLINDERS	10/1/2024	KUHN ST WELL	\$19.36
145886	CONTROL REPAIR	10/1/2024	BRADFORD ST WELL	\$50.58
146030	WELL DAILY INSPECTION	10/3/2024	PINE STREET WELL	\$438.40
146035	CHLORINATION SYSTEM ADJUST/EXERCISE	9/30/2024	PINE STREET WELL	\$11.61
146045	CALIBRATE CHLORINE SCALES	9/30/2024	MAPLE STREET	\$11.61

129

\$114,482.86