




## BIŁOXI FIRE DEPARTMENT INCIDENT SUMMARY REPORT FOR THE WEEK OF December 30- January 6

|                                           |                   |
|-------------------------------------------|-------------------|
| 1 - Fires (Structure & Vehicle)           | 5                 |
| 2 - Rupture/Explosion                     | 0                 |
| 3 - Emergency Medical Services/Rescue     | 99                |
| 4 - Hazardous Conditions                  | 4                 |
| 5 - Service Calls                         | 16                |
| 6 - Good Intent                           | 13                |
| 7 - Fire Alarm Calls; Active, Malfunction | 12                |
| 8 - Weather/Natural Disaster              | 0                 |
| 9 - Special Incident Type                 |                   |
| <b>Total</b>                              | <b><u>149</u></b> |


**WEEKLY COUNT OF INCIDENT TYPE**



Breakdown by Major Incident Types (553)

Start Date: 12/30/2024 7:00:00 | End Date: 1/6/2025 7:00:00

Runs by Incident Series



Incident Series

| Incident Series                                   | # of Incidents | % of Incidents |
|---------------------------------------------------|----------------|----------------|
| [100] Fire                                        | 5              | 3%             |
| [300] Rescue & Emergency Medical Service Incident | 99             | 66%            |
| [400] Hazardous Condition (No Fire)               | 4              | 3%             |
| [500] Service Call                                | 16             | 11%            |
| [600] Good Intent Call                            | 13             | 9%             |
| [700] False Alarm & False Call                    | 12             | 8%             |
| Grand Total                                       | 149            | 100%           |

| Incident Type                                         | # of Incidents | % of Total |
|-------------------------------------------------------|----------------|------------|
| [113] Cooking fire, confined to container             | 2              | 1%         |
| [153] Construction or demolition landfill fire        | 1              | 1%         |
| [154] Dumpster or other outside trash receptacle fire | 2              | 1%         |
| [311] Medical assist, assist EMS crew                 | 17             | 11%        |

| Incident Type                                            | # of Incidents | % of Total  |
|----------------------------------------------------------|----------------|-------------|
| [321] EMS call, excluding vehicle accident with injury   | 66             | 44%         |
| [322] Motor vehicle accident with injuries               | 7              | 5%          |
| [323] Motor vehicle/pedestrian accident (MV Ped)         | 1              | 1%          |
| [324] Motor vehicle accident with no injuries.           | 8              | 5%          |
| [441] Heat from short circuit (wiring), defective/worn   | 1              | 1%          |
| [444] Power line down                                    | 2              | 1%          |
| [445] Arcing, shorted electrical equipment               | 1              | 1%          |
| [542] Animal rescue                                      | 1              | 1%          |
| [553] Public service                                     | 1              | 1%          |
| [554] Assist invalid (Lift Assists)                      | 13             | 9%          |
| [561] Unauthorized burning / fire                        | 1              | 1%          |
| [611] Dispatched & canceled en route                     | 8              | 5%          |
| [622] No incident found on arrival at dispatch address   | 1              | 1%          |
| [651] Smoke scare, odor of smoke                         | 3              | 2%          |
| [661] EMS call, party transported by non-fire agency     | 1              | 1%          |
| [733] Smoke detector activation due to malfunction       | 2              | 1%          |
| [735] Alarm system sounded due to malfunction            | 2              | 1%          |
| [743] Smoke detector activation, no fire - unintentional | 2              | 1%          |
| [744] Detector activation, no fire - unintentional       | 3              | 2%          |
| [745] Alarm system activation, no fire - unintentional   | 3              | 2%          |
| <b>Grand Total</b>                                       | <b>149</b>     | <b>100%</b> |

Breakdown by Major Incident Types for Date Range.

**Criminal Intelligence Unit**

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us

**Police Chief****John B. Miller**

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100



Fax: 228.374.1922

www.biloxi.ms.us

**DATE:** January 6, 2025**RE:** Biloxi Police activity for December 30 – January 5, 2025

|                                            |             |
|--------------------------------------------|-------------|
| <b>TOTAL CALLS FOR SERVICE</b>             | <b>2146</b> |
| <b>TOTAL INCIDENT REPORTS</b>              | <b>160</b>  |
| <b>TOTAL OFFENSES (Violations/Reports)</b> | <b>238</b>  |
| <b>TOTAL ARRESTS</b>                       | <b>122</b>  |

Calls excluded from call type charts were: Extra Patrol – 585; Suspicious Circumstances – 121; Traffic Stops – 542; and Walk & Talk – 50. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

**TOP 20 CALL TYPES BY NATURE****OFFENSES BY CATEGORY**



**DATE:** *January 06, 2025*

**COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR Dec 30, 2024 – Jan 05, 2025**

|                                                 |                                       |
|-------------------------------------------------|---------------------------------------|
| <b>Building permits issued</b>                  | <b>91</b>                             |
| <b>Construction Valuation of permits issued</b> | <b>\$1,837,200</b>                    |
| <b>Building inspections performed</b>           | <b>90</b>                             |
| <b>Business licenses</b>                        | <b>4</b>                              |
| <b>Renewals</b>                                 | <b>0</b>                              |
| <b>Charter Boats</b>                            | <b>0</b>                              |
| <b>Peddler's licenses</b>                       | <b>0</b>                              |
| <b>Certificates of Occupancy issued</b>         | <b>10 (6 were Short-Term Rentals)</b> |
| <b>Code enforcement cases opened</b>            | <b>36</b>                             |
| <b>Code enforcement cases resolved</b>          | <b>27</b>                             |



## **Engineering Department Weekly Update**

January 6, 2025

(updates in red)

### **Projects Out to Bid**

- Point Cadet Living Shoreline

### **Projects in the Process of Being Awarded**

- Pre-Event Debris Removal Contractor

### **Projects Under Construction**

- Bay Vista Water Well Repairs
- Bay Vista Water Lines
- Belle La Vie Lift Station
- BRIC Grant (Cedar Lake Bridge)
- Division St. Warehouse Lean-To
- MGCCC Traffic Signal
- Popps Ferry Extension
- Sports Complex Field Improvements
- Tanglewood Phase II
- Woolmarket Road Sidewalks

### **Private Utility Work in ROW**

- Beauvoir (CSpire) – permit under review
- Christiano Subdivision –AT&T under construction; when finished then Cspire will start their work
- **Downtown Area (AT&T) – South of Howard, Reynoir to Maycock St. This area includes Lameuse St. in front of City Hall; still working out details of this area but this work will have specific timelines and restrictions on when they can work due to parades, etc.**
- Eastland Subd (Coast Connect) – Construction will start **12/9/2024 in the next two weeks, this work was delayed by the contractor**
- Hiller Drive (CSpire) – permit under review
- Hwy 90 & Morrison Damages (CSpire) – Cspire bored through storm drain pipe, this is an MDOT pipe and they are coordinating the repairs
- Irish Hill (St. John to Summer Place and south to Hwy 90) (CSpire) – permit under review
- Kensington (Benachi Ave. West) (CSpire) – permit under review
- Keesler Circle (Caldwell west to St. Jude) (CSpire) – Boring complete, pulling fiber
- McDonnell Ave (N of Pass Road) (CSpire) – permit under review

- Preserve (AT&T) – Construction complete, will start pulling fiber
- Seashore Park – Under construction

## **Projects**

- Bay Breeze Subdivision (Maple Street) – Construction plans approved, developer waiting for outside agency approvals to begin construction.
- Bay Vista Water Well –Lyman Well at \$1.7m; NTP Nov. 4, 2024; plan to start drilling soon, at the latest the first of the year.
- Bay Vista Water Line Replacement Project No. 1013 – Awarded project to DNA Underground for \$3.3 million; pre-construction meeting will be held once we have all the contract documents back executed from the contractor
- Belle La Vie Lift Station – Bottom 2 Top Construction \$128k; NTP January 15, 2025; Completion April 2025
- Biloxi-OS Bridge Walking Path Ramp – BMA working on design
- Brashier Bayou Sediment Removal – receive Bids January 22<sup>nd</sup>
- Cedar Lake Bridge BRIC Grant – Information gained at Public Input meetings is being incorporated; final routes to be studied are being scored through a matrix
- Concrete Annual Contract – See Repair-Replace list attached; any remaining concrete work is on hold pending additional funding
- CTA Pass Road preemption/priority agreement – installation of preemption/priority equipment in the traffic signals along Pass Road, the City will be equipment to be installed in Fire Trucks as well, no cost to the City for 5 years, after 5 years will cost about \$4300 per year;
- Desporte Building Lean-To – Tapout Construction \$264K; steel is on order, plans have been submitted to Building Division for permits
- Hwy 90 parking improvements – Ready to submit to MDOT for permit, construction is pending MDOT permit approval and funding
- Lighthouse Pier – design complete, received Corps Permit, waiting on FEMA/MEMA funding issues to be resolved
- Keegan Bayou Restoration – Have received the Corps permits, already have the DMR permits; this project is ready to bid
- Mallard Creek Subdivision (Wash Fayard Rd.) – Sewer complete, contractor will begin working on water next

- MGCCC Traffic Signal –Powell Const. \$450,000; **NTP January 13, 2025; materials won't be delivered until end of March/beg of April**
- Oak Street Pier (South) – Received 60% design plans
- Preserve at Parker's Creek Phase II (Shriners Blvd.) – construction plans under review by engineering; **meeting this week with developer to discuss upsizing the water lines**
- Parker's Creek Sediment Removal – Received the DMR permit & Corps permit, project is ready to advertise for bids
- Paving – Phase I is complete, working on cost estimates to determine how much funding is needed for Phase II
- Phase II Paving (Ward is parenthesis)
 

|                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>▪ Pinecrest (7)</li> <li>▪ Dundewood (7)</li> <li>▪ RSR 1 &amp; 2</li> <li>▪ Point Cadet Marina area (1)</li> <li>▪ Cuevas Street</li> <li>▪ Mercury Lane (5)</li> </ul> | <ul style="list-style-type: none"> <li>▪ Pine Grove Ave (5) Need costs for subsurface repairs and milling</li> <li>▪ Briarfield Ave. (5)</li> <li>▪ Beacon Pl. (5)</li> <li>▪ Deming Pl. (5)</li> <li>▪ Fayard Street (1)</li> <li>▪ Victory Lane (7)</li> <li>▪ Jackson St. bricks (1)</li> </ul> | <ul style="list-style-type: none"> <li>▪ Comfort Place Lee to Keller (1)</li> <li>▪ Jenkin Alley (1)</li> <li>▪ Stacy Ln (6)</li> <li>▪ Schonewitz (6)</li> <li>▪ <del>Jim Money (north of Atkinson (3))</del></li> <li>▪ <del>Floyd Drive (3)</del></li> </ul> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
- Point Cadet Living Shoreline (BMA) – Receive bids January 29<sup>th</sup>
- Point Cadet Nearshore #1096 (BMA) – design on-going, permitting is going to take longer than we thought, it's probably going to be another 6-12 months in permitting
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, waiting on Restore grant agreement from MDEQ to begin design
- Popp's Ferry Extension #913 – Necaise Bros. \$20.8M, NTP 11/25/2024
  - **Contractor has begun clearing north of south of the tracks**
  - **Construction fence has been installed along the right-of-way line to Maison du Lu apartments**
  - **Physical construction is expected to start on Jan. 13<sup>th</sup> on the water line bore under the CSX railroad pending CSX sending out flaggers**
- Popp's Ferry Bridge Draw Replacement – Neel-Schaffer contract was approved on the Nov. 5<sup>th</sup> council agenda pending MDOT concurrence; FHWA is waiting for GRPC to make a TIP amendment; once that happens FHWA will give MDOT permission to give Biloxi permission to execute the contract

- Port Repair Replace Contract
  - Dredging Point Cadet Marina – pending construction have issued PO
  - Sherman Canaan Marina – working up costs for make substantial repairs
- Pre-Event Debris Removal 2024-2028 – Received bids Oct. 30<sup>th</sup>, bid packages under review; **have completed background checks will put on the next council agenda**
- Repair/Replace Contract – See attached
- Rodenberg at Pass Road Intersection – ROW acquisition underway; First just compensation package was on the Dec. 3<sup>rd</sup> council agenda for approval
- Sediment Removal – the sites that have SAV, Seymour is trying to work with DMR on a way to mitigate, asked them to do another SAV survey under their existing contract; DMR is starting to allow invasive SAV to be removed meeting with Seymour this week for an update
  - Hiller Park Pond - have permits
  - Point Cadet Marina – have permits
  - Parkers Creek – Received both permits ready to bid
  - Brasher Bayou – Receive bids Jan. 22<sup>nd</sup>
- Shriners Blvd. Widening – Project was approved in the STIP; ready to begin the MDOT process by requesting Project Activation,
- Sports Complex #1093 – (Machado Patano/Talley Construction/\$5.0M); project is substantially complete, just finishing up punchlist items
- Southern Magnolia Subdivision (Shriners Blvd.) – Construction plans have been approved; construction pending outside agenda approvals
- Tanglewood Infrastructure Ph II (MP) – DNA Underground - \$2.3m; Comp: **03/15/2025**, currently doing clean-up work, Park Circle water line is the only remaining work; no major concerns
- Woolmarket Road Sidewalks – (Machado Patano) – Landmark Construction; \$998,507.43; NTP October 23, 2024; Completion – April 2025; **the handrail revisions have all been approved by MDOT, the supplemental agreement (change order) will be on the Jan. 21<sup>st</sup> agenda**
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 75% complete, this project will have to be broken out into phases but we're waiting to see how much funding we receive before doing that and finalizing the design, **there's a contract amendment on the Jan. 7<sup>th</sup> agenda descoping the remainder of the Overstreet contract; we're removing everything but the design fees in order to fee up that funding to be used in the Bay Vista Water Line Replacement project. When we get funding for the construction of this project, we'll enter into a new contract with Overstreet**

Repair/Replace Work Status  
as of 01/06/2025

Updates in red

| Status         | Priority | Location                                 | Description of Work                                                                                                                                                                                               |
|----------------|----------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Under Const.   | 0        | Desporte's Building - Concrete Pad       | Concrete contractor to install concrete pad 50' along the east side of the building - fill has been brought in, the concrete pad will be poured after the installation of the lean-to                             |
| On-hold        | 0        | Lameuse Street south of Hwy 90           | Emergency Repair due to storm drain cave in; investigated and backfilled; need to grout the storm drain and repave (Hard Rock) temporarily fixed, permanent fix will be done when additional funding is received  |
| Under Const.   | 0        | Atkinson Rd. / Gulf Shores Care Center   | Grout the drainage and then repave the parking lot - pipe has been ordered but won't be delivered until January                                                                                                   |
| Under Const.   | 0        | Brister Place Drainage                   | Repair failing drainage pipe (Katrina Infrastructure funded)                                                                                                                                                      |
| Need Quote     | 1        | Howard Ave., 242                         | Mike Covacevich - wants a curved driveway apron and brick column is leaning due to Necaise, it needs to be stood back up                                                                                          |
| Need Quote     | 1        | Howard Ave. 300                          | Drainage issues due to infrastructure contractors storing equipment on the property, Walt asked if we could install some drainage to help direct the water back toward the street (Katrina Infrastructure funded) |
| Pending Const. | 1        | Irish Hill & Gill Ave Sewer Repair       | Point repair of sewer manhole (Katrina Infrastructure funded)                                                                                                                                                     |
| Need Quote     | 1        | Howard & Joachim Drainage                | Reconnect existing storm drain to inlet; was inadvertently missed during Infrastructure (Katrina Infrastructure funded)                                                                                           |
| Pending Const. | 2        | Father Ryan Sinkhole (Drainage)          | Sinkhole due to pipe failure, video'd the pipe and the entire length of pipe needs to be lined (Katrina Infrastructure funded)                                                                                    |
| Need Quote     | 2        | Irish Hill & White Ave Storm Drain Grate | Storm drain grate needs to be raised, contractor failed to lower it during Infrastructure project (Katrina Infrastructure funded)                                                                                 |
| Need Quote     | 3        | Benachi, 116                             | Road repaved by Infrastructure Contractor is higher than sidewalk and water rushes from the street almost to their front door (Katrina Infrastructure funded)                                                     |
| Investigate    | 10       | Chambers Cove - Sewer cave in            | SR# 46489 - pothole due to sewer cave in need to get video to determine scope of work - Waiting to see if PW has an available funding                                                                             |
| Investigate    | 10       | Main St. & Water St. Sinkhole            | Need to video storm drain to see what's happening - Waiting to see if PW has any available funding, I have a feeling this is going to need to be a capital project                                                |
| On-hold        | 10       | Edgewater Estates Sinkhole - Sewer MH    | Pothole near 347 Fairview Drive - PW backfilled, need to make permanent repair on hold until additional funding is received                                                                                       |
| On-hold        | 10       | St. Martha & Rodeo Drainage Repair       | Repair drainage pipe that is caving in under the road - On hold until additional funding is received                                                                                                              |
| Need Quote     | 11       | Club Moss 2267 Drainage and Concrete     | Going to ask PW if they can do this work                                                                                                                                                                          |

| Status       | Priority | Location                                    | Description of Work                                                                                     |
|--------------|----------|---------------------------------------------|---------------------------------------------------------------------------------------------------------|
| Need Quote   | 11       | Fearn drive ditch                           | install pipe in the ditch behind the houses on Fearn drive on hold until additional funding is received |
| Investigate  | 11       | Carter Road, 328                            | Investigate sink hole at Carter & Orleans waiting video to determine scope of work                      |
| Under Const. | 11       | Bike Sharrows                               | Around east biloxi for Biloxi Bicycle Works                                                             |
| Need Quote   | 11       | Grady St. Sidewalk                          | Install sidewalk on Grady Street for elderly resident                                                   |
| Need Quote   | 11       | Braun St. Drainage                          | Sinkhole due to pipe failure                                                                            |
| Need Quote   | 11       | Churchill concrete ditch groundwater issues | Going to see if Helms Polyfoam will work in this area                                                   |
| Investigate  | 11       | LeBlanc Cove Drainage                       | 425 LeBlanc Cv and 430 LeBlanc Cv extend culvert to stop erosion - waiting on video                     |
| Investigate  | 11       | McDonnell Ave. Pothole                      | By Racetrack south of Irish Hill - waiting on video to determine scope of work                          |
| Investigate  | 11       | Nelson Road pothole                         | Potholes in Nelson road need to be fixed                                                                |
| Investigate  | 11       | Pass Road near Rodenberg Pothole            | SR # 46726 - Pothole from potential sewer cave in                                                       |
| On-hold      | 11       | Tara Lane Drainage Repairs                  | Replace collapsed pipe - On hold until additional funding is received                                   |
| Investigate  |          | Beau Chene Lift Station                     | Lift station needs a new liner                                                                          |
| Need Quote   |          | Beverin Rd. and Jack Graves waterline       | Waiting on Shriners Blvd. Waterline project to be completed                                             |
| Investigate  |          | The Bluffs Concrete Street                  | Numerous concrete street panels need to be replaced                                                     |
| Investigate  |          | Boyette Rd. Drainage                        | Ditches need to be regraded (Kathy Santiago)                                                            |
| Need Quote   |          | Carolwood add curb inlet                    | Install curb inlet in area that is holding water                                                        |
| Investigate  |          | Cherry Ln & Riverview culvert replaced      | Replace failed culvert - need PW to clean ditch so water will drain in order to investigate             |
| Need Quote   |          | Coventry Square Concrete Road Repair        | Repair failing concrete panels                                                                          |
| Need Quote   |          | Crane Ridge 2089                            | Ditch is holding water                                                                                  |
| Investigate  |          | Division & New St. Sinkhole                 | Need to investigate large sinkhole forming                                                              |
| Need Quote   |          | Enclave Concrete Street Repair              | Repair failing concrete panels                                                                          |
| Investigate  |          | Filoli Court Concrete Street Repair         | Repair failing concrete panels by 2010 & 2012 Filoli Court                                              |
| Investigate  |          | Franklin Court Sinkhole & Sidewalk          | Repair sinkhole and extend sidewalk in front of lift station                                            |
| Investigate  |          | Hilton Avenue, 334                          | Drainage issue with culvert, water flows down the hole not into the drain                               |

| Status      | Priority | Location                            | Description of Work                                                                                                                                                                             |
|-------------|----------|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Investigate |          | Holly Bluff Circle Ditch            | Resident would like to pipe the ditch by the lift station                                                                                                                                       |
| Investigate |          | Iberville & Hwy 90 Cave in          | Cave-in in the grass SR No.                                                                                                                                                                     |
| Investigate |          | Iris St., 166                       | Sidewalks and driveways are too high causing her car to drag                                                                                                                                    |
| Need Quote  |          | Jefferson Davis Sidewalk            | make repairs to sidewalk - SR issued to PW                                                                                                                                                      |
| Investigate |          | Larkin Drive Drainage               | Ditches need to be recut - drainage is backing up in yards                                                                                                                                      |
| Investigate |          | Glen Eagle west side ditch          | ditch erosion in rear of property                                                                                                                                                               |
| Investigate |          | Greenhill Circle Ditch              | County cut ditches and now two residents are saying their property holds water                                                                                                                  |
| Need Quote  |          | Lorraine Rd. 13143                  | Culvert needs to be cleaned out or replaced and pothole needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572 PW replaced the culvert, need to have them cut the ditch |
| Investigate |          | Melissa Drive Detention Pond        | Detention Pond needs to be cleaned out.                                                                                                                                                         |
| Need Quote  |          | North Oaklawn Rd. 12387             | Ditches need to be cleaned                                                                                                                                                                      |
| Need Quote  |          | Old Bay Road Sidewalk               | Reinstall sidewalk around MS Power Transmission Pole                                                                                                                                            |
| Investigate |          | Pin Oak Lift Station Ditch          | Ditch runs north from lift station; resident at 10351 Pin Oak requested this work                                                                                                               |
| Need Quote  |          | Pin Oak & North River View          | Culverts need to be cleaned Janet Hughes                                                                                                                                                        |
| Investigate |          | Pine Grove Sinkholes                | sinholes at manholes on Pine Grove                                                                                                                                                              |
| Investigate |          | Popps Ferry Road Potholes           | South of Bridge - need manhole lid risers                                                                                                                                                       |
| Investigate |          | Raintree Lift Station               | PW would like to see if we can reroute the sewer into this station so we can get rid of this station; if not it needs to be lined                                                               |
| Need Quote  |          | Rich Ave. Waterline                 | Add fire protection for office building and Rich Ave                                                                                                                                            |
| Need Quote  |          | River Place Concrete Street Repairs | Repair failing concrete panels                                                                                                                                                                  |
| Need Quote  |          | Rodenberg potholes                  | Have video of this area, this is going to be a major repair, will probably need to be a capital project                                                                                         |
| Investigate |          | Sheridan Court 2576                 | Water coming off the street into residents garage, causing garage to flood                                                                                                                      |
|             |          | 2478 Provence Place Sidewalk        | Gap in sidewalk in front of home                                                                                                                                                                |
|             |          |                                     |                                                                                                                                                                                                 |
| Complete    |          | Anatole Bay Drainage                | Drainage issue coming from La Bonne Terre onto Anatole Bay property; sod and fence complete, restoration of vegetation is only outstanding item                                                 |

| Status    | Priority | Location                                         | Description of Work                                                                                                                           |
|-----------|----------|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Complete  |          | Beauvior Home Drainage                           | Replacing a failing drainage pipe in city easement - Complete                                                                                 |
| Complete  |          | Buena Vista Lift Station Lining                  | Replacing the liner in the lift station                                                                                                       |
| Complete  |          | Caillavet St. Water Leak                         | In the median of 421 of Caillavet St. - may be irrigation - completed by PW                                                                   |
| Complete  |          | Covenant Square - Emergency Water Repair         | Emergency water main break                                                                                                                    |
| Complete  |          | Damon Court sinkhole                             | 13408 Damon Court, sinkhole - may be damaged culvert - Public Works Addressing                                                                |
| Complete  |          | Edgewater Park Sidewalk Repairs                  | Starting after cruising                                                                                                                       |
| Complete  |          | GE Ohr Emergency Sewer Repair                    | Sewer manhole broken during paving                                                                                                            |
| Complete  |          | GE Ohr Parking Lot Paving                        | Replacing asphalt after repairs                                                                                                               |
| Complete  |          | GE Ohr Lining of Sewer                           | Lining the sewer main on GE Ohr                                                                                                               |
| Complete  |          | Hickman Road Sewer                               | Install a low pressure sewer service for resident at 12193 Hickman Rd.                                                                        |
| Complete  |          | Hiller Park LS erosion                           | Correct erosion problem just west of the lift station                                                                                         |
| Complete  |          | Howard & Caillavet - water main break on weekend | Repair a broken water main - waiting on invoice                                                                                               |
| Complete  |          | John Lee Rd. Sidewalk                            | Install sidewalk from Mill Creek Estates to Woolmarket Elementary School                                                                      |
| Complete  |          | Johnson Diesel Sewer Main                        | Run sewer service to connect to existing tap                                                                                                  |
| Complete  |          | Lorraine Rd. Water/Sewer Taps                    | Install water and sewer taps                                                                                                                  |
| Complete  |          | Mill Creek Sidewalk Repair                       | Concrete panel is collapsed this can be done under the concrete annual bid                                                                    |
| Cancelled |          | Nelson Rd. 373                                   | Drainage coming of the church parking lot is flooding her yard - referred this to Community Development for a private property drainage issue |
| Complete  |          | Oaklawn Ln West Emergency Repair                 |                                                                                                                                               |
| Complete  |          | Oaklawn Rd. North ditch                          | Cut roadside ditch so that it drains to existing low spot from 9226 N Oaklawn rd. north                                                       |
| Complete  |          | Orleans Rd. - Emergency Water Repair             | Orleans & Carter Emergency water main break                                                                                                   |
| Complete  |          | Popp's Ferry New Life Church                     | Replace lid of manhole in Popp's Ferry Rd. in front of New Life Church                                                                        |
| Complete  |          | Rue Petit Bois Water Repair                      | Emergency water main break                                                                                                                    |

| Status   | Priority | Location                               | Description of Work                                                                                                            |
|----------|----------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Complete |          | Shady Creek Drive                      | Paving                                                                                                                         |
| Complete |          | Sports Complex Water Repair            | Emergency water main repair                                                                                                    |
| Complete |          | St. Peter Asphalt                      | Replacing asphalt after repairs                                                                                                |
| Complete |          | St. John Emergency Sewer Repair        | Sewer main break                                                                                                               |
| Complete |          | St. Mary Blvd. Emergency Sewer Repair  | Emergency sewer repair for Public Works                                                                                        |
| Complete |          | Sunkist Ponds Clean out drainage ponds | Met with golf course on 10/26/24 to determine final grading and grassing to be done; only outstanding work is the hydroseeding |
| Complete |          | Watersview, 695                        | Concrete sidewalk repair - Will be done after Mill Creek Sidewalk Repairs                                                      |

|               |                |
|---------------|----------------|
| Total FY24-25 | \$1,223,890.06 |
| Pending       | \$490,070.29   |
| Complete      | \$581,395.55   |

# City of Biloxi Public Works Department

## Completed Work Orders for 12/30/24-1/5/25

| WorkOrderId | Description                         | Actual Finish | Address                 | Total Cost |
|-------------|-------------------------------------|---------------|-------------------------|------------|
| 148150      | DOOR COMPONENT                      | 12/31/2024    | MGM STADIUM             | \$178.84   |
| 148119      | ELECTRICAL ROUTINE MAINTENANCE - LS | 1/1/2025      | EDGEWATER @ 90 L.S.     | \$45.13    |
| 148154      | ELECTRICAL ROUTINE MAINTENANCE - LS | 1/2/2025      | RODENBERG @ HWY 90 L.S. | \$103.76   |
| 148173      | ELECTRICAL REPAIR - LS              | 1/2/2025      | BRODIE ROAD L.S.        | \$77.82    |
| 148177      | ELECTRICAL ROUTINE MAINTENANCE - LS | 1/3/2025      | RODENBERG @ HWY 90 L.S. | \$45.13    |
| 148186      | ELECTRICAL ROUTINE MAINTENANCE - LS | 1/5/2025      | RODENBERG @ HWY 90 L.S. | \$103.76   |
| 148121      | ELECTRICAL ROUTINE MAINTENANCE - LS | 1/1/2025      | RODENBERG @ HWY 90 L.S. | \$45.13    |
| 148156      | CLEAN MANHOLE                       | 12/31/2024    | 1641 PASS RD            | \$815.85   |
| 148175      | ELECTRICAL ROUTINE MAINTENANCE - LS | 1/3/2025      | EDGEWATER @ 90 L.S.     | \$45.13    |
| 148118      | ELECTRICAL ROUTINE MAINTENANCE - LS | 12/30/2024    | EDGEWATER @ 90 L.S.     | \$45.13    |
| 148153      | ELECTRICAL ROUTINE MAINTENANCE - LS | 12/31/2024    | RODENBERG @ HWY 90 L.S. | \$103.76   |
| 148176      | ELECTRICAL ROUTINE MAINTENANCE - LS | 1/4/2025      | EDGEWATER @ 90 L.S.     | \$45.13    |
| 148120      | ELECTRICAL ROUTINE MAINTENANCE - LS | 12/30/2024    | RODENBERG @ HWY 90 L.S. | \$45.13    |
| 148155      | ELECTRICAL REPAIR - LS              | 12/31/2024    | BEAUVOIR @ HWY 90 L.S.  | \$207.52   |
| 148178      | ELECTRICAL ROUTINE MAINTENANCE - LS | 1/4/2025      | RODENBERG @ HWY 90 L.S. | \$45.13    |
| 148187      | ELECTRICAL ROUTINE MAINTENANCE - LS | 1/5/2025      | RODENBERG @ HWY 90 L.S. | \$129.70   |
| 148133      | DAILY TRASH PICK UP                 | 12/30/2024    | PINE ST                 | \$409.64   |
| 148135      | DAILY TRASH PICK UP                 | 12/30/2024    | AHERN DR                | \$117.04   |
| 148181      | LANDSCAPE WORK                      | 12/31/2024    | HOWARD AVENUE B         | \$2,024.16 |
| 148188      | REPAIR POT HOLE                     | 1/3/2025      | LORRAINE RD             | \$1,241.12 |
| 148197      | CEMETERY CUT AND CLEAN              | 1/3/2025      | cemetary                | \$840.16   |
| 148132      | CEMETERY CUT AND CLEAN              | 12/30/2024    | cemetary                | \$1,060.64 |

|           |                          |            |                          |                    |
|-----------|--------------------------|------------|--------------------------|--------------------|
| 148159    | CEMETERY CUT AND CLEAN   | 1/2/2025   | cemetery                 | \$992.96           |
| 148185    | DAILY GRASS CUTTING      | 1/3/2025   | 13263 HUDSON-KROHN<br>RD | \$107.89           |
| 148189    | LITTER CONTROL           | 1/2/2025   | OLD HWY 67 HWY           | \$1,001.92         |
| 148198    | LANDSCAPE WORK           | 1/3/2025   | HOWARD AVE               | \$1,222.75         |
| 148134    | ROW MAINTENANCE          | 12/30/2024 | water department         | \$937.92           |
| 148145    | CEMETERY CUT AND CLEAN   | 12/31/2024 | cemetery                 | \$1,418.24         |
| 148196    | DAILY TIRE PICKUP        | 1/2/2025   | WOOLMARKET RD            | \$758.01           |
| 148144    | OIL CHANGE               | 12/31/2024 | 314                      | \$7.50             |
| 148146    | OIL CHANGE               | 12/30/2024 | 62404                    | \$16.95            |
| 148143    | OIL CHANGE               | 12/31/2024 | 30421                    | \$7.50             |
| 148147    | OIL CHANGE               | 12/30/2024 | 61913                    | \$33.99            |
| 148149    | REPAIR WATER LINE        | 12/31/2024 | cemetery                 | \$39.60            |
| 148148    | PLUMBING REPAIR/REPLACE  | 12/31/2024 | PORTER AVE WELL          | \$359.60           |
| 148190    | PLUMBING REPAIR/REPLACE  | 1/3/2025   | PORTER AVE WELL          | \$359.60           |
| 148174    | ELECTRICAL REPAIR - WELL | 1/2/2025   | DEBUYS WELL              | \$207.52           |
| <hr/>     |                          |            |                          |                    |
| <b>37</b> |                          |            |                          | <b>\$15,246.77</b> |