




BIŁOXI FIRE DEPARTMENT INCIDENT SUMMARY REPORT FOR THE WEEK OF August 18 - August 25 2025

1 - Fires (Structure & Vehicle)	4
2 - Rupture/Explosion	
3 - Emergency Medical Services/Rescue	111
4 - Hazardous Conditions	8
5 - Service Calls	8
6 - Good Intent	18
7 - Fire Alarm Calls; Active, Malfunction	17
8 - Weather/Natural Disaster	2
9 - Special Incident Type	1
Total	169

WEEKLY COUNT OF INCIDENT TYPE





Breakdown by Major Incident Types (553)

Start Date: 8/18/2025 7:00:00 | End Date: 8/25/2025 7:00:00


Record Status

(No filters applied)

Station

(No filters applied)

Runs by Incident Series



Incident Series

Incident Series	# of Incidents	% of Incidents
[100] Fire	4	2.37%
[300] Rescue & Emergency Medical Service Incident	111	65.68%
[400] Hazardous Condition (No Fire)	8	4.73%
[500] Service Call	18	10.65%
[600] Good Intent Call	10	5.92%
[700] False Alarm & False Call	17	10.06%
[900] Special Incident Type	1	0.59%
Grand Total	169	100.00%

Incident Type	# of Incidents	% of Total
[131] Passenger vehicle fire	2	1.18%

[142] Brush or brush-and-grass mixture fire	1	0.59%
[151] Outside rubbish, trash or waste fire	1	0.59%
[311] Medical assist, assist EMS crew	14	8.28%
[321] EMS call, excluding vehicle accident with injury	87	51.48%
[322] Motor vehicle accident with injuries	4	2.37%
[323] Motor vehicle/pedestrian accident (MV Ped)	1	0.59%
[324] Motor vehicle accident with no injuries.	4	2.37%
[353] Removal of victim(s) from stalled elevator	1	0.59%
[411] Gasoline or other flammable liquid spill	1	0.59%
[412] Gas leak (natural gas or LPG)	1	0.59%
[442] Overheated motor	1	0.59%
[444] Power line down	1	0.59%
[445] Arcing, shorted electrical equipment	2	1.18%
[462] Aircraft standby	2	1.18%
[531] Smoke or odor removal	1	0.59%
[552] Police matter	1	0.59%
[553] Public service	1	0.59%
[554] Assist invalid (Lift Assists)	13	7.69%
[555] Defective elevator, no occupants	2	1.18%
[611] Dispatched & canceled en route	7	4.14%
[622] No incident found on arrival at dispatch address	2	1.18%
[651] Smoke scare, odor of smoke	1	0.59%
[733] Smoke detector activation due to malfunction	1	0.59%
[735] Alarm system sounded due to malfunction	5	2.96%
[743] Smoke detector activation, no fire - unintentional	4	2.37%
[745] Alarm system activation, no fire - unintentional	7	4.14%
[911] Citizen complaint	1	0.59%
Grand Total	169	100.00%

Breakdown by Major Incident Types for Date Range.

Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



Police Chief

John B. Miller

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


DATE: August 25, 2025

RE: Biloxi Police activity for August 18 – August 24, 2025


TOTAL CALLS FOR SERVICE	2308
TOTAL INCIDENT REPORTS	235
TOTAL OFFENSES (Violations/Reports)	317
TOTAL ARRESTS	124

Calls excluded from call type charts were: Extra Patrol – 741; Suspicious Circumstances – 119; Traffic Stops – 502; and Walk & Talk – 91. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE



OFFENSES BY CATEGORY





DATE: *August 18, 2025*

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR August 11-17, 2025

Building permits issued	95
Construction Valuation of permits issued	\$808,900
Building inspections performed	176
Business licenses	6
Renewals	0
Charter Boats	0
Peddler's licenses	2
Certificates of Occupancy issued	9 (0 were Short-Term Rentals)
Code enforcement cases opened	155
Code enforcement cases resolved	133



Engineering Department Weekly Update

August 25, 2025

(updates in red)

Projects Out to Bid

Projects in the Process of Being Awarded

- Pre-Event Debris Removal
- North Biloxi Well Casing

Projects Under Construction

- | | |
|----------------------------------|----------------------------------|
| – Bay Vista Water Well Repairs | – Keegan Bayou Restoration |
| – Bay Vista Water Lines | – MGCCC Traffic Signal |
| – Belle La Vie Lift Station | – Parkers Creek Sediment Removal |
| – Brasher Bayou Sediment Removal | – Point Cadet Living Shoreline |
| – BRIC Grant (Cedar Lake Bridge) | – Popp's Ferry Extension |
| – Division St. Warehouse Lean-To | – Repair/Replace 2025-2028 |
| – Gruich Center HVAC | – Woolmarket Road Sidewalks |

Private Utility Work in ROW

- Belvedere Dr. (CSpire) – from Belvedere Dr. to Tara Ln – **Under Construction**
- Circle Park (CSpire) – Division to Bayview from Forrest to Benachi – Pending construction; on hold for design change
- Currie Rd. (CSpire) – from Pass R. north and east of McDonnell Ave. to Glen Ave. – This will be pushed to 2026
- **Edgewater, Rue Palafox & Rue Petit Bois – Pending approval**
- Hiller Drive (CSpire) – East Dr, West Dr, Hiller Dr. from Pass Rd. to entrance of Hiller Park – This will be pushed to 2026
- **Mallard Creek – On hold until Coast Electric completes power install**
- Popp's Ferry Place (CSpire) – **Complete**
- Southern Avenue – Will be started after Circle Park

Projects

- Bay Breeze Subdivision (Maple Street) – Final inspection has been done, ready for final plat
- Bay Vista Water Well – Lyman Well at \$1.7m; NTP Nov. 4, 2024; Completion March 2026; Permanent casing is set; 80' of screen is set; pump is scheduled to be here today;

chlorine equipment has been approved and is pending delivery; chlorine structure has been sandblasted and primed and new I-beam installed for trolley

- Bay Vista Water Line Replacement Project No. 1013 – DNA Underground; \$3.3 million; Start May 1, 2025; 300 days; Completion March 2026, **18% Complete as of July 31st**;
- Biloxi-OS Bridge Walking Path Ramp – BMA working on design, estimated cost \$120,000 project needs funding waiting on MDOT permit approval
- Brashier Bayou Sediment Removal – JE Talley; \$318K; NTP July 7, 2025; 365 days; Estimated Completion July 2026, contractor has mobilized; contractor has demobilized for two weeks to move in smaller barge
- Cedar Lake Bridge BRIC Grant – All data has been collected; all public meetings have been held; final report being drafted
- Howard Creek Bridge (Old Hwy 67, just east of Hudson Krohn/Cedar Lake Intersection) – Received \$1.6M in State Aid funding (\$0 match) to replace this bridge, DMR/Corps permit has been issued
- Gruich Center HVAC upgrades – apparent low bidder DNP \$624,750; DNP is ordering the units, and will let us know a delivery date soon
- Keegan Bayou Restoration – JE Borries, Inc.; \$698K; Awarded April 18, 2025; Pre-construction meeting May 29, 2025; start date pending approval of disposal at HCDC; HCDC has to remove some spoils so make room for additional sediment disposal
- Kuhn St. Boat Ramp – Tidelands Application submitted for FY27 funding in the amount of \$500K in additional funding for construction
- MGCCC Traffic Signal –Powell Const. \$450,000; NTP January 13, 2025; Project will be complete at the end of August
- North Biloxi Well Casing – Receive bids August 13, 2025, apparent low bidder Lyman Well \$450,000
- Oak Street Pier (South) – Received 60% design plans; project needs funding; Tidelands application submitted for FY27 funding in the amount of \$2.6M for construction
- Old Brick House Roof Repairs – PO issued to Durden Roof Company for the replacement; Need to schedule a pre-construction meeting and set a NTP date
- Preserve at Parker's Creek Phase II (Shriners Blvd.) – Construction plans have been approved; their waiting on their outside agency approvals

- Parker’s Creek Sediment Removal – J.E. Borries; \$206K; Pre-construction meeting May 29, 2025; Plan to start dredging by the end of this week of August 11th
- Phase II Paving (Ward is parenthesis)
 - Pinecrest (7) ▪ Briarfield Ave. (5) ▪ Stacy Ln (6)
 - Dundewood (7) ▪ Beacon Pl. (5) ▪ Schonewitz (6)
 - RSR 1 & 2 ▪ Deming Pl. (5) ▪ La Bonne Terre Concrete Streets (4)
 - Point Cadet Marina area (1) ▪ Fayard Street (1) ▪ Copp Street (2)
 - Cuevas Street (1) ▪ Victory Lane (7) ▪ Destiny Plantation (6)
 - Mercury Lane (5) ▪ Jackson St. bricks (1)
 - Pine Grove Ave. (5) ▪ Comfort Pl Lee to Keller (1)
 - Jenkins Alley (1)
- Point Cadet Living Shoreline (BMA) – Krause Marine Construction; \$586,759; NTP 03/17/2025; Completion July 15, 2025; all work in complete except the plantings; plantings will begin in September because they plants need more grow time;
- Point Cadet Nearshore #1096 (BMA) – design on-going, permitting is going to take longer than we thought, it’s probably going to be another 4-6 months in permitting; Corps is waiting for concurrence from National Marine Fisheries before they can issue their permit.
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, grant agreement was approved June 10, 2025; working through the documentation to submit to MDEQ
- Popp’s Ferry Extension #913 – Necaise Bros. \$20.8M, NTP 11/25/2024
 - Contractor is working on cutting the road bed down to grade, have one area of bad material that we’re working on how to handle
 - Working on water, sewer and storm drain between Hwy 90 and RR tracks
 - Currently working on lowering the waterline at Hwy 90, discovered that Centerpoint did not lower the gas main deep enough so are now waiting for Centerpoint to complete the work before they can continue
 - Working on sewer and storm drain on the south end of the project
 - Work is 32% complete as of end of July
- Popp’s Ferry Bridge Draw Replacement – Neel-Schaffer, \$506K,
 - Huval will be testing the paint on July 15th
 - Waterside and drone inspection of bridge is complete
- Pre-Event Debris Removal – Award of contract to be added on the August 26th council agenda
- Repair/Replace Contract – See attached

- Rodenberg at Pass Road Intersection – ROW acquisition is almost complete, one property one is holding out
- Shriners Blvd. Widening – Project was approved in the STIP; ready to begin the MDOT process by requesting Project Activation as soon as grant match is funded
- Southern Magnolia Subdivision (Shorecrest Blvd.) – Construction plans have been approved; construction pending outside agenda approvals; waiting for off-site water line agreement approval from the contractor
- Woolmarket Road Sidewalks – (Machado Patano) – Landmark Construction; \$998,507.43; one section left in front of Family Dollar on Lorraine Road, there's an issue with the drainage pipe under the driveway where the new sidewalk is supposed to go that they're trying to get resolved; **the supplemental agreement (change order) for this revision is on the August 26th council agenda for approval**
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 75% complete, this project will have to be broken out into phases but we're waiting to see how much funding we receive before doing that and finalizing the design

Repair/Replace Work Status
as of 08/25/2025

Updates in red

Status	Priority	Location	Description of Work
Construction	0	Rue Petit Bois/ Rue Palafox Drainage	The whole area behind Hobby Lobby is holding water, Center Stage parking lot was completely underwater during heavy rain, water almost got into their building; work progression down Rue Petit Bois and about to turn down Rue Palafox
Complete	0	Benachi, 116	Road repaved by Infrastructure Contractor is higher than sidewalk and water rushes from the street into their front door (Katrina Infrastructure funded); work being done by concrete contractor, work expected to start by June 15, 2025, delayed due to rain
Construction	0	Carter Road, 328	Investigate sink hole at Carter & Orleans - going to do under the Bay Vista Water Project; Bay Vista Water project has started so as soon as they get to Carter Road this will be fixed
Construction	0	Sheridan Court 2576	Water coming off the street into residents garage, causing garage to flood met with resident on 5/10/25 and contractor to come up with a plan on how to proceed, estimated start date June 15, 2025
Need Quote	1	Atkinson Rd. / Newman Property	Sinkhole in the middle of property from city storm drain pipe
Need Quote	1	Acacia, 149 grout failing storm drain in rear yard	there is an old storm drain pipe that runs behind the houses on Acacia that is failing causing the water to encroach on the house
Pending Const.	2	Brister Place Drainage	Repair failing drainage pipe (Katrina Infrastructure funded)
Pending Const.	2	Ellington 850 Drainage	Drainage pipe is causing a sinkhole in the yard
Investigate	2	Rue Palafox Drainage	Sinkhole between 2571 & 2568 Rue Palafox - moved up due to severe flooding in the area
Need Quote	2	Bilglade Drainage	Rear drainage behind the houses on the east side of Bilgade is failing and water got in a house during the last rain even - PW is going to handle this one.
Need Quote	3	Howard Ave., 242	Mike Covacevich - wants a curved driveway apron and brick column is leaning due to Necaise, it needs to be stood back up
Need Quote	3	Howard & Joachim Drainage	Reconnect existing storm drain to inlet; was inadvertintely missed during Infrastructure (Katrina Infrastructure funded)
Pending Const.	3	Father Ryan Sinkhole (Drainage)	Sinkhole due to pipe failure, video'd the pipe and the entire length of pipe needs to be lined (Katrina Infrastructure funded)
Need Quote	4	Howard Ave. 300	Drainage issues due to infrastructure contractors storing equipment on the property, Walt asked if we could install some drainage to help direct the water back toward the street (Katrina Infrastructure funded)
Need Quote	4	Irish Hill & White Ave Storm Drain Grate	Storm drain grate needs to be raised, contractor failed to lower it during Infrastructure project (Katrina Infrastructure funded)

Status	Priority	Location	Description of Work
Investigate	2	Courtney Lane, 1880 Drainage	Drainage issues in easement
Investigate		Castille, PL 2493 Drainage	Erosion from drainage easement
Investigate	10	Chambers Cove - Sewer cave in	SR# 46489 - pothole due to sewer cave in need to get video to determine scope of work - Waiting to see if PW has an available funding
Investigate	10	Courtney Lane, 1880 Drainage	Clean drainage behind houses all the way to the detention pond
On-hold	10	Fairview Drive 347 - Sewer MH	Pothole near 347 Fairview Drive - PW backfilled, need to make permanent repair on hold until additional funding is received
Need Quote	10	Club Moss 2267 Drainage and Concrete	Going to ask PW if they can do this work
Need Quote	11	Grady St. Sidewalk	Install sidewalk on Grady Street for elderly resident
Need Quote	11	Braun St. Drainage	Sinkhole due to pipe failure
Need Quote	11	Churchill concrete ditch groundwater issues	Going to see if Helms Polyfoam will work in this area
Investigate	11	LeBlanc Cove Drainage	425 LeBlanc Cv and 430 LeBlanc Cv extend culvert to stop erosion - waiting on video
Investigate	11	Main St. & Water St. Sinkhole	Need to video storm drain to see what's happening - Waiting to see if PW has any available funding, I have a feeling this is going to need to be a capital project
Investigate	11	McDonnell Ave. Pothole	By Racetrack south of Irish Hill - waiting on video to determine scope of work
Investigate	11	Nelson Road pothole	Potholes in Nelson road need to be fixed
Investigate	11	Pass Road near Rodenberg Pothole	SR # 46726 - Pothole from potential sewer cave in
On-hold		St. Martha & Rodeo Drainage Repair	Repair drainage pipe that is caving in under the road - On hold until additional funding is received
On-hold	11	Tara Lane Drainage Repairs	Replace collapsed pipe - On hold until additional funding is received
Investigate		Baywood Drive, 2209 Drainage	Major erosion in the ditch that runs between the Oaks and Baywood Drive - Danny is going to meet with councilman residents to develop scope of work
Investigate		Beau Chene Lift Station	Lift station needs a new liner
Need Quote		Beverin Rd. and Jack Graves waterline	Waiting on Shriners Blvd. Waterline project to be completed
Investigate		The Bluffs Concrete Street	Numerous concrete street panels need to be replaced
Investigate		Boyette Rd. Drainage	Ditches need to be regraded (Kathy Santiago)
Investigate		Briarfield potholes	sinkholes along Briarfield

Status	Priority	Location	Description of Work
Need Quote		Camp 4 Jacks 935 Drainage	Pot hole in driveway, PW has video'd this line and the pipe is crushed and needs replacement
Need Quote		Carolwood add curb inlet	Install curb inlet in area that is holding water
Investigate		Cherry Ln & Riverview culvert replaced	Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Need Quote		Churchill asphalt repairs	asphalt deteriorating
Investigate		Cove Drive French Drains	Repairs to french drains on Cove Drive
Need Quote		Coventry Square Concrete Road Repair	Repair failing concrete panels
Need Quote		Crane Ridge 2089	Ditch is holding water
Investigate		Destiny Plantation Brick Roads	Replace sections of sinking bricks
Investigate		Division & New St. Sinkhole	Need to investigate large sinkhole forming
Investigate		Eastview Drive 328 Sewer	Reported as drainage but we're only showing sewer in this area, potholes in this area
Need Quote		Enclave Concrete Street Repair	Repair failing concrete panels
Investigate		Fairview Drive 302 Drainage	Drainage repairs
Investigate		Fairview Drive 324 Sewer	Repairs to sewer manhole
Investigate		Filoli Court Concrete Street Repair	Repair failing concrete panels by 2010 & 2012 Filoli Court
Investigate		Greenhill Circle 13396 Ditch	Water from the street is flooding his property
Investigate		Greenhill Circle Ditch	County cut ditches and now two residents are saying their property holds water
Investigate		Franklin Court Sinkhole & Sidewalk	Repair sinkhole and extend sidewalk in front of lift station
Investigate		Hilton Avenue, 334	Drainage issue with culvert, water flows down the hole not into the drain
Investigate		Holly Bluff Circle Ditch	Resident would like to pipe the ditch by the lift station
Investigate		Iberville, 160 Sewer	SR#49102 PW asked for this sewer repair to be done under R/R
Investigate		Iberville & Hwy 90 Cave in	Cave-in in the grass SR No.
Investigate		Iris St., 181 sewer	No sewer clean out, sewer pipe is broken
Investigate		Iris St., 166	Sidewalks and driveways are too high causing her car to drag
Need Quote		Jefferson Davis Sidewalk	make repairs to sidewalk - SR issued to PW
Investigate		La Bonne Terre Concrete Streets	make repairs to cracked concrete streets in La Bonne Terre

Status	Priority	Location	Description of Work
Investigate		Lakeview Drive Asphalt Repairs	asphalt deteriorating
On-hold		Lameuse Street south of Hwy 90	Emergency Repair due to storm drain cave in; investigated and backfilled; need to grout the storm drain and repave (Hard Rock) temporarily fixed, permanent fix will be done when additional funding is received
Investigate		Larkin Drive Drainage	Ditches need to be recut - drainage is backing up in yards
Need Quote		Lorraine Rd. 13143	Culvert needs to be cleaned out or replaced and pothole needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572 PW replaced the culvert, need to have them cut the ditch
Need Quote		McKenzie Court Ditch	Ditch needs to be redug it's filled with sediment - ditch behind Summer Chase
Investigate		Melissa Drive Detention Pond	Detention Pond needs to be cleaned out.
Need Quote		North Oaklawn Rd. 12387	Ditches need to be cleaned
Need Quote		Oaklawn, North 9127	Ditch needs to be rerouted
Need Quote		Old Bay Road Sidewalk	Reinstall sidewalk around MS Power Transmission Pole
Investigate		Oleander 732??? Drainage	Drainage repair around a storm drain box - from PW
Investigate		Pass Rd. before Goosepoint sinkhole	pothole in Pass Road
Investigate		Pin Oak Lift Station Ditch	Ditch runs north from lift station; resident at 10351 Pin Oak requested this work
Need Quote		Pin Oak & North River View	Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes	sinholes at manholes on Pine Grove
Investigate		Popps Ferry Road Potholes	South of Bridge - need manhole lid risers
Investigate		Raintree Lift Station	PW would like to see if we can reroute the sewer into this station so we can get rid of this station; if not it needs to be lined
Need Quote		Rich Ave. Waterline	Add fire protection for office building and Rich Ave
Investigate		River Birch Dr Drainage Ditch	Ditch needs to be regraded
Need Quote		River Place Concrete Street Repairs	Repair failing concrete panels
Need Quote		Rodenberg potholes	Have video of this area, this is going to be a major repair, will probably need to be a capital project

Status	Priority	Location	Description of Work
Investigate		Sharon Hills Dr 790 Drainage	Per PW, this pipe behind the house is not in good shape and is causing sinkholes - LNJ has already video'd this line
Investigate		Sonoma Drive Drainage	Ditch outside of subdivision is eroding into residents property
Need Quote		2478 Provence Place Sidewalk	Gap in sidewalk in front of home
Complete		Anatole Bay Drainage	Drainage issue coming from La Bonne Terre onto Anatole Bay property; sod and fence complete, restoration of vegetation is only outstanding item
Complete		Atkinson Rd. / Gulf Shores Care Center	Repairs to the city drainage pipe that runs through the parking lot. This project is almost complete
Complete		Beauvior Home Drainage	Replacing a failing drainage pipe in city easement - Complete
Complete		Brodie Road water main repair	Repair leaking hydrants
Complete		Buena Vista Lift Station Lining	Replacing the liner in the lift station
Complete		Caillavet St. Water Leak	In the median of 421 of Caillavet St. - may be irrigation - completed by PW
Complete		Covenant Square - Emergency Water Repair	Emergency water main break
Complete		Damon Court sinkhole	13408 Damon Court, sinkhole - may be damaged culvert - Public Works Addressing
Complete		Desporte's Building - Concrete Pad	Concrete contractor to install concrete pad 50' along the east side of the building - fill has been brought in, the concrete pad will be poured after the installation of the lean-to
Complete		Edgewater Park Sidewalk Repairs	Starting after cruising
Complete	0	Fearn drive ditch	install pipe in the ditch behind the houses on Fearn drive; work is substantially complete, just doing final clean up and have a little more sod to install
Complete		Floyd Drive 2191	Sewer repair
Complete		GE Ohr Emergency Sewer Repair	Sewer manhole broken during paving
Complete		GE Ohr Parking Lot Paving	Replacing asphalt after repairs
Complete		GE Ohr Lining of Sewer	Lining the sewer main on GE Ohr
Complete		Gill Ave./Judge Sekul Emergency Sewer	Emergency sewer repair for PW north of the RR Tracks
Complete		Graham Ave 272	Reinstall fence after french drain repairs

Status	Priority	Location	Description of Work
Complete		Graham Ave drainage	Remove and replace drainage pipe between houses
Complete		Hickman Road Sewer	Install a low pressure sewer service for resident at 12193 Hickman Rd.
Complete		Hiller Park LS erosion	Correct erosion problem just west of the lift station
Complete		Howard & Caillavet - water main break on weekend	Repair a broken water main - waiting on invoice
Complete		Hwy 90/GE Ohr Water line	Water line is leaking across from the Hard Rock on the north side of Hwy 90; waterline repair is complete, pouring curb and sidewalk this week
Complete		Irish Hill & Gill Ave Sewer Repair	Point repair of sewer manhole (Katrina Infrastructure funded)
Complete		John Lee Rd. Sidewalk	Install sidewalk from Mill Creek Estates to Woolmarket Elementary School
Complete		Johnson Diesel Sewer Main	Run sewer service to connect to existing tap
Complete		Lorraine Rd. Water/Sewer Taps	Install water and sewer taps
Complete		Mill Creek Sidewalk Repair	Concrete panel is collapsed this can be done under the concrete annual bid
Complete		Nativity Storm Drain	Nativity parking lot holding water - Completed by PW
Cancelled		Nelson Rd. 373	Drainage coming of the church parking lot is flooding her yard - referred this to Community Development for a private property drainage issue
Complete		Oaklawn Ln West Emergency Repair	
Complete		Oaklawn Rd. North ditch	Cut roadside ditch so that it drains to existing low spot from 9226 N Oaklawn rd. north
Complete		Orleans Rd. - Emergency Water Repair	Orleans & Carter Emergency water main break
Complete		Pass Rd. Water Tap	Water tap bore on Pass Road to Moffett Road started June 26th
Complete		Popp's Ferry New Life Church	Replace lid of manhole in Popp's Ferry Rd. in front of New Life Church
Complete		Rue Petit Bois Water Repair	Emergency water main break
Complete		Shady Creek Drive	Paving
Complete		Shucker Stadium water main repair	Emergency watermain repair due to freezing temperatures
Complete		Sports Complex Water Repair	Emergency water main repair
Complete		St. Peter Asphalt	Replacing asphalt after repairs
Complete		St. John Emergency Sewer Repair	Sewer main break

Status	Priority	Location	Description of Work
Complete		St. Mary Blvd. Emergency Sewer Repair	Emergency sewer repair for Public Works
Complete		Sunkist Ponds Clean out drainage ponds	Met with golf course on 10/26/24 to determine final grading and grassing to be done; only outstanding work is the hydroseeding
Complete		Watersview, 695	Concrete sidewalk repair - Will be done after Mill Creek Sidewalk Repairs

Total FY24-25 \$1,852,968.14

Pending \$360,963.96

Complete \$1,079,068.63

City of Biloxi Public Works Department

Completed Work Orders for 8/18/25-8/24/25

WorkOrderId	Description	Actual Finish	Address	Total Cost
85698	REPAIR/REPLACE TOP / CONCRETE	8/20/2025	925 Caroline Dr.	\$1,826.72
155402	REPAIR ELECTRICAL COMPONENT	8/18/2025	SEAFOOD AND MARITIME MUSEUM	\$59.78
155546	A/C LEAKING/FILTER	8/21/2025	195 REYNOIR ST	\$82.14
155438	A/C LEAKING/PAN	8/19/2025	214B Public Works BLDG	\$39.85
155437	JANITORIAL EMERGENT SERVICES	8/19/2025	Public Works BLDG 214A	\$59.78
155408	ELECTRICAL REPAIR - LS	8/18/2025	RUE PETIT BOIS L.S.	\$375.40
155423	DAILY LIFT STATION INSPECTION	8/18/2025		\$315.52
155462	CLEAN/INSPECT GRINDER FLOAT	8/19/2025	4360 AUDUBON TRAIL	\$140.52
155480	DAILY LIFT STATION INSPECTION	8/20/2025		\$0.00
155497	DAILY LIFT STATION INSPECTION	8/20/2025		\$0.00
155506	DAILY LIFT STATION INSPECTION	8/20/2025		\$370.68
155542	ELECTRICAL REPAIR - LS	8/20/2025	RODENBERG @ HWY 90 L.S.	\$181.58
155552	DAILY LIFT STATION INSPECTION	8/21/2025		\$370.68
155556	ELECTRICAL REPAIR - LS	8/21/2025	GREENWOOD DRIVE L.S.	\$273.80
155422	DAILY LIFT STATION INSPECTION	8/18/2025		\$300.08
155452	DAILY LIFT STATION INSPECTION	8/19/2025		\$300.08
155457	DAILY LIFT STATION INSPECTION	8/19/2025		\$315.52
155465	DAILY LIFT STATION INSPECTION	8/19/2025	LIVE OAK ON THE BAY	\$72.17
155500	DAILY LIFT STATION INSPECTION	8/20/2025		\$0.00
155541	ELECTRICAL REPAIR - LS	8/20/2025	THORNHILL SOUTH #1 L.S.	\$103.76
155555	DAILY LIFT STATION INSPECTION	8/21/2025	SOUTH SHORE L.S.	\$98.55
155463	DAILY LIFT STATION INSPECTION	8/19/2025	LAMEY STREET L.S.	\$52.17
155498	DAILY LIFT STATION INSPECTION	8/20/2025		\$0.00
155508	CLEAN LIFT STATION	8/20/2025		\$315.52
155520	FLUSH SEWER GRAVITY MAIN	8/19/2025	790 HOLLY HILLS DR	\$728.17
155553	DAILY LIFT STATION INSPECTION	8/21/2025		\$393.90
155557	ELECTRICAL REPAIR - LS	8/21/2025	DEBUYS ROAD L.S.	\$155.64
155406	ELECTRICAL REPAIR - LS	8/18/2025	COMMERCE PARK L.S.	\$181.58
155421	ELECTRICAL REPAIR - LS	8/18/2025	LAMEY STREET L.S.	\$129.70
155456	DAILY LIFT STATION INSPECTION	8/19/2025		\$0.00
155460	CLEAN LIFT STATION	8/18/2025	COMMERCE PARK L.S.	\$52.17
155468	DAILY LIFT STATION INSPECTION	8/19/2025	MALPASS LANDING L.S.	\$46.34

155499	DAILY LIFT STATION INSPECTION	8/20/2025		\$0.00
155509	REPAIR CLEAN OUT	8/20/2025	737 DESTINY PLANTATION BLVD	\$104.74
155554	DAILY LIFT STATION INSPECTION	8/21/2025	CAMP 4 JACKS L.S.	\$46.34
155583	ELECTRICAL REPAIR - LS	8/24/2025	RODENBERG @ HWY 90 L.S.	\$363.16
155568	ELECTRICAL REPAIR - LS	8/21/2025	RODENBERG @ HWY 90 L.S.	\$181.58
155605	REPAIR/REPLACE FENCE-LS	8/22/2025	DESTINY PLANTATION BLVD	\$46.34
155581	ELECTRICAL REPAIR - LS	8/22/2025	RODENBERG @ HWY 90 L.S.	\$181.58
155602	DAILY LIFT STATION INSPECTION	8/22/2025		\$370.68
133658	REPAIR LIFT STATION	8/20/2025	MGM STADIUM	\$0.00
155582	ELECTRICAL REPAIR - LS	8/23/2025	RODENBERG @ HWY 90 L.S.	\$181.58
155603	DAILY LIFT STATION INSPECTION	8/22/2025		\$393.90
155607	CLEAN LIFT STATION	8/22/2025	MALPASS LANDING L.S.	\$46.34
96069	ADD DEGREASER	8/20/2025	12491 HUDSON-KROHN RD, BILOXI, MS, 39532	\$182.72
155529	CLEAN CATCH BASIN	8/20/2025	1991 POPPS FERRY RD	\$28.79
155415	ROW MAINTENANCE	8/18/2025	MOTSIE RD	\$358.87
155427	ROW MAINTENANCE	8/19/2025	judge sekul	\$1,793.38
155431	ROW MAINTENANCE	8/21/2025	BAY VIEW AVE	\$3,928.48
155485	ROW MAINTENANCE	8/19/2025	SHRINERS BLVD	\$423.64
155489	CURB/ GUTTER REPAIR	8/20/2025	2319 RUE MAISON	\$1,682.88
155530	REPAIR POT HOLE	8/20/2025	13395 WASH FAYARD RD	\$70.86
155564	LITTER CONTROL	8/21/2025	SHORECREST RD	\$287.85
155426	SINKHOLE	8/18/2025	2506 MEADOW RD	\$93.91
155430	DAILY GRASS CUTTING	8/18/2025	MEDICAL PARK DR	\$239.39
155434	4 FT DELINEATOR SET UP/ REMOVAL	8/18/2025	MAIN ST	\$1,149.65
155488	DAILY GRASS CUTTING	8/19/2025	SHORECREST RD	\$163.26
155505	LITTER CONTROL	8/19/2025	WOOLMARKET RD	\$321.68
155533	CEMETERY CUT AND CLEAN	8/21/2025	cemetery	\$1,574.58
155567	DAILY GRASS CUTTING	8/21/2025	WASH FAYARD RD	\$230.33
155571	DAILY GRASS CUTTING	8/21/2025	SHRINERS BLVD	\$629.63
155396	DAILY GRASS CUTTING	8/18/2025	ALICIA DR	\$237.31
155419	LITTER CONTROL	8/18/2025	AIRPORT RD	\$321.68
155424	DAILY TRASH PICK UP	8/18/2025		\$813.29
155432	ROW MAINTENANCE	8/18/2025	ALICIA DR	\$0.00
155486	CEMETERY CUT AND CLEAN	8/19/2025	CEMETERY	\$1,431.44
155490	ROW MAINTENANCE	8/20/2025	POPPS FERRY RD	\$1,001.16
155502	DAILY GRASS CUTTING	8/19/2025	8559 BOSS HUSLEY RD	\$935.98
155531	REPAIR POT HOLE	8/20/2025	13761 JOHN LEE RD	\$70.86
155543	ROW MAINTENANCE	8/20/2025	CARTER RD	\$530.22
155565	LITTER CONTROL	8/21/2025	871 MOTSIE RD	\$119.76
155569	DAILY TRASH PICK UP	8/21/2025		\$813.29
155433	ROW MAINTENANCE	8/19/2025	ESTERS BLVD	\$748.56

155483	DAILY GRASS CUTTING	8/19/2025	OLEANDER LN	\$81.63
155487	DAILY TRASH PICK UP	8/19/2025	KUHN ST	\$385.91
155491	ROW MAINTENANCE	8/19/2025	VETERANS AVE	\$544.31
155503	CUT TREE/ LIMBS/ BUSHES	8/20/2025	POPPS FERRY RD & BLUFF RDG	\$591.33
155532	REPAIR POT HOLE	8/20/2025	OLD WOOLMARKET RD & DUNDEEWOOD RD	\$70.86
155545	REPAIR/REPLACE SIDEWALK	8/21/2025	662 DIVISION, BILOXI, MS, 39530	\$1,319.40
155566	DAILY GRASS CUTTING	8/21/2025	JOHN LEE RD	\$230.33
155575	DAILY TRASH PICK UP	8/21/2025	TCHULA ST	\$79.12
155579	REPAIR POT HOLE	8/21/2025	POPPS FERRY RD	\$22.62
155638	LITTER CONTROL	8/21/2025	MOTSIE RD	\$115.14
155643	LITTER CONTROL	8/22/2025	CEDAR LAKE RD	\$321.68
155302	CEMETERY CUT AND CLEAN	8/18/2025	cemetery	\$1,351.53
155572	DAILY TRASH PICK UP	8/21/2025	BROWN ST	\$39.56
155576	DAILY TRASH PICK UP	8/21/2025	DIVISION ST	\$639.55
155580	ROW MAINTENANCE	8/21/2025	COVENANT SQUARE DR	\$573.18
155639	REPAIR POT HOLE	8/22/2025	4109 OAKRIDGE PL	\$33.72
73058	CONCRETE REPAIR/INSTALL	8/18/2025	151 BILMARSAN DR, BILOXI, MS, 39531	\$570.09
155573	DAILY GRASS CUTTING	8/21/2025	1950 FEARN CT	\$38.07
155577	DAILY TRASH PICK UP	8/21/2025	SHERRY LN & REDDING ST	\$39.56
155640	DAILY GRASS CUTTING	8/22/2025	CAMP WILKES RD	\$239.39
155570	DAILY TRASH PICK UP	8/21/2025	MAPLE ST	\$39.56
155574	DAILY TRASH PICK UP	8/21/2025	201 SPANNER LN	\$79.12
155578	DAILY TRASH PICK UP	8/21/2025	RAILROAD ST	\$197.79
155641	ROW MAINTENANCE	8/22/2025	BIG LAKE RD	\$305.15
155593	SIGN/POLE WORK	8/21/2025	BEACH BLVD & ST GEORGE AVE	\$133.32
155598	TEMPORARY SIGN INSTALL/ REMOVE	8/20/2025	1114 JUDGE SEKUL AVE	\$35.92
155604	STRIPING/PAVEMENT MARKING	8/18/2025	RICH AVE & RANDALL DR	\$444.83
155608	TEMPORARY SIGN INSTALL/ REMOVE	8/18/2025	880 LEEWARD DR	\$57.94
155621	SIGN FABRICATION	8/19/2025	PUBLIC WORKS SIGN SHOP	\$226.82
155626	OBSTRUCTION REMOVAL	8/21/2025	HEIDENHEIM AVE & ROY ST	\$14.62
155631	TEMPORARY SIGN INSTALL/ REMOVE	8/21/2025	CEMETERY	\$19.21
155594	STRIPING/PAVEMENT MARKING	8/20/2025	RANDALL DR & HINMAN AVE	\$209.76
155623	TEMPORARY SIGN INSTALL/ REMOVE	8/21/2025	CEMETERY	\$13.07
155627	OBSTRUCTION REMOVAL	8/21/2025	MARIE ST & HOLLEY ST	\$19.21
155632	INSTALL/REMOVE SIGN	8/22/2025	ESTERS BLVD & REYNOIR ST	\$148.38
155595	SIGN/POLE WORK	8/18/2025	RICH AVE & CARTER RD	\$282.53
155610	TEMPORARY SIGN INSTALL/ REMOVE	8/18/2025	664 WETZEL DR	\$57.94
155624	TEMPORARY SIGN INSTALL/ REMOVE	8/21/2025	1114 JUDGE SEKUL AVE	\$13.07
155628	OBSTRUCTION REMOVAL	8/21/2025	RIDGEWAY DR & DEWEY CIR	\$38.42
155634	SIGN/POLE WORK	8/22/2025	VICTORIA LN & REECE BERGERON RD	\$64.23
155596	STRIPING/PAVEMENT MARKING	8/20/2025	RICH AVE & BAY VISTA DR	\$230.08

155625	OBSTRUCTION REMOVAL	8/21/2025	JUDGE SEKUL AVE & FORREST AVE	\$17.96
155630	OBSTRUCTION REMOVAL	8/21/2025	JAMES ST & RIDGEWAY DR	\$19.21
155637	SIGN/POLE WORK	8/22/2025	LEEWARD & AHOY	\$88.95
155484	BATTERY	8/19/2025	30413	\$53.90
155492	REPAIR/REPLACE AC	8/20/2025	60728	\$25.78
155551	MULTIPLE REPAIRS	8/21/2025	61101	\$41.08
155428	BATTERY	8/19/2025	61910	\$162.00
155482	OIL CHANGE	8/19/2025	Public works vehicle maintenance	\$16.95
155549	BATTERY	8/21/2025	61000	\$26.95
155425	BATTERY	8/18/2025	71107	\$217.17
155429	OIL CHANGE	8/18/2025	60737	\$7.50
155550	REPAIR/REPLACE TIRES	8/21/2025	61912	\$26.95
155587	REPAIR/REPLACE BRAKE	8/22/2025	61801	\$73.63
155588	LIGHT EQUIPMENT REPAIR	8/22/2025	TL-30	\$78.71
155589	OIL CHANGE	8/22/2025	60713	\$15.00
148880	REPAIR/REPLACE METER BOX	8/20/2025	1989 TODD CV	\$1,066.32
155466	REPLACE LID	8/18/2025	746 HIGHLAND DR	\$23.17
155501	FLUSH HYDRANT	8/20/2025	JEFFERSON ST	\$49.84
155511	REPLACE LID	8/20/2025	CAMP FOUR JACKS RD	\$46.34
155519	REPLACE LID	8/19/2025	1616 CAYMAN CV	\$49.84
155461	REPAIR/REPLACE WATER-PM	8/18/2025	359 Rich Ave	\$5,480.54
155510	FLUSH HYDRANT	8/20/2025	178 HANNIBAL CT	\$99.68
155518	FLUSH HYDRANT	8/19/2025	1623 CAYMAN CV	\$192.35
155561	REPLACE REGISTER	8/21/2025	1989 TODD CV	\$315.83
155450	REPAIR WATER LINE	8/19/2025	534 Jefferson	\$617.17
155467	REPLACE LID	8/18/2025	722 HIGHLAND DR	\$24.92
155400	REPLACE/INSTALL METER BOX & LID	8/18/2025	1951 BRASHER RD	\$195.97
155446	REPAIR WATER LINE	8/19/2025	2382 CARTER DR	\$411.56
155464	REPLACE LID	8/18/2025	726 LIVE OAK DR	\$24.92
155521	FLUSH WATER-PM	8/19/2025	1623 CAYMAN CV	\$92.72
136579	REPAIR/REPLACE METER BOX	8/20/2025	281 HICKORY RD	\$261.00
155600	REPAIR WATER LINE	8/22/2025	1756 GARDEN PARK DR	\$614.93
155606	REPLACE SMART POINT	8/21/2025	1988 TODD CV	\$72.13
152625	REPLACE MUSHROOM CAP	8/21/2025	220 POPPS FERRY RD	\$37.38
155404	CHLORINATION SYSTEM	8/18/2025	NORTH BILOXI #1 WELL	\$24.92
	ADJUST/EXERCISE			
155449	CHLORINATION SYSTEM	8/19/2025	RUSTWOOD WELL	\$24.92
	ADJUST/EXERCISE			
155453	CHLORINATION SYSTEM	8/19/2025	FATHER RYAN WELL	\$24.92
	ADJUST/EXERCISE			
155458	GENERAL GROUNDS MAINTENANCE	8/19/2025	OAKLAWN WELL	\$24.92
155471	CHLORINE DELIVERY	8/19/2025	TULLIS MANOR WELL	\$2,630.26

155515	GENERAL GROUNDS MAINTENANCE	8/20/2025	PARK DR WELL	\$37.38
155534	WELL DAILY INSPECTION	8/21/2025	PINE STREET WELL	\$474.72
155548	WELL DAILY INSPECTION	8/22/2025	PINE STREET WELL	\$402.72
155407	CHANGE CL2 CYLINDERS	8/18/2025	SOUTH HILL WELL	\$24.92
155414	WELL DAILY INSPECTION	8/19/2025	PINE STREET WELL	\$562.65
155448	CHANGE CL2 CYLINDERS	8/19/2025	RUSTWOOD WELL	\$24.92
155469	WELL DAILY INSPECTION	8/20/2025	PINE STREET WELL	\$514.59
155475	CHLORINE DELIVERY	8/19/2025	VEE ST WELL	\$2,630.26
155514	CHLORINATION SYSTEM ADJUST/EXERCISE	8/20/2025	GREATER AVE WELL	\$24.92
155405	CHLORINATION SYSTEM ADJUST/EXERCISE	8/18/2025	SOUTH HILL WELL	\$24.92
155409	GENERAL GROUNDS MAINTENANCE	8/18/2025	SOUTH HILL WELL	\$24.92
155454	CHLORINATION SYSTEM ADJUST/EXERCISE	8/19/2025	IBERVILLE WELL	\$24.92
155459	GENERAL GROUNDS MAINTENANCE	8/19/2025	GREATER AVE WELL	\$24.92
155473	CHLORINE DELIVERY	8/19/2025	PARK DR WELL	\$2,630.26
155512	CHLORINATION SYSTEM REPAIR/REPLACE	8/20/2025	FATHER RYAN WELL	\$99.68
155516	GENERAL GROUNDS MAINTENANCE	8/20/2025	LAKEVIEW WELL	\$37.38
155535	CHANGE CL2 CYLINDERS	8/20/2025	TULLIS MANOR WELL	\$24.03
155410	CHLORINATION SYSTEM REPAIR/REPLACE	8/18/2025	FATHER RYAN WELL	\$137.96
155451	GENERAL MAINTENANCE	8/19/2025	NORTH BILOXI #1 TANK	\$49.84
155474	CHLORINE DELIVERY	8/19/2025	LAKEVIEW WELL	\$2,630.26
155513	CHLORINATION SYSTEM ADJUST/EXERCISE	8/20/2025	FATHER RYAN WELL	\$24.92
155517	GENERAL GROUNDS MAINTENANCE	8/20/2025	VEE ST WELL	\$37.38
155536	CHLORINATION SYSTEM ADJUST/EXERCISE	8/20/2025	TULLIS MANOR WELL	\$12.02
155558	ELECTRICAL REPAIR - WELL	8/21/2025	VEE ST WELL	\$103.76
155615	GENERAL GROUNDS MAINTENANCE	8/21/2025	VEE ST WELL	\$24.92
155609	REPLACE/TIGHTEN PACKING	8/21/2025	VEE ST WELL	\$315.30
155616	CHLORINATION SYSTEM ADJUST/EXERCISE	8/21/2025	VEE ST WELL	\$24.92
155363	WELL DAILY INSPECTION	8/18/2025	PINE STREET WELL	\$597.67
155618	CHLORINATION SYSTEM ADJUST/EXERCISE	8/22/2025	SUPERIOR WELL	\$24.92
155613	REPLACE/TIGHTEN PACKING	8/22/2025	NORTH BILOXI #1 WELL	\$315.30
155620	GENERAL GROUNDS MAINTENANCE	8/22/2025	NORTH BILOXI #1 WELL	\$45.99