




BILOXI FIRE DEPARTMENT INCIDENT SUMMARY REPORT FOR THE WEEK OF September 8 - September 15

1 - Fires (Structure & Vehicle)	4
2 - Rupture/Explosion	
3 - Emergency Medical Services/Rescue	100
4 - Hazardous Conditions	4
5 - Service Calls	18
6 - Good Intent	14
7 - Fire Alarm Calls; Active, Malfunction	16
8 - Weather/Natural Disaster	2
9 - Special Incident Type	3
Total	<u>161</u>

WEEKLY COUNT OF INCIDENT TYPE





Breakdown by Major Incident Types (553)

Start Date: 9/8/2025 7:00:00 | End Date: 9/15/2025 7:00:00


Record Status

(No filters applied)

Station

(No filters applied)

Runs by Incident Series



Incident Series

Incident Series	# of Incidents	% of Incidents
	5	3.11%
[100] Fire	4	2.48%
[300] Rescue & Emergency Medical Service Incident	100	62.11%
[400] Hazardous Condition (No Fire)	4	2.48%
[500] Service Call	18	11.18%
[600] Good Intent Call	14	8.70%
[700] False Alarm & False Call	16	9.94%
Grand Total	161	100.00%

Incident Type	# of Incidents	% of Total
	5	3.11%

Breakdown by Major Incident Types for Date Range.

[131] Passenger vehicle fire	1	0.62%
[141] Forest, woods or wildland fire	2	1.24%
[142] Brush or brush-and-grass mixture fire	1	0.62%
[311] Medical assist, assist EMS crew	19	11.80%
[321] EMS call, excluding vehicle accident with injury	76	47.20%
[322] Motor vehicle accident with injuries	4	2.48%
[324] Motor vehicle accident with no injuries.	1	0.62%
[412] Gas leak (natural gas or LPG)	3	1.86%
[444] Power line down	1	0.62%
[531] Smoke or odor removal	1	0.62%
[552] Police matter	2	1.24%
[553] Public service	1	0.62%
[554] Assist invalid (Lift Assists)	11	6.83%
[561] Unauthorized burning / fire	3	1.86%
[611] Dispatched & canceled en route	12	7.45%
[622] No incident found on arrival at dispatch address	2	1.24%
[733] Smoke detector activation due to malfunction	4	2.48%
[735] Alarm system sounded due to malfunction	5	3.11%
[743] Smoke detector activation, no fire - unintentional	3	1.86%
[745] Alarm system activation, no fire - unintentional	4	2.48%
Grand Total	161	100.00%

Breakdown by Major Incident Types for Date Range.

Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us

**Police Chief****John B. Miller**

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100



Fax: 228.374.1922

www.biloxi.ms.us

DATE: September 15, 2025**RE:** Biloxi Police activity for September 8 – September 14, 2025

TOTAL CALLS FOR SERVICE	2181
TOTAL INCIDENT REPORTS	164
TOTAL OFFENSES (Violations/Reports)	205
TOTAL ARRESTS	93

Calls excluded from call type charts were: Extra Patrol – 775; Suspicious Circumstances – 125; Traffic Stops – 404; and Walk & Talk – 53. The Biloxi Police Crime Map may be viewed at <https://www.arcgis.com/apps/dashboards/83df186bc01d41c9b035af33b058e76f>.

TOP 20 CALL TYPES BY NATURE**OFFENSES BY CATEGORY**



DATE: *September 8, 2025*

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR September 1-7, 2025

Building permits issued	<i>104</i>
Construction Valuation of permits issued	<i>\$584,000</i>
Building inspections performed	<i>86</i>
Business licenses	<i>15</i>
Renewals	<i>246</i>
Charter Boats	<i>0</i>
Peddler's licenses	<i>4</i>
Certificates of Occupancy issued	<i>9 (2 were Short-Term Rentals)</i>
Code enforcement cases opened	<i>108</i>
Code enforcement cases resolved	<i>139</i>



Engineering Department Weekly Update
September 15, 2025
(updates in red)

Projects Out to Bid

Projects in the Process of Being Awarded

Projects Under Construction

- Bay Vista Water Well Repairs
- Bay Vista Water Lines
- Belle La Vie Lift Station
- Brasher Bayou Sediment Removal
- BRIC Grant (Cedar Lake Bridge)
- Division St. Warehouse Lean-To
- Gruich Center HVAC
- Keegan Bayou Restoration
- MGCCC Traffic Signal
- North Biloxi Well Casing
- Parkers Creek Sediment Removal
- Point Cadet Living Shoreline
- Popp's Ferry Extension
- Repair/Replace 2025-2028
- Woolmarket Road Sidewalks

Private Utility Work in ROW

- Belvedere Dr. (CSpire) – from Belvedere Dr. to Tara Ln – Under Construction
- Circle Park (CSpire) – Division to Bayview from Forrest to Benachi – **Will begin this week**
- Edgewater, Rue Palafox & Rue Petit Bois – **Under construction**
- Southern Avenue & Greater Ave – Will be started after Circle Park **and after BEA sidewalks**

Projects

- Bay Breeze Subdivision (Maple Street) – Final inspection has been done, ready for final plat
- Bay Vista Water Well – Lyman Well at \$1.7m; NTP Nov. 4, 2024; Completion March 2026; **above ground piping has been installed, chlorine equipment is installed along with the cradles and hoist at the chlorine building; anticipating the control panel to be delivered within the next two weeks**
- Bay Vista Water Line Replacement Project No. 1013 – DNA Underground; \$3.3 million; Start May 1, 2025; 300 days; Completion March 2026, **25% Complete as of August 31st; crews only have one bore left north of Bay Vista and then will start boring south of Bay Vista; will be requesting a closure on Popp's Ferry to make 3 tie ins this month.**

- Biloxi-OS Bridge Walking Path Ramp – BMA working on design, estimated cost \$120,000 project needs funding waiting on MDOT permit approval
- Brashier Bayou Sediment Removal – JE Talley; \$318K; NTP July 7, 2025; 365 days; Estimated Completion July 2026, contractor has mobilized; contractor has demobilized for two weeks to move in smaller barge
- Cedar Lake Bridge BRIC Grant – All data has been collected; all public meetings have been held; final report complete
- Crystal Bay Subdivision (Brodie Rd.) – 80% plans have been approved, project has currently stalled
- Falcon Glen Subdivision (Belle La Vie Ph 2) – starting to set manholes and lay sewer, working on sod around detention ponds
- Hawk Creek Subdivision Ph III (Oaklawn & Shorecrest) – **Construction plans have been approved, ready to schedule pre-construction meeting**
- Howard Creek Bridge (Old Hwy 67, just east of Hudson Krohn/Cedar Lake Intersection) – Received \$1.6M in State Aid funding (\$0 match) to replace this bridge, DMR/Corps permit has been issued
- Gruich Center HVAC upgrades – apparent low bidder DNP \$624,750; DNP is ordering the units, and will let us know a delivery date soon
- Keegan Bayou Restoration – JE Borries, Inc.; \$698K; Awarded April 18, 2025; Pre-construction meeting May 29, 2025; start date pending approval of disposal at HCDC; HCDC has to remove some spoils so make room for additional sediment disposal
- Kuhn St. Boat Ramp – Tidelands Application submitted for FY27 funding in the amount of \$500K in additional funding for construction
- Mallard Creek Subdivision (Hidden Springs Ph 2) – Ready for final plat
- MGCCC Traffic Signal – Powell Const. \$450,000; NTP January 13, 2025; Project is complete, held final walkthrough one punchlist items to move signal ahead signs back on Pass Rd.
- North Biloxi Well Casing – Receive bids August 13, 2025, apparent low bidder Lyman Well \$450,000, project awarded, waiting for contract documents to be received to hold the pre-construction meeting and set start date
- Oak Street Pier (South) – Received 60% design plans; project needs funding; Tidelands application submitted for FY27 funding in the amount of \$2.6M for construction

- Preserve at Parker’s Creek Phase II (Shriners Blvd.) – Construction plans have been approved; met last week, have received all outside agency approvals and are ready to start construction; need to schedule pre-construction meeting
- Parker’s Creek Sediment Removal – J.E. Borries; \$206K; Pre-construction meeting May 29, 2025; Plan to start dredging by the end of this week of August 11th
- Phase II Paving (Ward is parenthesis)

▪ Pinecrest (7)	▪ Briarfield Ave. (5)	▪ Stacy Ln (6)
▪ Dundewood (7)	▪ Beacon Pl. (5)	▪ Schonewitz (6)
▪ RSR 1 & 2	▪ Deming Pl. (5)	▪ La Bonne Terre Concrete Streets (4)
▪ Point Cadet Marina area (1)	▪ Fayard Street (1)	▪ Copp Street (2)
▪ Cuevas Street (1)	▪ Victory Lane (7)	▪ Destiny Plantation (6)
▪ Mercury Lane (5)	▪ Jackson St. bricks (1)	▪ Keller Ave (1)
▪ Pine Grove Ave. (5)	▪ Comfort Pl Lee to Keller (1)	
	▪ Jenkins Alley (1)	
- Point Cadet Living Shoreline (BMA) – Krause Marine Construction; \$586,759; NTP 03/17/2025; Completion July 15, 2025; **all work complete, one punchlist item related to some riprap**
- Point Cadet Nearshore #1096 (BMA) – design on-going, permitting is going to take longer than we thought, it’s probably going to be another 4-6 months in permitting; Corps is waiting for concurrence from National Marine Fisheries before they can issue their permit.
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, grant agreement was approved June 10, 2025; working through the documentation to submit to MDEQ
- Popp’s Ferry Extension #913 – Necaise Bros. \$20.8M, NTP 11/25/2024
 - Contractor is working on cutting the road bed down to grade, have one area of bad material that we’re working on how to handle
 - Working on water, sewer and storm drain between Hwy 90 and RR tracks
 - Currently working on lowering the waterline at Hwy 90, discovered that Centerpoint did not lower the gas main deep enough so are now waiting for Centerpoint to complete the work before they can continue **Centerpoint performing this work now**
 - Working on sewer and storm drain on the south end of the project
 - Work is 32% complete as of end of July
- Popp’s Ferry Bridge Draw Replacement – Neel-Schaffer, \$506K,
 - Huval will be testing the paint on July 15th
 - Waterside and drone inspection of bridge is complete

- Repair/Replace Contract – See attached
- Rodenberg at Pass Road Intersection – ROW acquisition is almost complete, one property one is holding out
- Shriners Blvd. Widening – Project was approved in the STIP; ready to begin the MDOT process by requesting Project Activation as soon as grant match is funded
- Southern Magnolia Subdivision (Shorecrest Blvd.) – Construction plans have been approved; construction pending outside agenda approvals; waiting for off-site water line agreement approval from the contractor
- Woolmarket Road Sidewalks – (Machado Patano) – Landmark Construction; \$998,507.43; one section left in front of Family Dollar on Lorraine Road, there's an issue with the drainage pipe under the driveway where the new sidewalk is supposed to go that they're trying to get resolved; the supplemental agreement (change order) for this revision was approved August 26th; this was the last outstanding section
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) (Overstreet) design is 75% complete, this project will have to be broken out into phases but we're waiting to see how much funding we receive before doing that and finalizing the design

Repair/Replace Work Status
as of 09/08/2025

Updates in red

Status	Priority	Location	Description of Work
Construction	0	Rue Petit Bois/ Rue Palafox Drainage	The whole area behind Hobby Lobby is holding water, Center Stage parking lot was completely underwater during heavy rain, water almost got into their building; work progression down Rue Petit Bois and about to turn down Rue Palafox
Construction	0	Carter Road, 328	Investigate sink hole at Carter & Orleans - going to do under the Bay Vista Water Project; Bay Vista Water project has started so as soon as they get to Carter Road this will be fixed
Complete	0	Sheridan Court 2576	Water coming off the street into residents garage, causing garage to flood met with resident on 5/10/25 and contractor to come up with a plan on how to proceed, estimated start date June 15, 2025
Need Quote	1	Atkinson Rd. / Newman Property	Sinkhole in the middle of property from city storm drain pipe
Pending Const.	1	Acacia, 149 grout failing storm drain in rear yards	there is an old storm drain pipe that runs behind the houses on Acacia that is failing causing the water to encroach on the house
Pending Const.	2	Brister Place Drainage	Repair failing drainage pipe (Katrina Infrastructure funded)
Pending Const.	2	Ellington 850 Drainage	Drainage pipe is causing a sinkhole in the yard
Investigate	2	Rue Palafox Drainage	Sinkhole between 2571 & 2568 Rue Palafox - moved up due to severe flooding in the area
Need Quote	2	Bilglade Drainage	Rear drainage behind the houses on the east side of Bilgade is failing and water got in a house during the last rain even - PW is going to handle this one.
Need Quote	3	Howard Ave., 242	Mike Covacevich - wants a curved driveway apron and brick column is leaning due to Necaise, it needs to be stood back up
Need Quote	3	Howard & Joachim Drainage	Reconnect existing storm drain to inlet; was inadvertintly missed during Infrastructure (Katrina Infrastructure funded)
Pending Const.	3	Father Ryan Sinkhole (Drainage)	Sinkhole due to pipe failure, video'd the pipe and the entire length of pipe needs to be lined (Katrina Infrastructure funded)
Need Quote	4	Howard Ave. 300	Drainage issues due to infrastructure contractors storing equipment on the property, Walt asked if we could install some drainage to help direct the water back toward the street (Katrina Infrastructure funded)
Need Quote	4	Irish Hill & White Ave Storm Drain Grate	Storm drain grate needs to be raised, contractor failed to lower it during Infrastructure project (Katrina Infrastructure funded)
Investigate	2	Courtney Lane, 1880 Drainage	Drainage issues in easement
Investigate		Castille, PL 2493 Drainage	Erosion from drainage easement

Status	Priority	Location	Description of Work
Investigate	10	Chambers Cove - Sewer cave in	SR# 46489 - pothole due to sewer cave in need to get video to determine scope of work - Waiting to see if PW has an available funding
Investigate	10	Courtney Lane, 1880 Drainage	Clean drainage behind houses all the way to the detention pond
On-hold	10	Fairview Drive 347 - Sewer MH	Pothole near 347 Fairview Drive - PW backfilled, need to make permanent repair on hold until additional funding is received
Need Quote	10	Club Moss 2267 Drainage and Concrete	Going to ask PW if they can do this work
Need Quote	11	Grady St. Sidewalk	Install sidewalk on Grady Street for elderly resident
Need Quote	11	Braun St. Drainage	Sinkhole due to pipe failure
Need Quote	11	Churchill concrete ditch groundwater issues	Going to see if Helms Polyfoam will work in this area
Investigate	11	LeBlanc Cove Drainage	425 LeBlanc Cv and 430 LeBlanc Cv extend culvert to stop erosion - waiting on video
Investigate	11	Main St. & Water St. Sinkhole	Need to video storm drain to see what's happening - Waiting to see if PW has any available funding, I have a feeling this is going to need to be a capital project
Investigate	11	McDonnell Ave. Pothole	By Racetrack south of Irish Hill - waiting on video to determine scope of work
Investigate	11	Nelson Road pothole	Potholes in Nelson road need to be fixed
Investigate	11	Pass Road near Rodenberg Pothole	SR # 46726 - Pothole from potential sewer cave in
On-hold		St. Martha & Rodeo Drainage Repair	Repair drainage pipe that is caving in under the road - On hold until additional funding is received
On-hold	11	Tara Lane Drainage Repairs	Replace collapsed pipe - On hold until additional funding is received
Investigate		Baywood Drive, 2209 Drainage	Major erosion in the ditch that runs between the Oaks and Baywood Drive - Danny is going to meet with councilman residents to develop scope of work
Investigate		Beau Chene Lift Station	Lift station needs a new liner
Investigate		Motise Rd. Belmont Gardens Apts	Rear property floods during heavy rains and floods the apartment
Need Quote		Beverin Rd. and Jack Graves waterline	Waiting on Shriners Blvd. Waterline project to be completed
Investigate		The Bluffs Concrete Street	Numerous concrete street panels need to be replaced
Investigate		Boyette Rd. Drainage	Ditches need to be regraded (Kathy Santiago)
Investigate		Briarfield potholes	sinkholes along Briarfield
Need Quote		Camp 4 Jacks 935 Drainage	Pot hole in driveway, PW has video'd this line and the pipe is crushed and needs replacement
Need Quote		Carolwood add curb inlet	Install curb inlet in area that is holding water

Status	Priority	Location	Description of Work
Investigate		Cherry Ln & Riverview culvert replaced	Replace failed culvert - need PW to clean ditch so water will drain in order to investigate
Need Quote		Churchill asphalt repairs	asphalt deteriorating
Investigate		Cove Drive French Drains	Repairs to french drains on Cove Drive
Need Quote		Coventry Square Concrete Road Repair	Repair failing concrete panels
Need Quote		Crane Ridge 2089	Ditch is holding water
Investigate		Destiny Plantation Brick Roads	Replace sections of sinking bricks
Investigate		Division & New St. Sinkhole	Need to investigate large sinkhole forming
Investigate		Eastview Drive 328 Sewer	Reported as drainage but we're only showing sewer in this area, potholes in this area
Need Quote		Enclave Concrete Street Repair	Repair failing concrete panels
Investigate		Fairview Drive 302 Drainage	Drainage repairs
Investigate		Fairview Drive 324 Sewer	Repairs to sewer manhole
Investigate		Filoli Court Concrete Street Repair	Repair failing concrete panels by 2010 & 2012 Filoli Court
Investigate		Greenhill Circle 13396 Ditch	Water from the street is flooding his property
Investigate		Greenhill Circle Ditch	County cut ditches and now two residents are saying their property holds water
Investigate		Franklin Court Sinkhole & Sidewalk	Repair sinkhole and extend sidewalk in front of lift station
Investigate		Hilton Avenue, 334	Drainage issue with culvert, water flows down the hole not into the drain
Investigate		Iberville, 160 Sewer	SR#49102 PW asked for this sewer repair to be done under R/R
Investigate		Iberville & Hwy 90 Cave in	Cave-in in the grass SR No.
Investigate		Iris St., 181 sewer	No sewer clean out, sewer pipe is broken
Investigate		Iris St., 166	Sidewalks and driveways are too high causing her car to drag
Need Quote		Jefferson Davis Sidewalk	make repairs to sidewalk - SR issued to PW
Investigate		La Bonne Terre Concrete Streets	make repairs to cracked concrete streets in La Bonne Terre
Investigate		Lakeview Drive Asphalt Repairs	asphalt deteriorating
On-hold		Lameuse Street south of Hwy 90	Emergency Repair due to storm drain cave in; investigated and backfilled; need to grout the storm drain and repave (Hard Rock) temporarily fixed, permanent fix will be done when additional funding is received

Status	Priority	Location	Description of Work
Investigate		Larkin Drive Drainage	Ditches need to be recut - drainage is backing up in yards
Need Quote		Lorraine Rd. 13143	Culvert needs to be cleaned out or replaced and pothole needs to be fixed where sewer was run across the road Mary Bell Moore 860-0572 PW replaced the culvert, need to have them cut the ditch
Need Quote		McKenzie Court Ditch	Ditch needs to be redug it's filled with sediment - ditch behind Summer Chase
Investigate		Melissa Drive Detention Pond	Detention Pond needs to be cleaned out.
Need Quote		North Oaklawn Rd. 12387	Ditches need to be cleaned
Need Quote		Oaklawn, North 9127	Ditch needs to be rerouted
Need Quote		Old Bay Road Sidewalk	Reinstall sidewalk around MS Power Transmission Pole
Investigate		Oleander 732??? Drainage	Drainage repair around a storm drain box - from PW
Investigate		Pass Rd. before Goosepoint sinkhole	pothole in Pass Road
Investigate		Pin Oak Lift Station Ditch	Ditch runs north from lift station; resident at 10351 Pin Oak requested this work
Need Quote		Pin Oak & North River View	Culverts need to be cleaned Janet Hughes
Investigate		Pine Grove Sinkholes	sinholes at manholes on Pine Grove
Investigate		Popps Ferry Road Potholes	South of Bridge - need manhole lid risers
Investigate		Raintree Lift Station	PW would like to see if we can reroute the sewer into this station so we can get rid of this station; if not it needs to be lined
Need Quote		Rich Ave. Waterline	Add fire protection for office building and Rich Ave
Investigate		River Birch Dr Drainage Ditch	Ditch needs to be regraded
Need Quote		River Place Concrete Street Repairs	Repair failing concrete panels
Need Quote		Rodenberg potholes	Have video of this area, this is going to be a major repair, will probably need to be a capital project
Investigate		Sharon Hills Dr 790 Drainage	Per PW, this pipe behind the house is not in good shape and is causing sinkholes - LNJ has already video'd this line
Investigate		Sonoma Drive Drainage	Ditch outside of subdivision is eroding into residents property
Need Quote		2478 Provence Place Sidewalk	Gap in sidewalk in front of home

Status	Priority	Location	Description of Work
Complete		Anatole Bay Drainage	Drainage issue coming from La Bonne Terre onto Anatole Bay property; sod and fence complete, restoration of vegetation is only outstanding item
Complete		Atkinson Rd. / Gulf Shores Care Center	Repairs to the city drainage pipe that runs through the parking lot. This project is almost complete
Complete		Beauvior Home Drainage	Replacing a failing drainage pipe in city easement - Complete
Complete		Benachi, 116	Road repaved by Infrastructure Contractor is higher than sidewalk and water rushes from the street into their front door (Katrina Infrastructure funded); work being done by concrete contractor, work expected to start by June 15, 2025, delayed due to rain
Complete		Brodie Road water main repair	Repair leaking hydrants
Complete		Buena Vista Lift Station Lining	Replacing the liner in the lift station
Complete		Caillavet St. Water Leak	In the median of 421 of Caillavet St. - may be irrigation - completed by PW
Complete		Covenant Square - Emergency Water Repair	Emergency water main break
Complete		Damon Court sinkhole	13408 Damon Court, sinkhole - may be damaged culvert - Public Works Addressing
Complete		Desporte's Building - Concrete Pad	Concrete contractor to install concrete pad 50' along the east side of the building - fill has been brought in, the concrete pad will be poured after the installation of the lean-to
Complete		Edgewater Park Sidewalk Repairs	Starting after cruising
Complete	0	Fearn drive ditch	install pipe in the ditch behind the houses on Fearn drive; work is substantially complete, just doing final clean up and have a little more sod to install
Complete		Floyd Drive 2191	Sewer repair
Complete		GE Ohr Emergency Sewer Repair	Sewer manhole broken during paving
Complete		GE Ohr Parking Lot Paving	Replacing asphalt after repairs
Complete		GE Ohr Lining of Sewer	Lining the sewer main on GE Ohr
Complete		Gill Ave./Judge Sekul Emergency Sewer	Emergency sewer repair for PW north of the RR Tracks
Complete		Graham Ave 272	Reinstall fence after french drain repairs
Complete		Graham Ave drainage	Remove and replace drainage pipe between houses
Complete		Hickman Road Sewer	Install a low pressure sewer service for resident at 12193 Hickman Rd.

Status	Priority	Location	Description of Work
Complete		Hiller Park LS erosion	Correct erosion problem just west of the lift station
Complete		Holly Bluff Circle Ditch	Resident would like to pipe the ditch by the lift station - Resident did himself
Complete		Howard & Caillavet - water main break on weekend	Repair a broken water main - waiting on invoice
Complete		Hwy 90/GE Ohr Water line	Water line is leaking across from the Hard Rock on the north side of Hwy 90; waterline repair is complete, pouring curb and sidewalk this week
Complete		Irish Hill & Gill Ave Sewer Repair	Point repair of sewer manhole (Katrina Infrastructure funded)
Complete		John Lee Rd. Sidewalk	Install sidewalk from Mill Creek Estates to Woolmarket Elementary School
Complete		Johnson Diesel Sewer Main	Run sewer service to connect to existing tap
Complete		Lorraine Rd. Water/Sewer Taps	Install water and sewer taps
Complete		Mill Creek Sidewalk Repair	Concrete panel is collapsed this can be done under the concrete annual bid
Complete		Nativity Storm Drain	Nativity parking lot holding water - Completed by PW
Cancelled		Nelson Rd. 373	Drainage coming of the church parking lot is flooding her yard - referred this to Community Development for a private property drainage issue
Complete		Oaklawn Ln West Emergency Repair	
Complete		Oaklawn Rd. North ditch	Cut roadside ditch so that it drains to existing low spot from 9226 N Oaklawn rd. north
Complete		Orleans Rd. - Emergency Water Repair	Orleans & Carter Emergency water main break
Complete		Pass Rd. Water Tap	Water tap bore on Pass Road to Moffett Road started June 26th
Complete		Popp's Ferry New Life Church	Replace lid of manhole in Popp's Ferry Rd. in front of New Life Church
Complete		Rue Petit Bois Water Repair	Emergency water main break
Complete		Shady Creek Drive	Paving
Complete		Shucker Stadium water main repair	Emergency watermain repair due to freezing temperatures
Complete		Sports Complex Water Repair	Emergency water main repair
Complete		St. Peter Asphalt	Replacing asphalt after repairs
Complete		St. John Emergency Sewer Repair	Sewer main break
Complete		St. Mary Blvd. Emergency Sewer Repair	Emergency sewer repair for Public Works

Status	Priority	Location	Description of Work
Complete		Sunkist Ponds Clean out drainage ponds	Met with golf course on 10/26/24 to determine final grading and grassing to be done; only outstanding work is the hydroseeding
Complete		Watersview, 695	Concrete sidewalk repair - Will be done after Mill Creek Sidewalk Repairs

Total FY24-25 \$1,852,968.14

Pending \$335,963.96

Complete \$1,104,068.63

City of Biloxi Public Works Department

Completed Work Orders for 9/8/25-9/14/25

WorkOrderId	Description	Actual Finish	Address	Total Cost	Wards
156085	PLUMBING REPAIRS	9/9/2025	WOOLMARKET CITY CENTER	\$59.78	7
156097	A/C LEAKING/PAN	9/9/2025	City Hall	\$39.85	1
156129	A/C LEAKING/PAN	9/10/2025	CITY HALL	\$39.85	1
156167	DOOR COMPONENT	9/11/2025	CITY HALL	\$59.78	1
156096	REPLACE LIGHT BULBS	9/9/2025	Visitors Center	\$49.81	
155892	PLUMBING REPAIRS	9/9/2025	OHR (BACK BAY) FIRE STATION 3	\$142.73	2
156206	PLUMBING REPAIRS	9/9/2025	710 beach blvd	\$0.00	1
156225	DOOR COMPONENT	9/12/2025	CITY HALL	\$99.63	1
155547	A/C LEAKING/FILTER	9/8/2025	Seafood Museum	\$458.24	1
156078	BRIDGE MAINTENANCE	9/9/2025	Popps ferry bridge house	\$53.90	
156025	REPAIR CLEAN OUT	9/8/2025	277 RODENBERG AVE	\$128.21	1
156100	DAILY LIFT STATION INSPECTION	9/9/2025		\$393.90	3
156150	ELECTRICAL REPAIR - LS	9/11/2025	RODENBERG @ HWY 90 L.S.	\$118.45	3
156186	DAILY LIFT STATION INSPECTION	9/12/2025	BRODIE ROAD L.S.	\$46.34	4
156028	DAILY LIFT STATION INSPECTION	9/8/2025		\$393.90	3
156102	ELECTRICAL REPAIR - LS	9/9/2025	RODENBERG @ HWY 90 L.S.	\$118.45	6
156135	DAILY LIFT STATION INSPECTION	9/10/2025		\$370.68	4
156154	ELECTRICAL REPAIR - LS	9/11/2025	TIMBER CREEK L.S.	\$118.45	7
156160	DAILY LIFT STATION INSPECTION	9/11/2025		\$370.68	4
156184	DAILY LIFT STATION INSPECTION	9/12/2025		\$393.90	3
156029	DAILY LIFT STATION INSPECTION	9/8/2025		\$46.34	7
156099	DAILY LIFT STATION INSPECTION	9/9/2025		\$370.68	4
156131	ELECTRICAL REPAIR - LS	9/10/2025	LOVES TRUCK STOP L.S.	\$233.45	6
156136	DAILY LIFT STATION INSPECTION	9/10/2025		\$393.90	3
156162	DAILY LIFT STATION INSPECTION	9/11/2025		\$393.90	3
156185	DAILY LIFT STATION INSPECTION	9/12/2025		\$370.68	4
156027	DAILY LIFT STATION INSPECTION	9/8/2025		\$370.68	4
156069	ELECTRICAL REPAIR - LS	9/8/2025	RODENBERG @ HWY 90 L.S.	\$118.45	3
156101	ELECTRICAL REPAIR - LS	9/8/2025	RODENBERG @ HWY 90 L.S.	\$118.45	3
156153	ELECTRICAL REPAIR - LS	9/14/2025	RODENBERG @ HWY 90 L.S.	\$236.90	3
156188	INSPECT MANHOLE	9/8/2025	948 CAROLINE DR	\$217.27	4
156229	CUT/CLEAN DITCH	9/12/2025	SELENA DR	\$158.88	7

156051	DAILY GRASS CUTTING	9/8/2025	RIVER ESTATES CIR	\$175.86	7
156055	DAILY TRASH PICK UP	9/8/2025	BRODIE RD	\$319.36	6
156072	CEMETERY CUT AND CLEAN	9/9/2025	cemetery	\$1,970.22	1
156076	LITTER CONTROL	9/8/2025	I-110 BRIDGE L.S.	\$286.50	1
156107	DAILY GRASS CUTTING	9/9/2025	EAST OAKLAWN RD	\$151.45	7
156111	DAILY GRASS CUTTING	9/9/2025	WOOLMARKET RD	\$151.45	7
156158	REMOVE/REPAIR STRUCTURE	9/11/2025	214 DELAUNEY ST, 39530	\$3,463.09	2
156180	ROW MAINTENANCE	9/11/2025	JOHN LEE RD	\$370.72	7
155979	CEMETERY CUT AND CLEAN	9/8/2025	cemetery	\$1,565.30	1
156053	LITTER CONTROL	9/8/2025	HUDSON-KROHN RD	\$460.56	7
156070	DAILY GRASS CUTTING	9/8/2025	WEST OAKLAWN RD	\$478.79	7
156074	CUT/CLEAN CITY PROPERTY	9/8/2025	Communications Building	\$179.55	6
156079	DAILY TRASH PICK UP	9/8/2025	SHERRY LN	\$358.84	2
156109	DAILY GRASS CUTTING	9/9/2025	PARKERS CREEK RD	\$151.45	7
156113	DAILY GRASS CUTTING	9/9/2025	MICHAEL ST	\$151.45	7
156176	ROW MAINTENANCE	9/10/2025	LICKSKILLET RD	\$382.62	6
156042	DAILY GRASS CUTTING	9/8/2025	EAST SHORE CREST DR	\$351.72	7
156046	DAILY GRASS CUTTING	9/8/2025	WEST OAKLAWN RD	\$175.86	7
156050	DAILY GRASS CUTTING	9/8/2025	PARKERS CIR	\$175.86	7
156071	CUT EASEMENT	9/8/2025	MULBERRY DR	\$119.70	6
156075	ROW MAINTENANCE	9/9/2025	BAY VIEW AVE	\$1,550.16	1
156106	DAILY GRASS CUTTING	9/9/2025	SOUTH OAKLAWN LN	\$151.45	7
156110	DAILY GRASS CUTTING	9/9/2025	SHORTCUT RD	\$151.45	7
156114	LITTER CONTROL	9/9/2025	WEST OAKLAWN RD	\$258.88	7
156177	LITTER CONTROL	9/9/2025	HICKMAN RD	\$100.02	6
156040	DAILY GRASS CUTTING	9/8/2025	SOUTH RIVER DR	\$175.86	7
156044	DAILY GRASS CUTTING	9/8/2025	EAGLE POINT CIR	\$175.86	7
156048	DAILY GRASS CUTTING	9/8/2025	LANDING CT	\$175.86	7
156073	BARRICADE SETUP/REMOVE	9/8/2025	CADET ST	\$1,918.42	1
156108	DAILY GRASS CUTTING	9/9/2025	NORTH OAKLAWN L.S.	\$151.45	7
156112	DAILY GRASS CUTTING	9/9/2025	LOUISE ST	\$151.45	7
156123	DAILY GRASS CUTTING	9/9/2025	316 CARTER RD	\$177.24	5
156219	LITTER CONTROL	9/12/2025	OLD HWY 67 HWY	\$400.08	7
156227	ROW MAINTENANCE	9/12/2025	OLD HWY 67 HWY	\$446.75	6
156232	DAILY TRASH PICK UP	9/12/2025	259 MAGNOLIA ST	\$264.15	2
156217	LITTER CONTROL	9/11/2025	CEDAR LAKE RD	\$400.08	6
156218	DAILY GRASS CUTTING	9/12/2025	OLD HWY 67 HWY	\$989.44	7
156231	LITTER CONTROL	9/12/2025	HWY 90 HWY	\$486.76	1
156215	LITTER CONTROL	9/10/2025	OLD HWY 67 HWY	\$460.56	6
156228	SINKHOLE	9/9/2025	1970 GREATER AVE	\$220.74	3
156233	DAILY TRASH PICK UP	9/12/2025	436 LAMEUSE ST	\$88.05	2
156183	STRIPING/PAVEMENT MARKING	9/8/2025	PASS RD & MACARTHUR AVE	\$1,972.59	5

156200	TEMPORARY SIGN INSTALL/ REMOVE	9/11/2025	WOOLMARKET PUBLIC WORKS SHOP	\$76.32	7
156205	TEMPORARY SIGN INSTALL/ REMOVE	9/12/2025	PASS RD & WESTVIEW DR	\$31.80	5
156211	TEMPORARY SIGN INSTALL/ REMOVE	9/12/2025	LEE ST & ESTERS BLVD	\$9.89	2
156194	TEMPORARY SIGN INSTALL/ REMOVE	9/11/2025	Public Works Parking Lot	\$39.44	
156198	BANNER SETUP/ TAKE DOWN	9/11/2025	CAILLAVET ST	\$544.42	2
156202	SIGN FABRICATION	9/10/2025	PUBLIC WORKS SIGN SHOP	\$102.51	2
156208	SIGN/POLE WORK	9/12/2025	Popps Ferry Bridge	\$78.10	
156203	BANNER SETUP/ TAKE DOWN	9/9/2025	HOWARD AVE & PORTER AVE	\$544.42	1
156209	SIGN/POLE WORK	9/12/2025	DEBUYS RD & FERNWOOD RD	\$19.78	5
156201	BANNER SETUP/ TAKE DOWN	9/10/2025	MAIN ST	\$544.42	2
156083	REPAIR/REPLACE HEATING	9/9/2025	704-P	\$33.90	
156157	OIL CHANGE	9/11/2025	62402	\$16.95	
156031	FLUSH HYDRANT	9/8/2025	MIRAMAR AVE	\$91.97	1
156039	FLUSH HYDRANT	9/8/2025		\$12.02	1
156037	FLUSH HYDRANT	9/8/2025		\$12.02	2
156041	FLUSH HYDRANT	9/8/2025		\$12.02	1
156057	FLUSH HYDRANT	9/8/2025		\$22.48	1
156038	FLUSH HYDRANT	9/8/2025		\$12.02	2
156058	FLUSH HYDRANT	9/8/2025		\$22.48	1
156032	FLUSH HYDRANT	9/8/2025	CAYMAN CV	\$91.97	1
156056	FLUSH HYDRANT	9/8/2025		\$22.48	1
156159	FLUSH HYDRANT	9/11/2025	JEFFERSON ST	\$213.41	2
156191	FLUSH HYDRANT	9/12/2025	CAYMAN CV	\$91.97	1
156189	FLOW TEST	9/10/2025	2166 PASS RD	\$192.35	3
156190	FLUSH HYDRANT	9/10/2025	792 HOLLY HILLS DR	\$192.35	4
156199	REPAIR/REPLACE METER BOX	9/9/2025	1615 CAYMAN CV	\$192.35	1
156192	FLUSH HYDRANT	9/12/2025	MIRAMAR AVE	\$91.97	1
156197	REPAIR WATER LINE	9/12/2025	800 ON THE GREEN	\$331.43	4
156035	CHLORINATION SYSTEM ADJUST/EXERCISE	9/8/2025	67 & OAKLAWN WELL	\$24.92	7
156043	FLUSH SAMPLE STATION/CHECK CL2 RESIDUE	9/8/2025		\$12.02	1
156047	FLUSH SAMPLE STATION/CHECK CL2 RESIDUE	9/8/2025		\$12.02	1
156059	TAKE CL2 CYLINDER OFFLINE	9/8/2025	PINE STREET WELL	\$24.03	1
156063	CALIBRATE CHLORINE SCALES	9/8/2025	PINE STREET WELL	\$12.02	1
156067	CALIBRATE CHLORINE SCALES	9/8/2025	TULLIS MANOR WELL	\$12.02	1
156120	WELL DAILY INSPECTION	9/10/2025	PINE STREET WELL	\$432.88	3
156133	CHANGE CL2 CYLINDERS	9/9/2025	SPORTS COMPLEX WELL	\$24.92	6
156140	WELL DAILY INSPECTION	9/11/2025	PINE STREET WELL	\$474.72	3
156145	CHLORINE DELIVERY	9/10/2025	BRADFORD ST WELL	\$3,061.48	2
156164	GENERAL GROUNDS MAINTENANCE	9/11/2025	SUPERIOR WELL	\$139.28	7

156169	CHANGE CL2 CYLINDERS	9/11/2025	KUHN ST WELL	\$24.03	1
156173	CHANGE CL2 CYLINDERS	9/10/2025	BRADFORD ST WELL	\$24.03	2
156033	CHLORINATION SYSTEM ADJUST/EXERCISE	9/8/2025	SPORTS COMPLEX WELL	\$24.92	6
156045	FLUSH SAMPLE STATION/CHECK CL2 RESIDUE	9/8/2025		\$12.02	2
156049	FLUSH SAMPLE STATION/CHECK CL2 RESIDUE	9/8/2025		\$12.02	1
156061	TAKE CL2 CYLINDER OFFLINE	9/8/2025	MAPLE ST WELL	\$12.02	1
156065	TAKE CL2 CYLINDER OFFLINE	9/8/2025	TULLIS MANOR WELL	\$24.03	1
156142	CHLORINE DELIVERY	9/10/2025	KUHN ST WELL	\$3,061.48	1
156148	CHLORINE DELIVERY	9/10/2025	GREATER AVE WELL	\$3,061.48	3
156166	GENERAL GROUNDS MAINTENANCE	9/11/2025	NORTH RIVERVUE WELL	\$139.28	7
156171	CHANGE CL2 CYLINDERS	9/11/2025	TULLIS MANOR WELL	\$24.03	1
156015	WELL DAILY INSPECTION	9/8/2025	PINE STREET WELL	\$426.72	3
156034	CHLORINATION SYSTEM ADJUST/EXERCISE	9/8/2025	NORTH BILOXI #1 WELL	\$33.42	4
156054	FLUSH SAMPLE STATION/CHECK CL2 RESIDUE	9/8/2025		\$12.02	1
156062	CHLORINATION SYSTEM ADJUST/EXERCISE	9/8/2025	MAPLE ST WELL	\$12.02	1
156066	CHLORINATION SYSTEM ADJUST/EXERCISE	9/8/2025	TULLIS MANOR WELL	\$12.13	1
156143	CHLORINE DELIVERY	9/10/2025	TULLIS MANOR WELL	\$3,061.48	1
156149	CHLORINE DELIVERY	9/10/2025	DEBUYS WELL	\$3,061.48	5
156172	CHLORINATION SYSTEM ADJUST/EXERCISE	9/11/2025	TULLIS MANOR WELL	\$24.03	1
156036	WELL DAILY INSPECTION	9/9/2025	PINE STREET WELL	\$474.72	3
156052	FLUSH SAMPLE STATION/CHECK CL2 RESIDUE	9/8/2025		\$12.02	1
156060	CHLORINATION SYSTEM ADJUST/EXERCISE	9/8/2025	PINE STREET WELL	\$12.02	1
156064	CALIBRATE CHLORINE SCALES	9/8/2025	MAPLE ST WELL	\$12.02	1
156134	CHLORINATION SYSTEM ADJUST/EXERCISE	9/10/2025	SPORTS COMPLEX WELL	\$24.92	6
156141	MEET WITH CONTRACTOR	9/8/2025		\$24.03	1
156147	CHLORINE DELIVERY	9/10/2025	GREATER AVE WELL	\$3,061.48	3
156165	GENERAL GROUNDS MAINTENANCE	9/11/2025	OAKLAWN WELL	\$139.28	7
156170	CHLORINATION SYSTEM ADJUST/EXERCISE	9/11/2025	KUHN ST WELL	\$24.03	1
156174	CHLORINATION SYSTEM ADJUST/EXERCISE	9/11/2025	BRADFORD ST WELL	\$24.03	2
156196	GENERAL GROUNDS MAINTENANCE	9/12/2025	VEE ST WELL	\$24.92	4
156195	GENERAL GROUNDS MAINTENANCE	9/12/2025	SPORTS COMPLEX WELL	\$24.92	6