




BIŁOXI FIRE DEPARTMENT INCIDENT SUMMARY REPORT FOR THE WEEK OF May 18 - 25 2026

1 - Fires (Structure & Vehicle)	1
2 - Rupture/Explosion	0
3 - Emergency Medical Services/Rescue	107
4 - Hazardous Conditions	0
5 - Service Calls	22
6 - Good Intent	35
7 - Fire Alarm Calls; Active, Malfunction	4
8 - Weather/Natural Disaster	0
9 - Special Incident Type	0
Total	<u>169</u>

WEEKLY COUNT OF INCIDENT TYPE




Biloxi Fire Department

Biloxi, MS



Breakdown by Major Incident Types (5530)

Start Date: 5/18/2026 7:00:00 | End Date: 5/25/2026 7:00:00



Fire	Hazardous Situation	Incident Type Undefined	Medical	No Emergency	Public Service	Rescue
1	2	1	107	35	22	1

Primary Incident Type	Count	Percentage
Abdominal Pain / Problems	2	1.18%
Accidental Alarm	8	4.73%
Altered Mental Status	4	2.37%
Back Pain (Non-Trauma)	2	1.18%
Breathing Problems	15	8.88%
Cancelled	22	13.02%
Chest Pain (Non-Trauma)	7	4.14%
Convulsions / Seizures	14	8.28%
Diabetic Problems	5	2.96%
Electrical Power Line Down / Arching / Malfunction	1	0.59%

Fall	18	10.65%
Fire Alarm	4	2.37%
Gunshot Wound	1	0.59%
Hazardous Material Release (Chemical from Fixed Facility)	1	0.59%
Headache	1	0.59%
Heart Problems	1	0.59%
Hemorrhage / Laceration	3	1.78%
Law Enforcement	1	0.59%
Lift Assist	14	8.28%
Lost Person	1	0.59%
Malfunctioning Alarm	4	2.37%
Motor Vehicle Collision	9	5.33%
Nausea	1	0.59%
No Appropriate Choice	1	0.59%
No Incident Found Upon Arrival / Location Error	2	1.18%
Other Traumatic Injury	2	1.18%
Overdose / Poisoning	4	2.37%
Person in Water (Swiftwater/River)	1	0.59%
Psychological Behavior Issues	2	1.18%
Sick Case	5	2.96%
Stab / Penetrating Trauma	1	0.59%
Standby	1	0.59%
Stroke / CVA	2	1.18%
Trash / Rubbish Fire	1	0.59%
Unconscious Victim	2	1.18%
Unknown Problem	4	2.37%
Weather Response	1	0.59%
Well Person Check	1	0.59%
Grand Total	169	100.00%

This report runs off of the Dispatch Time. If you do not have a Dispatch Time in a report it will not show here.



Criminal Intelligence Unit

T. (228) 435-6159

F. (228) 702-3179

ciu@biloxi.ms.us



Police Chief
Christopher De Back

170 Porter Avenue

Biloxi, Mississippi 39530

Office: 228.435.6100

Fax: 228.374.1922

www.biloxi.ms.us


DATE: May 26, 2026

RE: Biloxi Police activity for May 18 – May 24, 2026


TOTAL CALLS FOR SERVICE	2063
TOTAL INCIDENT REPORTS	170
TOTAL OFFENSES (Violations/Reports)	235
TOTAL ARRESTS	87

Calls excluded from call type charts were: Extra Patrol – 724; Suspicious Circumstances – 122; Traffic Stops – 266; and Walk & Talk – 50.

TOP 20 CALL TYPES BY NATURE



OFFENSES BY CATEGORY





DATE: May 22, 2026

COMMUNITY DEVELOPMENT ACTIVITY REPORT FOR May 18 - 24, 2026

Building permits issued	62
Construction Valuation of permits issued	\$223,000
Building inspections performed	107
Business licenses	7
Renewals	1
Charter Boats	0
Peddler's licenses	0
Certificates of Occupancy issued	9 (0 were Short-Term Rentals)
Code enforcement cases opened	119
Code enforcement cases resolved	108



Weekly Update
May 26, 2026

(Updates in Red)

Projects Out to Bid

Projects in the Process of Being Awarded

Projects Under Construction

- Bay Vista Water Lines
- East Biloxi Conn Rd. Ph III
- Keegan Bayou Restoration
- North Biloxi Well Casing
- Poppo Ferry Extension
- Repair/Replace 2025-2028

Private Utility Work in ROW

- Howard Ave. from I-110 to Porter (transfer of wires to new poles) – Only 2-3 more poles that still have wire on them around Benachi Ave., waiting for an update on when these lines will be moved.
- Rue Magnolia (Jackson St. Parking Lot) – all lines have been removed, waiting to see when the pole can be pulled

Projects

- Bay Vista Water Line Replacement Project No. 1013 – DNA Underground; \$3.3 million; Start May 1, 2025; 335 days; Completion April 1, 2026, 90% Complete as of end of April 2026
- East Biloxi Access Rd. Ph III – JE Talley; demolition work has started
- Falcon Glen Subdivision (Belle La Vie Ph 2) – starting to set manholes and lay sewer, working on sod around detention ponds
- Hawk Creek Subdivision Ph III (Oaklawn & Shorecrest) – Construction plans have been approved, project on hold until the issue with the trees has been resolved
- Hiller Park Nutrient Reduction – received GOMESA grant in the amount of \$1,300,000
- Howard Creek Bridge (Old Hwy 67, just east of Hudson Krohn/Cedar Lake Intersection)
 - Received \$1.6M in State Aid funding (\$0 match) to replace this bridge,

- Keegan Bayou Restoration – JE Borries, Inc.; \$698K; Awarded April 18, 2025; Pre-construction meeting May 29, 2025; NTP December 1, 2025, work was paused until unity fiber and AT&T could move their underwater cables; AT&T was moving their cable last week and Borries is expected to remobilize this week
- Kinglsey Ridge Subdivision – Tribe Drive; issued construction plan approval for phase 1
- Kuhn St. Boat Ramp – An additional \$500K was authorized by HB1896 for tidelands funding; brings funding up to \$1.5M; funding will not be available until we receive the tidelands grant agreement in Nov. 2026
- North Biloxi Well Casing – Receive bids August 13, 2025, apparent low bidder Lyman Well \$450,000, under construction
- Oak Street Pier – An additional \$500K was authorized by HB1896 for tidelands funding; brings funding up to \$900K; funding will not be available until we receive the tidelands grant agreement in Nov. 2026
- Point Cadet Nearshore #1096 (BMA) – design on-going, permitting is going to take longer than we thought, it's probably going to be another 4-6 months in permitting; Corps is waiting for concurrence from National Marine Fisheries before they can issue their permit.
- Point Cadet Marina Phase II – will be receiving \$5.5 million in Restore funding, grant agreement was approved June 10, 2025; working through the documentation to submit to MDEQ
- Popp's Ferry Extension #913 – Necaise Bros. \$20.8M, NTP 11/25/2024
 - Contractor is working on installing the road base on the south side of the RR tracks
 - Water, sewer and storm drain between Hwy 90& RR tracks is substantially complete
 - Will begin working on the retaining wall that leads up to the underpass soon
 - Work is 44% complete as of end of April
- Popp's Ferry Bridge Draw Replacement – Neel-Schaffer, \$506K,
 - Design on-going
- Southern Magnolia Subdivision (Shorecrest Blvd.) – Installation of 16" offsite water main on Shorecrest is complete
- White Avenue Outfalls – Design selection committee has selected Brown, Mitchell & Alexander; contract being placed on the agenda is pending an MOU with Harrison County
- Woolmarket Acres Infrastructure Improvements (Tiffany, Oaklawn, Boyette, Shorecrest) Corps walked to the project prior to developing their final scope of work for our review